

**PANAMA JACK SPF 45 VANILLA LIP BALM- avobenzone, homosalate, octinoxate, octisalate, petrolatum stick  
Panama Jack**

-----  
**Drug Facts**

**Active ingredient**

Avobenzone 3.0%, Homosalate 3.0%, Octinoxate 7.5%, Octisalate 5.0%.....Sunscreen, Petrolatum 40.0%.....Skin Protectant

**Purpose**

Sunscreen, Skin Protectant

**Keep Out of Reach of Children**

If swallowed get medical help or contact a Poison Control Center right away.

**Uses**

Prevents Sunburns. Helps prevent wind burned and chapped lips.

**Warnings**

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown to prevent sunburn, skin cancer and/or early aging.

For external use only: Stop use and ask a doctor: if rash or irritation develops and lasts.

**Directions**

Apply liberally 15 minutes before sun exposure • reapply: after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures.**Spending time in the sun increases your risk of skin cancer and early skin aging • To decrease the risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. -2 p.m. • wear long-sleeve shirts, pants, hats and sunglasses. Children under 6 months: Ask a doctor.

**Inactive Ingredients**

C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Mineral Oil, Ozokerite, Phenyl Trimethicone, Tocopherol

## Package/Label Principal Display Panel

SEAL • SAFETY SEALED • SEALED • SAFETY SEALED • SEALED • SAFETY SEALED

**Drug Facts (Continued)**

**Warnings:**  
**For external use only**  
**Do not use** on damaged or broken skin  
**When using this product** keep out of eyes. Rinse with water to remove.  
**Stop use and ask a doctor** if rash occurs.  
**Keep out of reach of children.** If swallowed get medical help or contact a Poison Control Center right away.

**Directions:**  
• Apply liberally 15 minutes before sun exposure and as needed.  
• reapply:  
• after 80 minutes of swimming or sweating.  
• immediately after towel drying  
• at least every 2 hours  
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:  
• limit time in the sun, especially from 10 a.m.-2 p.m.  
• wear long sleeve shirts, pants, hats and sunglasses  
• children under 6 months: Ask a doctor.

**Inactive ingredients:** Ozokerite, Mineral Oil, C 12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Flavor, Phenyl Trimethicone, Tocopherol, Sucralose.

LAB-2391 LCS VAN NPIG 45

---


**Drug Facts**

Active ingredients:	Purpose
Avobenzone (3.0%), Homosalate (3.0%)	Sunscreen
Octinoxate (7.5%), Octisalate (5.0%)	Sunscreen
Petrolatum (40.0%)	Skin Protectant

**Uses:**  
• Helps prevent sunburn. Helps prevent and temporarily protects dry, chapped lips.  
• If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.


Questions or Comments? 1.800.840.5275

**Distributed by:** Panama Jack, Inc. Orlando, FL 32801  
Made in USA [www.panamajack.com](http://www.panamajack.com)



0 45336 00602 9

**PANAMA JACK.**  
**45** **VANILLA LIP BALM**  
**Broad Spectrum**  
**SPF 45**



**Net Wt. 0.15 oz (4.25g)**  
▼ Lift for Drug Facts Continued ▼

## PANAMA JACK SPF 45 VANILLA LIP BALM

avobenzone, homosalate, octinoxate, octisalate, petrolatum stick

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:87449-204
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	30 mg in 1 g
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
<b>PETROLATUM</b> (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)	PETROLATUM	400 mg in 1 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	122 mg in 1 g
<b>CERESIN</b> (UNII: Q1LS2UJO3A)	170 mg in 1 g

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	VANILLA	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:87449-204-01	4.25 g in 1 CONTAINER; Type 0: Not a Combination Product	02/26/2026	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	352	02/26/2026	

**Labeler** - Panama Jack (098368566)

**Registrant** - OraLabs (801824756)

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
-------------	----------------	---------------	----------------------------

Revised: 3/2026

Panama Jack