BAL-CARE DHA ESSENTIAL - beta carotene, as corbic acid, cholecalciferol, .alpha.-tocopherol acetate, dl-, thiamine mononitrate, riboflavin, niacinamide, pyridoxine hydrochloride, folic acid, cyanocobalamin, calcium carbonate, sodium feredetate, magnesium oxide, zinc oxide, cupric oxide, iron sucrose, iodine, omega 3 fatty acids PruGen, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

#### **Bal-Care DHA Essential Rev 1.0**

## SUPPLEMENT FACTS

Serving Size 1 Tablet:

**VITAMINS** 

A (beta carotene)	2,850 IU	36% Daily Value
C (ascorbic acid)	120 mg	200% Daily Value
D (cholecalciferol)	840 IU	210% Daily Value
E (dl-alpha tocopheryl acetate)	3 mg 10%	Daily Value
B1 (thiamine mononitrate)	1.8 mg 10	06% Daily Value
B2 (riboflavin)	4 mg	200% Daily Value
Niacinamide	20 mg	100% Daily Value
B6 (pyridoxine hydrochloride)	50 mg 20	000% Daily Value
Folic acid	1 mg	125% Daily Value
B12 (cyanocobalamin)	12 mcg	150% Daily Value

#### **MINERALS**

Calcium (calcium carbonate)	. 219 mg 17% Daily Value
Iron (as sodium iron EDTA and polysaccharide	iron complex)27 mg 150% Daily Value
Magnesium (magnesium oxide)	25 mg 6% Daily Value
Zinc (zinc oxide)	25 mg 167% Daily Value
Copper (cupric oxide)	2 mg 100% Daily Value

#### Service Size 1 Softgel:

374 mg purified omega-3 fatty acids including:

At least 262 mg DHA (docosahexaenoic acid); also contains at least 112 mg of other omega-3 fatty acids.

#### OTHER TABLET INGREDIENTS:

Microcrystalline Cellulose, Hydroxypropyl Methylcellulose, Crospovidone, Maltodextrin, Acacia Gum, Silicon Dioxide, Triacetin, Magnesium Stearate, Titanium Dioxide, Polydextrose, Yellow #6 Lake, Blue #2 Lake, Red #40 Lake.

#### OTHER SOFTGEL INGREDIENTS:

Ammonium Hydroxide, Ethylcellulose, Gelatin, Glycerin, Medium Chain Triglycerides, Oleic Acid, Sodium Alginate, Stearic Acid, Vanillin.

Softgel contains fish and soybeans

## Directions:

Before, during and after pregnancy, one tablet and one enteric-coated softgel capsule taken by mouth

daily, or as directed by a physician.

Use: To provide vitamin and mineral supplementation throughout pregnancy and during the postnatal period for both the lactating and non lactating mother. It is also useful for improving nutritional status prior to conception.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

Warnings: Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where Vitamin B12 is deficient.

Precautions: Folic acid especially in doses above 1.0 mg daily may obscure pernicious anemia (hematologic remission may occur while neurological manifestations remain progressive). Caution should be exercised to ensure that the prescribed dose of DHA does not exceed 1 gram (1,000 mg) per day. Since daily ingestion of more than 3 grams (3,000 mg) per day of omega-3 fatty acids (including alphalinolenic acid (ALA), eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA)) from fish oils may have potential antithrombotic activities and may increase bleeding times, administration of DHA should be avoided in patients with inherited or acquired bleeding diatheses, including those taking anticoagulants.

Store at room temperature Keep out of reach of children

Manufactured for:
PruGen inc. Pharmaceuticals
8714 E Vista Bonita Dr
Scottsdale, AZ 85255



### **BAL-CARE DHA ESSENTIAL**

beta carotene, ascorbic acid, cholecalciferol, .alpha.-tocopherol acetate, dl-, thiamine mononitrate, riboflavin, niacinamide, pyridoxine hydrochloride, folic acid, cyanocobalamin, calcium carbonate, sodium feredetate, magnesium oxide, zinc oxide, cupric oxide, iron sucrose, iodine, omega 3 fatty acids kit

# Product Information Product Type HUMAN PRESCRIPTION DRUG Item Code (Source) NDC:42546-185

Packaging				
# Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date	
1 NDC:42546-185-30	6 in 1 CARTON			
1	1 in 1 BLISTER PACK			

Quantity of Parts		
Part #	Package Quantity	Total Product Quantity
Part 1		30
Part 2		30

## Part 1 of 2

## **BAL-CARE DHA ESSENTIAL**

beta carotene, ascorbic acid, cholecalciferol, .alpha.-tocopherol acetate, dl-, thiamine mononitrate, riboflavin, niacinamide, pyridoxine hydrochloride, folic acid, cyanocobalamin, calcium carbonate, sodium feredetate, magnesium oxide, zinc oxide, cupric oxide, iron sucrose, iodine, tablet

#### **Product Information**

Route of Administration ORAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
BETA CARO TENE (UNII: 01YAE03M7J) (VITAMIN A - UNII:81G40H8B0T)	BETA CAROTENE	2850 [iU]		
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	120 mg		
CHOLECALCIFEROL (UNII: 1C6 V77QF41) (CHOLECALCIFEROL - UNII:1C6 V77QF41)	CHOLECALCIFEROL	840 [iU]		
.ALPHATO COPHEROL ACETATE, DL- (UNII: WR1WPI7EW8) (.ALPHATOCOPHEROL ACETATE, DL UNII:WR1WPI7EW8)	.ALPHATOCOPHEROL ACETATE, DL-	3 mg		
THIAMINE MONONITRATE (UNII: 8 K0 I0 49 19 X) (THIAMINE - UNII: X6 6 NS O 3 N 3 5)	THIAMINE MONONITRATE	1.8 mg		
RIBOFLAVIN (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	4 mg		
NIACINAMIDE (UNII: 25X5118 RD4) (NIACINAMIDE - UNII:25X5118 RD4)	NIACINAMIDE	20 mg		
<b>PYRIDO XINE HYDRO CHLO RIDE</b> (UNII: 68 Y4CF58 BV) (PYRIDO XINE - UNII: KV2JZ1BI6 Z)	PYRIDOXINE HYDROCHLORIDE	50 mg		
FOLIC ACID (UNII: 935E97BOY8) (FOLIC ACID - UNII:935E97BOY8)	FOLIC ACID	1 mg		
CYANOCOBALAMIN (UNII: P6 YC3EG204) (CYANOCOBALAMIN - UNII:P6 YC3EG204)	CYANOCOBALAMIN	.012 mg		
CALCIUM CARBONATE (UNII: H0 G9 379 FGK) (CALCIUM - UNII: SY7Q8 14VUP)	CALCIUM CARBONATE	219 mg		
SODIUM FEREDETATE (UNII: 403J23EMFA) (IRON - UNII:E1UOL152H7)	SODIUM FEREDETATE	25.65 mg		
MAGNESIUM O XIDE (UNII: 3A3U0 GI71G) (MAGNESIUM - UNII: I38 ZP9992A)	MAGNES IUM O XIDE	25 mg		
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC - UNII:J41CSQ7QDS)	ZINC OXIDE	25 mg		
CUPRIC OXIDE (UNII: V1XJQ704R4) (COPPER - UNII:789U1901C5)	CUPRIC OXIDE	2 mg		
IRON SUCROSE (UNII: FZ7NYF5N8L) (IRON - UNII:E1UOL152H7)	IRON SUCROSE	1.35 mg		
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	.223 mg		

Product Characteristics			
Color	pink	Score	no score
Shape	OVAL	Size	19 mm
Flavor		Imprint Code	102
Contains			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		05/01/2012		

## Part 2 of 2

## **BAL-CARE DHA ESSENTIAL**

omega 3 fatty acids capsule, liquid filled

## **Product Information**

Route of Administration ORAL

## Active Ingredient/Active Moiety

Active ingredient/Active wholety		
Ingredient Name	Basis of Strength	Strength
<b>OMEGA-3 FATTY ACIDS</b> (UNII: 71M78END5S) (OMEGA-3 FATTY ACIDS - UNII:71M78END5S)	OMEGA-3 FATTY ACIDS	374 mg

## **Product Characteristics**

Color	bro wn	Score	no score
Shape	OVAL	Size	24mm
Flavor		Imprint Code	none
Contains			

# **Marketing Information**

Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
	dietary supplement		05/01/2012	

# **Marketing Information**

	0					
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	unapproved drug other		05/01/2012			

## **Labeler** - PruGen, Inc. (929922750)

Revised: 5/2012 PruGen, Inc.