

OIDO SANA- isopropyl alcohol solution
ProMex LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

OIDO® SANA

DRUG FACTS

Active Ingredients:	Purpose
Isopropyl alcohol 95%	Ear drying aid
Anhydrous glycerin 5% base	Ear drying aid

Uses

dries water in the ears

Warnings

Flammable: Keep away from fire and flame

Use only in a well ventilated area; fumes may be toxic.

Ask a doctor before use if you have

- Ear drainage or discharge
- Pain, irritation or rash in the ear
- Had ear surgery
- Dizziness

Stop use and ask a doctor if irritation (too much burning) or pain occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

remove safety seal from bottle, apply 4 to 5 drops in each affected ear.

Other information

- Recap bottle after each use
- Keep away from heat or direct sunlight
- Store at room temperature
- Do not use if safety seal is damaged or missing prior to first use

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton

OIDO[®] SANA

Pro-Mex[®]

Fast Relief for

Ears

1 fl oz (30 mL)



Información del Medicamento

Ingredientes Activos	Propósito
Alcohol Isopropílico 95%	
Anhidro Glicerina base 5%	Secador

Usos: secador del agua en los oídos

Advertencias
Inflamable: Mantener alejado del fuego y las llamas

Use solamente en un área bien ventilada; los gases pueden ser tóxicos

No usar dentro o cerca de los ojos

Pregúntele a su médico antes de usar si usted tiene:

- secreción del oído
- dolor, irritación o erupción alérgicas en el oído
- has tenido cirugía en el oído
- mareos

Suspenda el uso y consulte a su médico si la irritación y el ardor es demasiada o siente dolor.

Mantener fuera del alcance de los niños.

En caso de ingestión, obtenga ayuda médica o contacte un Centro de Control de Intoxicación inmediatamente.

Instrucciones: retire el sello de seguridad de la botella y aplique 4-5 gotas en cada oído afectado.

- Otra Información:**
- tapar después de cada uso
 - mantener alejado del calor y no almacenar a la luz solar directa
 - Mantenga a temperatura ambiental.
 - No use si el sello de seguridad falta o está dañado

DRUG FACTS

Active Ingredients	Purpose
Isopropyl alcohol 95%	
Anhydrous glycerin 5% base	Ear drying aid

Uses: dries water in the ears

Warnings
Flammable: Keep away from fire and flame

Use only in a well ventilated area; fumes may be toxic.

Ask a doctor before use if you have:

- ear drainage or discharge
- pain, irritation or rash in the ear
- had ear surgery
- dizziness

Stop use and ask a doctor if irritation (too much burning) or pain occurs. Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions: remove safety seal from bottle apply 4 to 5 drops in each affected ear

Other Information:

- recap bottle after each use
- keep away from heat or direct sunlight
- store at room temperature
- do not use if safety seal is damaged or missing prior to first use

OIDO SANA
 isopropyl alcohol solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58988-1100
Route of Administration	AURICULAR (OTIC)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.95 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.05 g in 1 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58988-1100-1	1 in 1 CARTON	05/31/2006	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part344	05/31/2006	

Labeler - ProMex LLC (789974388)

Revised: 1/2022

ProMex LLC