ISOPROPYL ALCOHOL- is opropyl alcohol spray Cintas First Aid & Safety

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Isopropyl Alcohol spray

Drug Facts

Active Ingredient

Isopropyl Alcohol 70.0%

Purpose

First Aid Antiseptic

Uses

First aid to help prevent infection in minor cuts, scrapes & burns

Warnings

For external use only

Flammable, keep away from fire or flame

Do not use

- in eyes or apply over large areas of the body
- longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

deep or puncture wounds, animal bites, or serious burns

Stop use and consult doctor if

• the condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- spray a small amount of this product on the area 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

Other information

store at room temperature

Inactive ingredients

Questions or Comments?

1-800-327-2704

Manufactured for: Respond Industries and American First Aid, Mason, OH 45040

Principal Display Panel - Bottle Label

Isopropyl Alcohol

Rubbing Formula

Convenient pump spray allows no-touch application. Use as a rubbing compound, an antiseptic, or as a cleaning disinfectant for instruments.

2 fl. oz. (59.1 mL)

 $Xpect^{\mathbb{R}}$ First aid



Rubbing Formula

Convenient pump spray allows no-touch application. Use as a rubbing compound, an antiseptic, or as a cleaning disinfectant for instruments.

2 fl. oz. (59.1 mL)



Drug Facts

Active ingredients

Isopropyl Alcohol 70.0%......First Aid Antiseptic

Purpose

(8/15) 50539 ST

Uses first aid to help prevent infection in minor cuts, scrapes and burns

Warnings For external use only

Flammable keep away from fire or flame

Do not use ■ in eyes or apply over large areas of the body

■ longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

■ deep or puncture wounds ■ animal bites ■ serious burns Stop use and ask a doctor if ■ condition persists or gets worse

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

- **Directions** clean the affected area spray a small amount 1 to 3 times daily may be covered with a sterile bandage.
- if bándaged, let dry first

Other information ■ store at room temperature

Inactive Ingredients purified water

Questions? 1-877-973-2811 M-F 8am-5pm

Manufactured for:

Cintas • Mason, OH 45040 • www.cintas.com



ISOPROPYL ALCOHOL

isopropyl alcohol spray

D	.1 4	T C 4	
Pro	auct	Information	

Product Type HUMAN OTC DRUG Item Code (Source) NDC:68421-5500

Route of Administration TOPICAL

Active Ingredient/Active Moiety

yy			
	Ingredient Name	Basis of Strength	Strength
	isopropyl alcohol (UNII: ND2M416302) (isopropyl alcohol - UNII:ND2M416302)	isopropyl alcohol	550.2 g in 1 L

Inactive Ingredients

T 10 . 37	01
Ingredient Name	Strength

water (UNII: 059QF0KO0R)

Packaging

# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:68421- 5500-1	0.0591 L in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	05/01/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	05/01/2013	

Labeler - Cintas First Aid & Safety (056481716)

Registrant - Safetec of America, Inc. (874965262)

Establishment				
Name	Address	ID/FEI	Business Operations	
Safetec of America, Inc.		874965262	MANUFACTURE(68421-5500)	

Revised: 9/2015 Cintas First Aid & Safety