

HOUSE DUST- house dust injection, solution
BLATELLA GERMANICA- german cockroach injection, solution
ACREMONIUM STRICTUM- acremonium strictum injection, solution
ALTERNARIA TENUIS- alternaria tenuis a alternata injection, solution
ASPERGILLUS FUMIGATUS- aspergillus fumigatus injection, solution
ASPERGILLUS NIGER VAR NIGER- aspergillus niger injection, solution
AUREOBASIDIUM PULLULANS VAR PULLULANS- pullularia pullulans injection, solution
BOTRYTIS CINEREA- botrytis cinerea injection, solution
CANDIDA ALBICANS- candida albicans injection, solution
CHAETOMIUM GLOBOSUM- chaetomium globosum injection, solution
CLADOSPORIUM CLADOSPORIOIDES- cladosporium cladosporioides hormodendrum clad injection, solution
CLADOSPORIUM SPHAEROSPERMUM- cladosporium sphaerospermum hormodendrum hordei injection, solution
COCHLIOBOLUS SATIVUS- helminthosporium sorokinianum injection, solution
EPICOCCUM NIGRUM- epicoccum nigrum injection, solution
FUSARIUM OXYSPORUM VASINFECTUM- fusarium spp injection, solution
HELMINTHOSPORIUM SOLANI- helminthosporium solani spondylocladium injection, solution
MUCOR PLUMBEUS- mucor spp injection, solution
NEUROSPORA INTERMEDIA- neurospora spp injection, solution
KHUSKIA ORYZAE- nigrospora spp injection, solution
PHOMA EXIGUA VAR EXIGUA- phoma herbarum injection, solution
RHIZOPUS ARRHIZUS VAR ARRHIZUS- rhizopus spp injection, solution
RHODOTORULA RUBRA- rhodotorula rubra injection, solution
USTILAGO MAYDIS- corn smut injection, solution
USTILAGO TRITICI- wheat smut injection, solution
STEMPHYLIUM SOLANI- stemphylium spp injection, solution
TRICHOPHYTON MENTAGROPHYTES- trichophyton mentagrophytes injection, solution
KARAYA GUM- karaya gum bassora injection, solution
BOS TAURUS SKIN- cattle epithelium injection, solution
COTTON FIBER- cattle epithelium injection, solution
COTTON SEED- cottonseed injection, solution
CANIS LUPUS FAMILIARIS SKIN- dog epithelium injection, solution
CAVIA PORCELLUS SKIN- guinea pig epithelium injection, solution
EQUUS CABALLUS SKIN- horse epithelium injection, solution
CEIBA PENTANDRA FIBER- kapok injection, solution
MUS MUSCULUS SKIN- mouse epithelium injection, solution
ORRIS- iris x germanica root injection, solution
PYRETHRUM CINERARIIFOLIUM- pyrethrum injection, solution
RABBIT- rabbit epithelium injection, solution
SOLENOPSIS INVICTA- fire ant injection, solution
PERIPLANETA AMERICANA- american cockroach injection, solution
PENICILLIUM CHRYSOGENUM VAR CHRYSOGENUM- yeast saccharomyces cerevisiae injection, solution
ACACIA- acacia injection, solution
ALNUS INCANA SSP RUGOSA POLLEN- white alder injection, solution
MEDICAGO SATIVA POLLEN- alfalfa injection, solution

FRAXINUS AMERICANA POLLEN- white ash injection, solution
PASPALUM NOTATUM POLLEN- bahia grass injection, solution
MORELLA CERIFERA POLLEN- bayberry wax myrtle injection, solution
FAGUS GRANDIFOLIA POLLEN- beech injection, solution
BETULA LENTA POLLEN- black birch injection, solution
BETULA NIGRA POLLEN- river birch red injection, solution
ACER NEGUNDO POLLEN- box elder ash leaf maple injection, solution
AMARANTHUS PALMERI POLLEN- carelessweed injection, solution
JUNIPERUS ASHEI POLLEN- mountain cedar injection, solution
JUNIPERUS VIRGINIANA POLLEN- red cedar injection, solution
XANTHIUM STRUMARIUM VAR CANADENSE POLLEN- cocklebur injection, solution
POPULUS DELTOIDES POLLEN- eastern cottonwood common injection, solution
CUPRESSUS ARIZONICA POLLEN- arizona cypress injection, solution
TAXODIUM DISTICHUM POLLEN- bald cypress injection, solution
RUMEX ACETOSELLA POLLEN- sour dock sheep sorrel injection, solution
RUMEX CRISPUS POLLEN- yellow dock injection, solution
ULMUS AMERICANA POLLEN- american elm injection, solution
SOLIDAGO CANADENSIS POLLEN- goldenrod injection, solution
CELTIS OCCIDENTALIS POLLEN- hackberry injection, solution
CARYA OVATA POLLEN- shagbark hickory injection, solution
SORGHUM HALEPENSE POLLEN- johnson grass injection, solution
JUNIPERUS CALIFORNICA POLLEN- western juniper injection, solution
KOCHIA SCOPARIA POLLEN- kochia firebush injection, solution
CHENOPODIUM ALBUM POLLEN- lambs quarters injection, solution
ACER RUBRUM POLLEN- red maple injection, solution
ACER SACCHARUM POLLEN- sugar maple injection, solution
IVA XANTHIFOLIA POLLEN- burweed marshelder injection, solution
IVA ANNUA VAR ANNUA POLLEN- rough marshelder injection, solution
PROSOPIS JULIFLORA POLLEN- mesquite injection, solution
ARTEMISIA VULGARIS POLLEN- common mugwort injection, solution
MORUS RUBRA POLLEN- red mulberry injection, solution
MORUS ALBA POLLEN- white mulberry injection, solution
QUERCUS RUBRA POLLEN- red oak injection, solution
QUERCUS VIRGINIANA POLLEN- virginia live oak injection, solution
QUERCUS ALBA POLLEN- white oak injection, solution
OLEA EUROPAEA POLLEN- olive pollen injection, solution
SYAGRUS ROMANZOFFIANA POLLEN- queen palm coco palm injection, solution
CARYA ILLINOINENSIS POLLEN- pecan pollen injection, solution
AMARANTHUS RETROFLEXUS POLLEN- rough pigweed injection, solution
PINUS STROBUS POLLEN- white pine injection, solution
PLANTAGO LANCEOLATA POLLEN- english plantain injection, solution
POPULUS ALBA POLLEN- white poplar injection, solution
LIGUSTRUM VULGARE POLLEN- privet injection, solution
ELYMUS REPENS POLLEN- quack grass injection, solution
AMBROSIA TRIFIDA POLLEN- tall ragweed giant injection, solution
SALSOLA KALI POLLEN- russian thistle injection, solution
ARTEMISIA TRIDENTATA POLLEN- common sagebrush injection, solution

LIQUIDAMBAR STYRACIFLUA POLLEN- sweetgum injection, solution
PLATANUS OCCIDENTALIS POLLEN- american sycamore injection, solution
JUGLANS NIGRA POLLEN- black pollen walnut injection, solution
AILANTHUS ALTISSIMA POLLEN- ailanthus tree of heaven injection, solution
POPULUS TREMULOIDES POLLEN- aspen injection, solution
POA ANNUA POLLEN- annual bluegrass injection, solution
BROMUS INERMIS POLLEN- brome grass injection, solution
ZEA MAYS POLLEN- corn pollen injection, solution
POPULUS FREMONTII POLLEN- fremont cottonwood injection, solution
POPULUS DELTOIDES SSP MONILIFERA POLLEN- western cottonwood injection, solution
EUPATORIUM CAPILLIFOLIUM POLLEN- dog fennel injection, solution
ULMUS CRASSIFOLIA POLLEN- cedar elm injection, solution
ULMUS PUMILA POLLEN- chinese elm injection, solution
EUCALYPTUS GLOBULUS POLLEN- eucalyptus injection, solution
CORYLUS AMERICANA POLLEN- hazelnut pollen injection, solution
ROBINIA PSEUDOACACIA POLLEN- black locust injection, solution
MELALEUCA QUINQUENERVIA POLLEN- melaleuca pollen injection, solution
CHENOPODIUM AMBROSIoidES POLLEN- mexican tea injection, solution
QUERCUS AGRIFOLIA POLLEN- california live oak coast injection, solution
SCHINUS MOLLE POLLEN- california pepper tree injection, solution
AMARANTHUS SPINOSUS POLLEN- spiny pigweed injection, solution
CASUARINA EQUISETIFOLIA POLLEN- australian pine beefwood injection, solution
PINUS ECHINATA POLLEN- yellow pine injection, solution
AMBROSIA ACANTHICARPA POLLEN- false ragweed bur injection, solution
AMBROSIA TENUIFOLIA POLLEN- slender ragweed injection, solution
AMBROSIA BIDENTATA POLLEN- southern ragweed injection, solution
AMBROSIA PSEUDOSTACHYA POLLEN- western ragweed injection, solution
LOLIUM PERENNE SSP MULTIFLORUM POLLEN- italian rye grass injection, solution
ARTEMISIA FRIGIDA POLLEN- prairie sage injection, solution
DISTICHLIS SPICATA POLLEN- salt grass injection, solution
HOLCUS LANATUS POLLEN- velvet grass injection, solution
JUGLANS REGIA POLLEN- english walnut pollen injection, solution
TRITICUM AESTIVUM POLLEN- wheat pollen injection, solution
ARTEMISIA ANNUA POLLEN- common wormwood annual injection, solution
AMARANTHUS TUBERCULATUS POLLEN- water hemp injection, solution
ACREMONIUM STRICTUM- acremonium cephalosporium injection, solution
SACCHAROMYCES CEREVISIAE- yeast saccharomyces cerevisiae injection, solution
FRAXINUS VELUTINA POLLEN- arizona ash injection, solution
SALIX NIGRA POLLEN- black willow injection, solution
ALK-Abello, Inc.

Allergenic Extracts For Diagnostic Use Only

ALLERGENIC EXTRACTS,

FOR DIAGNOSTIC USE ONLY

DIRECTIONS FOR USE

WARNING

This product is intended for use by physicians who are experienced in the administration of allergenic extracts and the emergency care of anaphylaxis, or for use under the guidance of an allergy specialist.

As with all allergenic extracts, severe systemic reactions may occur. In certain individuals these life-threatening reactions may result in death. Fatalities associated with skin testing have been reported. Patients should be observed for at least 20 - 30 minutes following testing. Emergency measures and adequately trained personnel should be immediately available in the event of a life-threatening reaction.

Patients with unstable asthma or steroid dependent asthmatics and patients with underlying cardiovascular disease are at greater risk to a fatal outcome from a systemic allergic reaction.

Sensitive patients may experience severe anaphylactic reactions resulting in respiratory obstruction, shock, coma and/or death. Adverse events are to be reported to MedWatch (1-800-FDA-1088), Adverse Event Reporting, Food and Drug Administration, 5600 Fishers Lane, Rockville, MD 20852-9787. This product should not be injected intravenously. Patients receiving beta blockers may not be responsive to epinephrine or inhaled bronchodilators. Respiratory obstruction not responding to parenteral or inhaled bronchodilators may require theophylline, oxygen, intubation and the use of life support systems. Parenteral fluid and/or plasma expanders may be utilized for the treatment of shock.

Adrenocorticosteroids may be administered parenterally or intravenously. Refer to WARNINGS, PRECAUTIONS, and ADVERSE REACTIONS sections below.

Port Washington, NY 11050

U.S. Government License No. 1256

DESCRIPTION

Sterile diagnostic extracts are supplied in either phenol-saline diluent for Intradermal Testing or in diluent containing glycerin 50% (v/v) for Percutaneous Testing and phenol 0.4% (preservative). Inactive ingredients may include: sodium chloride for isotonicity, glycerin, and sodium bicarbonate as a buffer.

Pollens are individually extracted from pure pollen extracted in a phenol-preserved sodium bicarbonate solution. Short Ragweed and Mixed (Tall and Short) Ragweed extracts are standardized by Antigen E content and so labeled. The Antigen E content of extracts containing Short Ragweed at a concentration more dilute than a weight/volume ratio of 1:10 are obtained by calculating the Antigen E content based on the assay value of more concentrated extract. Pollen extracts are filtered aseptically and after final packaging, they are tested for sterility and safety. Molds are individually extracted from pure powdered inactivated mold source material extracted in phenol preserved

saline. Mold extracts are filtered aseptically and after final packaging are tested for sterility and safety.

Molds (fungi) are present in all inhabited places at all seasons of the year; they are so ubiquitous that they are prevalent at times when common allergic pollens and other inhalants are not. In the home and surroundings, molds are found in upholstered furniture, mattresses, drapes, cellar and storage room dust, woolens, leather goods, fruits, meats, cheeses, garden soil and on plants. Spores, mycelial fragments and mold residues are thus inhaled, contacted and ingested continuously.

Foods, miscellaneous inhalants and epidermals are individually extracted in phenol preserved saline or glycerin, filtered aseptically and after final packaging are tested for sterility and safety.

CLINICAL PHARMACOLOGY

Diagnostically (for skin testing) the allergen combines with IgE antibodies fixed to mast cells in the skin. This complexing causes an increase in cellular permeability and degranulation of the mast cells releasing chemical mediators. These mediators (such as histamine) are responsible for a local inflammatory response of wheal and erythema typical of a positive skin test reaction and also, the symptoms commonly associated with allergic disease.¹ The more mediator release, the larger the reaction (wheal and erythema).

INDICATIONS AND USAGE

These products are for diagnostic use only. Diagnostic allergenic extracts are indicated for use in skin testing to establish the clinical relevance of specific allergens to which the patient has been exposed. By measuring skin test response, the physician may assess the degree of sensitivity that patients have to the allergens. For extracts standardized in AU and BAU, see individual directions for use. **Allergenic extracts for diagnostic use only of coffee, mosquito, cottonseed, and flaxseed have not been shown by adequate data to be safe and effective for therapeutic use.**

CONTRAINDICATIONS

Patients on beta blockers can be non-responsive to beta agonists that may be required to reverse a systemic reaction (also, see **boxed WARNING** statement and **ADVERSE REACTIONS**). The physician should carefully weigh the benefit derived from skin testing vs. the risk to the patient should a systemic reaction arise.

Patients with unstable asthma or steroid dependent asthmatics and patients with underlying cardiovascular disease are at greater risk to a fatal outcome from a systemic allergic reaction^{2,3}. See also **PRECAUTIONS** and **ADVERSE REACTIONS**.

WARNINGS

Severe Allergic Reactions:

Patients should always be observed for at least 20 - 30 minutes after skin testing. In the

event of a marked systemic reaction such as urticaria, angioedema, wheezing, dyspnea, respiratory obstruction, hypotension, coma and death (see **ADVERSE REACTIONS**), applications of a tourniquet above the injection site and administration of 0.2 mL to 1 mL (0.01 mg/kg) of epinephrine injection (1:1,000) are recommended. Maximal recommended dose for children between 2 and 12 years of age is 0.5 mL. The tourniquet is then gradually released at 15-minute intervals. Patients under treatment with beta blockers may be refractory to the usual dose of epinephrine.

Volume expanders and vasopressor agents may be required to reverse hypotension, inhalation bronchodilators and parenteral aminophylline may be required to reverse bronchospasm. In case of respiratory obstruction, oxygen and intubation may be necessary. Life-threatening reactions unresponsive to the above may require cardiopulmonary resuscitation.

Anaphylaxis Following False Negative Food Allergen Skin Test Results:

False negative skin test results associated with anaphylaxis from subsequent exposure to the allergen have been reported during postmarketing diagnostic use of some food allergenic extracts. Based on the patient's clinical history and the index of suspicion, healthcare providers should consider confirming negative skin testing with serologic testing by measuring specific serum IgE or with a medically-supervised oral food challenge.

PRECAUTIONS

INFORMATION FOR PATIENTS:

Patients should be instructed to describe any active allergic symptoms such as rhinitis, wheezing, dyspnea, etc. prior to testing. Also, see **ADVERSE REACTIONS** and **WARNINGS** Sections.

Patients should always be observed 20 to 30 minutes after testing.

General:

1. In the presence of active symptoms such as rhinitis, wheezing, dyspnea, etc., the indications for skin testing must be weighed carefully against the risk of temporarily aggravating the symptoms by the testing itself. Objective assessment of pulmonary function such as Peak Expiratory Flow Rate (PEFR) before allergen administration and prior to discharge may be useful in unstable asthmatics to reduce the chances of exacerbation of the patient's asthma. Patients should be instructed to describe any active allergic symptoms as described above prior to skin testing and encouraged to report any late reactions from this testing. Also, see **ADVERSE REACTIONS** and **WARNING** sections.
2. Store allergenic extracts between 2°-8°C at all times, even during use.
3. Care must be taken to avoid drawing blood.
 - A. For percutaneous testing, if blood is observed, immediately wipe the allergen from the site.
 - B. For intradermal skin testing, pull gently on the syringe plunger and note if any blood enters the syringe. If blood is obtained, reposition the needle and repeat before injecting (see **DOSAGE AND ADMINISTRATION**).

4. Allergenic extracts become less potent with age. Allergenic extracts containing glycerin 50% v/v are relatively stable. Non-glycerinated aqueous extracts, particularly dilute forms as used for intradermal skin testing, have been shown to be extremely unstable. Until such time as stability studies are complete with dilute allergens, new intradermal strength materials should be prepared every few weeks.
5. Use standard aseptic precautions if making dilutions from stock concentrates to intradermal strength.
6. For intradermal testing: Extracts in glycerin 50% v/v must be diluted with a non-glycerinated diluent and must be diluted at least 25-fold to less than 2% glycerin by volume, as glycerin above this level can cause false positive intradermal skin test results.

Pregnancy - Category C:

Animal reproduction studies have not been conducted with allergenic extracts. It is also not known whether allergenic extracts can cause fetal harm when administered to a pregnant woman or can affect reproduction capacity.

Controlled studies of hyposensitization with moderate to high doses of allergenic extracts during conception and all trimesters of pregnancy have failed to demonstrate any risk to the fetus or to the mother⁴. However, on the basis of histamine's known ability to contract the uterine muscle, the release of significant amounts of histamine from allergen exposure to skin test overdose should be avoided on theoretical grounds. Therefore, allergenic extracts should be used cautiously in a pregnant woman and only if clearly needed.

Pediatric Use:

Allergenic extracts for diagnostic use have been given safely in infants and young children. Infants have lower skin test reactivity to histamine, as well as common allergens. Skin test reactivity gradually increases to age 6 and plateaus to age 60. Therefore, small skin test reactions should be anticipated in children under age 6.

Geriatric Use:

Skin test reactivity gradually decreases after age 60. Therefore, smaller skin test reactions should be anticipated in adults over age 60.

Nursing Mothers:

It is not known if allergens administered subcutaneously appear in human milk. Because many drugs are excreted in human milk, caution should be exercised when allergenic extracts are administered to a nursing woman.

Carcinogenesis, mutagenesis, impairment of fertility:

Studies in animals have not been performed.

Drug Interactions:

Drugs can interfere with the performance of skin tests⁵.

Antihistamines: Response to mediator (histamine) released by allergens is suppressed

by antihistamines. The length of suppression varies and is dependent on individual patient, type of antihistamine and length of time the patient has been on antihistamines. The duration of this suppression may be as little as 24 hours (chlorpheniramine) and can be as long as 40 days (astemizole).

Tricyclic Antidepressants: These exert a potent and sustained decrease of skin reactivity to histamine which may last for a few weeks.

Beta₂ Agonists: Oral terbutaline and parenteral ephedrine, in general, have been shown to decrease allergen induced wheal.

Dopamine: Intravenous infusion of dopamine may inhibit skin test responses.

Beta Blocking Agents: Propranolol can significantly increase skin test reactivity.

Other Drugs: Short acting steroids, inhaled beta₂ agonists, theophylline and cromolyn do not seem to affect skin test response.

ADVERSE REACTIONS

Fatalities from skin testing in the United States have been extensively reviewed by Lockey.² Six fatalities were associated with intradermal testing without previous percutaneous testing, and one was associated with a combination of percutaneous (scratch) and intradermal skin testing. With careful attention to dosage and administration, fatal reactions occur infrequently, but it must be remembered that allergenic extracts are highly potent to sensitive individuals and overdose could result in anaphylactic symptoms. Therefore, it is imperative that physicians administering allergenic extracts for skin testing understand, and be prepared for the treatment of severe reactions.

Local:

Immediate wheal and erythema reactions are to be expected; but if very large, may be the first manifestation of a systemic reaction. In such cases, immediately wipe the test site(s) with sterile gauze or cotton to remove excess allergen.

Systemic Reactions:

Systemic reactions are characterized by one or more of the following symptoms: sneezing, mild to severe generalized urticaria, itching (other than at the skin test site), extensive or generalized edema, wheezing, asthma, dyspnea, cyanosis, hypotension, syncope, and upper airway obstruction. Symptoms may progress to shock and death. Patients should always be observed for at least 20 - 30 minutes after testing.

Volume expanders and vasopressor agents may be required to reverse hypotension. Inhalational bronchodilators and parenteral aminophylline may be required to reverse bronchospasm. Severe airway obstruction unresponsive to bronchodilator may require tracheal intubation and use of oxygen. In the event of a marked systemic reaction, application of a tourniquet above the injection site and the administration of 0.2 mL to 1.0 mL of epinephrine injection (1:1,000) is recommended. Maximum recommended dose for children between 2 and 12 years of age is 0.3 mL. The tourniquet should not be left in place without loosening for 90 seconds every 15 minutes.

Adverse events should be reported via MedWatch (1-800-FDA-1088), Adverse Event

OVERDOSAGE

Signs and symptoms of overdose are typically large local and systemic reactions. For management of overdose reactions, refer to the ADVERSE REACTIONS section above.

DOSAGE AND ADMINISTRATION

Parenteral drug products should be inspected visually for particulate matter and discoloration prior to administration, whenever solution and container permit.

Skin test techniques for immediate (Type I) hypersensitivity testing fall into two major categories: percutaneous, and intracutaneous.

Percutaneous techniques:

For percutaneous testing, in general, skin is scratched, punctured or pricked just before the allergen is applied or through a drop of test allergen. There are several devices available for this technique. Refer to the manufacturer or distributor's circular for specific directions for their use.

In General:

1. It is recommended that the test areas should be placed no closer than 4 - 5 cm apart to avoid interference of reactions when several tests are applied.
2. Skin test areas should be cleansed with alcohol and air dried.
3. Preferably, the allergen should be placed on the volar surface of the forearm, upper arm, or the patient's back. The patient should be placed in a comfortable position prior to testing.
4. For scratch testing, a sharp, clean, sterile instrument is used to abrade the skin, but not to draw blood. Each scratch should be about 2 - 4 mm in length. A small drop of extract is placed on the surface of the skin.
5. Prick testing: For prick testing, a sharp, sterile instrument is used to puncture the skin slightly, applying it at a 15 - 20° angle to the skin. The instrument is gently raised, "tenting" the skin until it pops out, generally pricking through the drop of allergen. Do not draw blood.
6. For puncture testing, a sharp, clean, sterile instrument must be used. Puncture the skin, through the drop of allergen, perpendicular to the skin. Do not draw blood.

For all of the above techniques, a separate instrument must be used for each patient; if the instrument is to be used to pass through the allergen, to avoid cross-contamination, a separate instrument is to be used for each allergen. The test should be read in 15 minutes, measuring both wheal size and erythema.

Intracutaneous (intradermal) testing:

General: Intradermal testing is more sensitive than percutaneous testing and its specificity is dependent on dose. Intradermal testing is not intended as an initial screen unless used in highly dilute solutions. Intradermal testing is usually reserved for allergens that have demonstrated either negative or equivocal percutaneous skin test response in the face of positive or unclear history.

Intradermal testing of one allergen in several serial dilutions (beginning with the weakest to the more concentrated dilutions) may also be useful in assessing degree of patient sensitivity for the establishment of a safe starting dose for immunotherapy.

Bulk extracts must be diluted for intradermal testing. Use of Sterile Diluent for Allergenic Extracts or Sterile Diluent for Allergenic Extracts Normal Saline with HSA (albumin saline) is recommended. Dilutions should be made with sterile disposable syringes using aseptic technique. Commonly 10 fold dilutions are used to achieve a desired concentration for intradermal testing and continuation of immunotherapy. For example, transferring 0.5 mL of a 10,000 PNU/mL extract into 4.5 mL of diluent will yield 5 mL of extract at 1,000 PNU/mL. For weight volume products, a 1:100 w/v dilution may be prepared from a 1:10 w/v by transferring 0.5 mL of the 1:10 w/v to 4.5 mL of diluent. Prepare as many additional serial dilutions as necessary to reach the appropriate concentration. As a general rule intradermal strength should begin at no higher than 1/100 to 1/1000 of the percutaneous strength that resulted in a negative skin test reaction.

1. It is recommended that the test areas should be spaced no less than 5 cm apart to avoid interference with adjacent allergen or control.
2. Skin should be cleansed with alcohol and air dried.
3. A sterile 1 mL or 1/2 mL syringe with a 26 - 30 gauge needle should be used. A separate sterile syringe should be used for each extract and each patient.
4. Care should be taken to eliminate air bubbles from the syringe prior to injecting the test dose. It is suggested that not more than 6 - 10 allergens of each different type be used at any one time. Very sensitive patients may show rapid response.
5. The skin is held tensely, and the needle is inserted almost parallel to the skin, beveled side up far enough to cover the beveled portion. Slowly inject sufficient extract to make a small bleb of approximately 5 mm in diameter (0.01 - 0.02 mL).
6. Read the test results in 15 minutes.

Selection of the proper strength for intracutaneous testing: A general rule for the prevention of untoward reactions, particularly in extremely sensitive patients, is to screen by percutaneous methods initially, and begin intradermal testing at a strength not more than 1/100 of a negative or equivocal percutaneous reaction.

Controls:

In both percutaneous and intracutaneous tests, a negative control test with diluent alone should be performed because some patients exhibit dermographia, and/or other non-specific irritant responses.

As a positive control in the evaluation of allergenic skin testing, histamine 1 mg/mL (histamine base) should be used for percutaneous testing, and histamine 0.1 mg/mL (histamine base) should be used for intradermal testing.

Interpretation of results:

Patient's response is graded on the basis of the size of erythema or wheal.⁶ General guidelines follow for percutaneous testing, different devices and/or techniques influence the size of the reaction, therefore it is important to refer to the device manufacturer's or distributor's instructions when grading reactions.

Percutaneous (prick or scratch) test:

- 0 No reaction or less than control.

- + Erythema greater than control, smaller than a nickel (21 mm diameter).
- ++ Erythema greater than a nickel in diameter, no wheal.
- +++ Wheal and erythema without pseudopods.
- ++++ Wheal and erythema with pseudopods.

Intradermal test:

- 0 No reaction or less than negative control.
- + 3-4 mm wheal with erythema, or erythema alone larger than a nickel (21 mm diameter).
- ++ 4-8 mm wheal and erythema, without pseudopods.
- +++ Over 8 mm wheal and erythema without pseudopods.
- ++++ Wheal and erythema with pseudopods.

HOW SUPPLIED

For scratch and prick testing: 5 mL dropper applicator vials in 50% v/v glycerin or 10mL stoppered vial in 50% v/v glycerin. Available individually and in a complete set of the most common allergens. Available in either Protein Nitrogen Units (PNU/mL) or weight to volume (w/v).

For intracutaneous testing: 5 mL sterile vials, aqueous based, individually and in a complete set of the most common allergens. Available in either Protein Nitrogen Units (PNU/mL) or weight to volume (w/v).

Histatrol® Positive skin test control - histamine. 1 mg/mL and 0.1 mg/mL histamine base.

See Product Catalog for specific diagnostic concentrations available.

STORAGE

To maintain stability of allergenic extracts, proper storage conditions are essential. Bulk concentrates and diluted extracts are to be stored at 2° to 8°C even during use. Bulk or diluted extracts are not to be frozen. Do not use after the expiration date shown on the vial label.

REFERENCES

1. Holgate, S.T., Robinson, C. and Church, M.K. Mediators of immediate hypersensitivity. In Middleton et al: *Allergy Principles and Practice*, St. Louis, 1988, C.V. Mosby, p 135.
2. Lockey, R.F., et al. Fatalities from immunotherapy (IT) and skin testing (ST). J. Allergy Clin. Immunol. 1987; 79: 660.
3. Reid, M.J. et al. Survey of fatalities from skin testing and immunotherapy. 1985-1989. J. Allergy Clin Immunol. 1993; 92:6.
4. DeBuske L. M. et al. Special problems regarding Allergen Immunotherapy in Immunology and Allergy Clinics of North America, Greenburger, P.A. Ed. February 1992; 145-149.

5. Bousquet, J. In vivo methods for the study of allergy: skin test, techniques and interpretation. In: Middleton et al.: Allergy Principles and Practice 3rd Ed. St. Louis: CV Mosby, 1988:167.
6. Freedman, S.O. Asthma and Allergic Rhinitis II. Clinical Aspects, in Freedman and Gold Clinical Immunology 2nd Ed. New York: Harper & Row, 1976: 131.

Revised February 2023

No. 112S

© ALK-Abelló, Inc.

Distributed in Canada by:
 ALK-Abelló Pharmaceuticals, Inc.
 #35-151 Brunel Road
 Mississauga, Ontario
 Canada L4Z 2H6

PRINCIPAL DISPLAY PANEL

ALLERGENIC EXTRACT
 DIN 00299987
 5mL sterile multiple dose vial
 FOR PERCUTANEOUS TESTING ONLY

CAUTION: Rx Only
 Dose: As determined by physician.
 See accompanying circular for complete directions.

ALLERGENIC EXTRACT

DIN 00299987 GTIN 00299987000000

5mL sterile multiple dose vial
 FOR PERCUTANEOUS TESTING ONLY

(W/V)
 Lot: SN: Exp:

ALK
 ABELLÓ

NDC: 0268-6000

Port Washington, NY 11050 - U.S. License 1256 -
 Dist. in Canada by: ALK-Abello Pharm., Inc., Mississauga, On, L4Z 2H6

Store between 2°C and 8°C
 No U.S. Standard of Potency
 Presv.: Phenol 0.4%
 Glycerin 50% (v/v)

HOUSE DUST

house dust injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6000
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOUSE DUST (UNII: EYO007VX98) (HOUSE DUST - UNII:EYO007VX98)	HOUSE DUST	10000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6000-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	06/30/2013

BLATELLA GERMANICA

german cockroach injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6405
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BLATELLA GERMANICA (UNII: G9O67I0A8Q) (BLATELLA GERMANICA - UNII:G9O67I0A8Q)	BLATELLA GERMANICA	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	

SODIUM HYDROXIDE (UNII: 55X04QC32I)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6405-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

ACREMONIUM STRICTUM

acremonium strictum injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6500
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SAROCLADIUM STRICTUM (UNII: 3F36V0451W) (SAROCLADIUM STRICTUM - UNII:3F36V0451W)	SAROCLADIUM STRICTUM	0.10 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6500-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

ALTERNARIA TENUIS

alternaria tenuis a alternata injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6502
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALTERNARIA ALTERNATA (UNII: 52B29REC7H) (ALTERNARIA ALTERNATA - UNII:52B29REC7H)	ALTERNARIA ALTERNATA	0.10 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6502-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

ASPERGILLUS FUMIGATUS

aspergillus fumigatus injection, solution

Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6504	
Route of Administration	PERCUTANEOUS			
Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ASPERGILLUS FUMIGATUS (UNII: X88DF51T48) (ASPERGILLUS FUMIGATUS - UNII:X88DF51T48)	ASPERGILLUS FUMIGATUS	0.10 g in 1 mL		
Inactive Ingredients				
Ingredient Name	Strength			
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL			
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL			
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL			
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL			
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6504-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	05/22/2023	

ASPERGILLUS NIGER VAR NIGER			
aspergillus niger injection, solution			
Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6507
Route of Administration	PERCUTANEOUS		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ASPERGILLUS NIGER VAR. NIGER (UNII: 9IOA40ANG6) (ASPERGILLUS NIGER VAR. NIGER - UNII:9IOA40ANG6)	ASPERGILLUS NIGER VAR. NIGER	0.10 g in 1 mL	

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6507-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

AUREOBASIDIUM PULLULANS VAR PULLULANS

pullularia pullulans injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6509
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AUREOBASIDIUM PULLULANS VAR. PULLUTANS (UNII: D1A2NG69CK) (AUREOBASIDIUM PULLULANS VAR. PULLUTANS - UNII:D1A2NG69CK)	AUREOBASIDIUM PULLULANS VAR. PULLUTANS	0.10 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	

SODIUM HYDROXIDE (UNII: 55X04QC32I)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6509-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

BOTRYTIS CINEREA

botrytis cinerea injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6512
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BOTRYTIS CINEREA (UNII: TBW53313S7) (BOTRYTIS CINEREA - UNII:TBW53313S7)	BOTRYTIS CINEREA	0.10 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6512-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

CANDIDA ALBICANS

candida albicans injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6514
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CANDIDA ALBICANS (UNII: 4D7G21HDBC) (CANDIDA ALBICANS - UNII:4D7G21HDBC)	CANDIDA ALBICANS	0.10 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6514-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

CHAETOMIUM GLOBOSUM

chaetomium globosum injection, solution

Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6516	
Route of Administration	PERCUTANEOUS			
Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
CHAETOMIUM GLOBOSUM (UNII: 5016WB8B8A) (CHAETOMIUM GLOBOSUM - UNII:5016WB8B8A)	CHAETOMIUM GLOBOSUM	0.10 g in 1 mL		
Inactive Ingredients				
Ingredient Name	Strength			
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL			
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL			
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL			
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL			
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6516-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	05/22/2023	

CLADOSPORIUM CLADOSPORIODES			
cladosporium cladosporioides hormodendrum clad injection, solution			
Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6518
Route of Administration	PERCUTANEOUS		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CLADOSPORIUM CLADOSPORIODES (UNII: 4ZWY20GTGO) (CLADOSPORIUM CLADOSPORIODES - UNII:4ZWY20GTGO)	CLADOSPORIUM CLADOSPORIODES	0.10 g in 1 mL	

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6518-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

CLADOSPORIUM SPHAEROSPERMUM

cladosporium sphaerospermum hormodendrum hordei injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6520
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CLADOSPORIUM SPHAEROSPERMUM (UNII: P87YCA1U8R) (CLADOSPORIUM SPHAEROSPERMUM - UNII:P87YCA1U8R)	CLADOSPORIUM SPHAEROSPERMUM	0.10 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6520-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

COCHLIOBOLUS SATIVUS

helminthosporium sorokinianum injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6524
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
COCHLIOBOLUS SATIVUS (UNII: 3LN5B70U4W) (COCHLIOBOLUS SATIVUS - UNII:3LN5B70U4W)	COCHLIOBOLUS SATIVUS	0.10 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6524-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

EPICOCCUM NIGRUM

epicoccum nigrum injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6526
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
EPICOCCUM NIGRUM (UNII: 87U156LEN7) (EPICOCCUM NIGRUM - UNII:87U156LEN7)	EPICOCCUM NIGRUM	0.10 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6526-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

FUSARIUM OXYSPOURUM VASINFECTUM

fusarium spp injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6529
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FUSARIUM OXYSPORUM VASINFECTUM (UNII: 6M98DC08TZ) (FUSARIUM OXYSPORUM VASINFECTUM - UNII:6M98DC08TZ)	FUSARIUM OXYSPORUM VASINFECTUM	0.10 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6529-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

HELMINTHOSPORIUM SOLANI

helminthosporium solani spondylocladium injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6533
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HELMINTHOSPORIUM SOLANI (UNII: U6Z259H815) (HELMINTHOSPORIUM SOLANI - UNII:U6Z259H815)	HELMINTHOSPORIUM SOLANI	0.10 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6533-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	11/30/2021

MUCOR PLUMBEUS

mucor spp injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6536
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MUCOR PLUMBEUS (UNII: D7401PWY6E) (MUCOR PLUMBEUS - UNII:D7401PWY6E)	MUCOR PLUMBEUS	0.10 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6536-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

NEUROSPORA INTERMEDIA

neurospora spp injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6538
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEUROSPORA INTERMEDIA (UNII: 2072U60DUI) (NEUROSPORA INTERMEDIA - UNII:2072U60DUI)	NEUROSPORA INTERMEDIA	0.10 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6538-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	11/30/2021

KHUSKIA ORYZAE

nigrospora spp injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6540
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
KHUSKIA ORYZAE (UNII: VK8C112WTS) (KHUSKIA ORYZAE - UNII:VK8C112WTS)	KHUSKIA ORYZAE	0.10 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6540-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	11/30/2021

PHOMA EXIGUA VAR EXIGUA

phoma herbarum injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6543
--------------	-----------------------------	--------------------	---------------

Route of Administration	PERCUTANEOUS			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	PHOMA EXIGUA VAR. EXIGUA (UNII: 8JAG41IE4M) (PHOMA EXIGUA VAR. EXIGUA - UNII:8JAG41IE4M)	PHOMA EXIGUA VAR. EXIGUA	0.10 g in 1 mL	
Inactive Ingredients				
	Ingredient Name	Strength		
	GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL		
	PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL		
	SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL		
	SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL		
	HYDROCHLORIC ACID (UNII: QTT17582CB)			
	SODIUM HYDROXIDE (UNII: 55X04QC32I)			
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6543-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	05/22/2023	

RHIZOPUS ARRHIZUS VAR ARRHIZUS			
rhizopus spp injection, solution			
Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6545
Route of Administration	PERCUTANEOUS		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	RHIZOPUS ARRHIZUS (UNII: 8476849N1Y) (RHIZOPUS ARRHIZUS - UNII:8476849N1Y)	RHIZOPUS ARRHIZUS	0.10 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6545-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

RHODOTORULA RUBRA

rhodotorula rubra injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6548
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RHODOTORULA RUBRA (UNII: 15W81V867R) (RHODOTORULA RUBRA - UNII:15W81V867R)	RHODOTORULA RUBRA	0.10 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6548-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

USTILAGO MAYDIS

corn smut injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6550
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
USTILAGO MAYDIS (UNII: 4K7Z7K7SWG) (USTILAGO MAYDIS - UNII:4K7Z7K7SWG)	USTILAGO MAYDIS	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6550-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
BLA	BLA103753	01/01/1965	11/30/2021

USTILAGO TRITICI

wheat smut injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6552
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
USTILAGO TRITICI (UNII: BV82OL2IZ8) (USTILAGO TRITICI - UNII:BV82OL2IZ8)	USTILAGO TRITICI	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6552-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

STEMPHYLIUM SOLANI

stemphylium spp injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6553
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
STEMPHYLIUM SOLANI (UNII: 1IEK4UDP5M) (STEMPHYLIUM SOLANI - UNII:1IEK4UDP5M)	STEMPHYLIUM SOLANI	0.10 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6553-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

TRICHOPHYTON MENTAGROPHYTES

trichophyton mentagrophytes injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6556
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TRICHOPHYTON MENTAGROPHYTES (UNII: 199I7J3JIV) (TRICHOPHYTON MENTAGROPHYTES - UNII:199I7J3JIV)	TRICHOPHYTON MENTAGROPHYTES	0.10 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6556-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

KARAYA GUM

karaya gum bassora injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6143
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
KARAYA GUM (UNII: 73W9IQY50Q) (KARAYA GUM - UNII:73W9IQY50Q)	KARAYA GUM	0.005 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6143-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

BOS TAURUS SKIN				
cattle epithelium injection, solution				
Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6300	
Route of Administration	PERCUTANEOUS			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	BOS TAURUS SKIN (UNII: 7J12CD6O9L) (BOS TAURUS SKIN - UNII:7J12CD6O9L)	BOS TAURUS SKIN	0.05 g in 1 mL	
Inactive Ingredients				
	Ingredient Name	Strength		
	GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL		
	PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL		
	SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL		
	SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL		
	HYDROCHLORIC ACID (UNII: QTT17582CB)			
	SODIUM HYDROXIDE (UNII: 55X04QC32I)			
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6300-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965		

COTTON FIBER

cattle epithelium injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6302
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
COTTON FIBER (UNII: 70LDW53ROO) (COTTON FIBER - UNII:70LDW53ROO)	COTTON FIBER	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6302-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

COTTON SEED

cottonseed injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6304
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
COTTON SEED (UNII: D10ZRJ0MXN) (COTTON SEED - UNII:D10ZRJ0MXN)		COTTON SEED	0.05 g in 1 mL	
Inactive Ingredients				
Ingredient Name		Strength		
GLYCERIN (UNII: PDC6A3C00X)		0.5 mL in 1 mL		
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL		
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6304-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	05/22/2023	

CANIS LUPUS FAMILIARIS SKIN

dog epithelium injection, solution

Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6306
Route of Administration	PERCUTANEOUS		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
CANIS LUPUS FAMILIARIS SKIN (UNII: X2W7CLE97T) (CANIS LUPUS FAMILIARIS SKIN - UNII:X2W7CLE97T)		CANIS LUPUS FAMILIARIS SKIN	0.05 g in 1 mL
Inactive Ingredients			
Ingredient Name		Strength	
GLYCERIN (UNII: PDC6A3C00X)		0.5 mL in 1 mL	
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL	

HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6306-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965		

CAVIA PORCELLUS SKIN				
guinea pig epithelium injection, solution				
Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6309	
Route of Administration	PERCUTANEOUS			
Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
CAVIA PORCELLUS SKIN (UNII: GM3H4U6QS8) (CAVIA PORCELLUS SKIN - UNII:GM3H4U6QS8)	CAVIA PORCELLUS SKIN	0.05 g in 1 mL		
Inactive Ingredients				
Ingredient Name	Strength			
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL			
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL			
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL			
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL			
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6309-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

EQUUS CABALLUS SKIN

horse epithelium injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6311
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
EQUUS CABALLUS SKIN (UNII: 88VZV9HGT4) (EQUUS CABALLUS SKIN - UNII:88VZV9HGT4)	EQUUS CABALLUS SKIN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6311-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

CEIBA PENTANDRA FIBER

kapok injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6312
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CEIBA PENTANDRA FIBER (UNII: 758Z9H9W9) (CEIBA PENTANDRA FIBER - UNII:758Z9H9W9)	CEIBA PENTANDRA FIBER	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6312-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

MUS MUSCULUS SKIN

mouse epithelium injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6314
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of	Strength
------------------------	-----------------	-----------------

Ingredient Name		Strength	Strength	
MUS MUSCULUS SKIN (UNII: 390AN9GB09) (MUS MUSCULUS SKIN - UNII:390AN9GB09)		MUS MUSCULUS SKIN	0.05 g in 1 mL	
Inactive Ingredients				
Ingredient Name		Strength		
GLYCERIN (UNII: PDC6A3C00X)		0.5 mL in 1 mL		
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL		
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6314-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965		

ORRIS			
iris x germanica root injection, solution			
Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6317
Route of Administration	PERCUTANEOUS		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
IRIS X GERMANICA ROOT (UNII: 8N6VTJ9IWW) (IRIS X GERMANICA ROOT - UNII:8N6VTJ9IWW)		IRIS X GERMANICA ROOT	0.05 g in 1 mL
Inactive Ingredients			
Ingredient Name		Strength	
GLYCERIN (UNII: PDC6A3C00X)		0.5 mL in 1 mL	
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL	

SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL		
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6317-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	05/22/2023	

PYRETHRUM CINERARIIFOLIUM				
pyrethrum injection, solution				
Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6318	
Route of Administration	PERCUTANEOUS			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
TANACETUM CINERARIIFOLIUM FLOWER (UNII: CGF76TP7X6) (TANACETUM CINERARIIFOLIUM FLOWER - UNII:CGF76TP7X6)		TANACETUM CINERARIIFOLIUM FLOWER	0.05 g in 1 mL	
Inactive Ingredients				
Ingredient Name		Strength		
GLYCERIN (UNII: PDC6A3C0OX)		0.5 mL in 1 mL		
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL		
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6318-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	11/30/2021

RABBIT

rabbit epithelium injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6320
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RABBIT (UNII: O5V0F26RUW) (RABBIT - UNII:O5V0F26RUW)	RABBIT	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6320-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

SOLENOPSIS INVICTA

fire ant injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6400
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SOLENOPSIS INVICTA (UNII: 5O7CR4P444) (SOLENOPSIS INVICTA - UNII:5O7CR4P444)	SOLENOPSIS INVICTA	0.01 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6400-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

PERIPLANETA AMERICANA

american cockroach injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6403
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
------------------------	--------------------------	-----------------

PERIPLANETA AMERICANA (UNII: 2RQ1L9N089) (PERIPLANETA AMERICANA - UNII:2RQ1L9N089)		PERIPLANETA AMERICANA	0.05 g in 1 mL	
Inactive Ingredients				
Ingredient Name		Strength		
GLYCERIN (UNII: PDC6A3C0OX)		0.5 mL in 1 mL		
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL		
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6403-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965		

PENICILLIUM CHRYSOGENUM VAR CHRYSOGENUM			
yeast saccharomyces cerevisiae injection, solution			
Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6558
Route of Administration	PERCUTANEOUS		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
PENICILLIUM CHRYSOGENUM VAR. CHRYSOGENUM (UNII: 3Y1PE1GCIG) (PENICILLIUM CHRYSOGENUM VAR. CHRYSOGENUM - UNII:3Y1PE1GCIG)		PENICILLIUM CHRYSOGENUM VAR. CHRYSOGENUM	0.10 g in 1 mL
Inactive Ingredients			
Ingredient Name		Strength	
GLYCERIN (UNII: PDC6A3C0OX)		0.5 mL in 1 mL	
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL	

HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6558-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	05/22/2023	

ACACIA				
acacia injection, solution				
Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6600	
Route of Administration	PERCUTANEOUS			
Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ACACIA (UNII: 5C5403N26O) (ACACIA - UNII:5C5403N26O)	ACACIA	0.05 g in 1 mL		
Inactive Ingredients				
Ingredient Name	Strength			
GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL			
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL			
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL			
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL			
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6600-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

ALNUS INCANA SSP RUGOSA POLLEN

white alder injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6601
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALNUS INCANA SUBSP. RUGOSA POLLEN (UNII: 605T96G8Y5) (ALNUS INCANA SUBSP. RUGOSA POLLEN - UNII:605T96G8Y5)	ALNUS INCANA SUBSP. RUGOSA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6601-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

MEDICAGO SATIVA POLLEN

alfalfa injection, solution

Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC		Item Code (Source)	NDC:0268-6602
Route of Administration	PERCUTANEOUS			
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
MEDICAGO SATIVA POLLEN (UNII: G515RAI9FY) (MEDICAGO SATIVA POLLEN - UNII:G515RAI9FY)			MEDICAGO SATIVA POLLEN	0.05 g in 1 mL
Inactive Ingredients				
Ingredient Name			Strength	
GLYCERIN (UNII: PDC6A3C00X)			0.5 mL in 1 mL	
PHENOL (UNII: 339NCG44TV)			0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)			0.009 g in 1 mL	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)			0.00275 g in 1 mL	
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6602-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
BLA	BLA103753		01/01/1965	

FRAXINUS AMERICANA POLLEN				
white ash injection, solution				
Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC		Item Code (Source)	NDC:0268-6603
Route of Administration	PERCUTANEOUS			
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)			FRAXINUS AMERICANA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6603-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

PASPALUM NOTATUM POLLEN

bahia grass injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6605
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PASPALUM NOTATUM POLLEN (UNII: V003SHB7VK) (PASPALUM NOTATUM POLLEN - UNII:V003SHB7VK)	PASPALUM NOTATUM POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6605-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

MORELLA CERIFERA POLLEN

bayberry wax myrtle injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6606
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MORELLA CERIFERA POLLEN (UNII: LC8MEV9S89) (MORELLA CERIFERA POLLEN - UNII:LC8MEV9S89)	MORELLA CERIFERA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6606-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

FAGUS GRANDIFOLIA POLLEN

beech injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6607
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6607-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

BETULA LENTA POLLEN

black birch injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6608
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BETULA LENTA POLLEN (UNII: JQ5HI5004M) (BETULA LENTA POLLEN - UNII:JQ5HI5004M)	BETULA LENTA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6608-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

BETULA NIGRA POLLEN

river birch red injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6609
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6609-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

BETULA LENTA POLLEN

white birch injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6610
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BETULA LENTA POLLEN (UNII: JQ5HI5004M) (BETULA LENTA POLLEN - UNII:JQ5HI5004M)	BETULA LENTA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6610-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

ACER NEGUNDO POLLEN

box elder ash leaf maple injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6612
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACER NEGUNDO POLLEN (UNII: P6K070AR8V) (ACER NEGUNDO POLLEN - UNII:P6K070AR8V)	ACER NEGUNDO POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6612-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

AMARANTHUS PALMERI POLLEN

carelessweed injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6613
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AMARANTHUS PALMERI POLLEN (UNII: 1GH3WW23KH) (AMARANTHUS PALMERI POLLEN - UNII:1GH3WW23KH)	AMARANTHUS PALMERI POLLEN	0.025 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6613-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

JUNIPERUS ASHEI POLLEN

mountain cedar injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6614
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
JUNIPERUS ASHEI POLLEN (UNII: 544F8MEY0Y) (JUNIPERUS ASHEI POLLEN - UNII:544F8MEY0Y)	JUNIPERUS ASHEI POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6614-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

JUNIPERUS VIRGINIANA POLLEN

red cedar injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6615
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
JUNIPERUS VIRGINIANA POLLEN (UNII: PY0JA16R2G) (JUNIPERUS VIRGINIANA POLLEN - UNII:PY0JA16R2G)	JUNIPERUS VIRGINIANA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6615-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

XANTHIUM STRUMARIUM VAR CANADENSE POLLEN

cocklebur injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6616
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
XANTHIUM STRUMARIUM VAR. CANADENSE POLLEN (UNII: OZK6G3W3BI) (XANTHIUM STRUMARIUM VAR. CANADENSE POLLEN - UNII:OZK6G3W3BI)	XANTHIUM STRUMARIUM VAR. CANADENSE POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6616-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

POPULUS DELTOIDES POLLEN

eastern cottonwood common injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6618
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6618-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

BLA	BLA103753	01/01/1965	
-----	-----------	------------	--

CUPRESSUS ARIZONICA POLLEN

arizona cypress injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6619
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CUPRESSUS ARIZONICA POLLEN (UNII: 232DMH0XVF) (CUPRESSUS ARIZONICA POLLEN - UNII:232DMH0XVF)	CUPRESSUS ARIZONICA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6619-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

TAXODIUM DISTICHUM POLLEN

bald cypress injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6620
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TAXODIUM DISTICHUM POLLEN (UNII: O12H03B41R) (TAXODIUM DISTICHUM POLLEN - UNII:O12H03B41R)	TAXODIUM DISTICHUM POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6620-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

RUMEX ACETOSELLA POLLEN

sour dock sheep sorrel injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6621
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RUMEX ACETOSELLA POLLEN (UNII: N52MIQ81ZW) (RUMEX ACETOSELLA POLLEN - UNII:N52MIQ81ZW)	RUMEX ACETOSELLA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6621-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

RUMEX CRISPUS POLLEN

yellow dock injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6622
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RUMEX CRISPUS POLLEN (UNII: V825XJG64G) (RUMEX CRISPUS POLLEN - UNII:V825XJG64G)	RUMEX CRISPUS POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6622-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

ULMUS AMERICANA POLLEN				
american elm injection, solution				
Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6623	
Route of Administration	PERCUTANEOUS			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)		ULMUS AMERICANA POLLEN	0.05 g in 1 mL	
Inactive Ingredients				
Ingredient Name		Strength		
GLYCERIN (UNII: PDC6A3C00X)		0.5 mL in 1 mL		
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL		
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6623-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965		

SOLIDAGO CANADENSIS POLLEN

goldenrod injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6625
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SOLIDAGO CANADENSIS POLLEN (UNII: 644CZ16IR5) (SOLIDAGO CANADENSIS POLLEN - UNII:644CZ16IR5)	SOLIDAGO CANADENSIS POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6625-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

CELTIS OCCIDENTALIS POLLEN

hackberry injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6626
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CELTIS OCCIDENTALIS POLLEN (UNII: 68R9X9Y96X) (CELTIS OCCIDENTALIS POLLEN - UNII:68R9X9Y96X)	CELTIS OCCIDENTALIS POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6626-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

CARYA OVATA POLLEN

shagbark hickory injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6627
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL

PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6627-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

SORGHUM HALEPENSE POLLEN

johnson grass injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6629
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SORGHUM HALEPENSE POLLEN (UNII: 577VA5B4HP) (SORGHUM HALEPENSE POLLEN - UNII:577VA5B4HP)	SORGHUM HALEPENSE POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:0268-6629-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
---	------------------	---	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

JUNIPERUS CALIFORNICA POLLEN

western juniper injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6630
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
JUNIPERUS CALIFORNICA POLLEN (UNII: 0H1V4V5V9L) (JUNIPERUS CALIFORNICA POLLEN - UNII:0H1V4V5V9L)	JUNIPERUS CALIFORNICA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6630-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

KOCHIA SCOPARIA POLLEN

kochia firebush injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6631
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BASSIA SCOPARIA POLLEN (UNII: 07A108ZKW5) (BASSIA SCOPARIA POLLEN - UNII:07A108ZKW5)	BASSIA SCOPARIA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6631-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

CHENOPODIUM ALBUM POLLEN

lambs quarters injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6632
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
CHENOPODIUM ALBUM POLLEN (UNII: 098LKX5NCN) (CHENOPODIUM ALBUM POLLEN - UNII:098LKX5NCN)			CHENOPODIUM ALBUM POLLEN	0.05 g in 1 mL
Inactive Ingredients				
Ingredient Name			Strength	
GLYCERIN (UNII: PDC6A3C00X)			0.5 mL in 1 mL	
PHENOL (UNII: 339NCG44TV)			0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)			0.009 g in 1 mL	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)			0.00275 g in 1 mL	
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6632-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
BLA	BLA103753		01/01/1965	

ACER RUBRUM POLLEN

red maple injection, solution

Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6634
Route of Administration	PERCUTANEOUS		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACER RUBRUM POLLEN (UNII: 700NK45C76) (ACER RUBRUM POLLEN - UNII:700NK45C76)		ACER RUBRUM POLLEN	0.05 g in 1 mL
Inactive Ingredients			
Ingredient Name		Strength	
GLYCERIN (UNII: PDC6A3C00X)		0.5 mL in 1 mL	
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL	

SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6634-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

ACER SACCHARUM POLLEN

sugar maple injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6635
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACER SACCHARUM POLLEN (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)	ACER SACCHARUM POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:0268-6635-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product	
----------	------------------	---	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

IVA XANTHIFOLIA POLLEN

burweed marshelder injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6636
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CYCLACHAENA XANTHIFOLIA POLLEN (UNII: V80TPZ0T6J) (CYCLACHAENA XANTHIFOLIA POLLEN - UNII:V80TPZ0T6J)	CYCLACHAENA XANTHIFOLIA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6636-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

IVA ANNUA VAR ANNUA POLLEN

rough marshelder injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6637
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IVA ANNUA POLLEN (UNII: Y2U5S5PF22) (IVA ANNUA POLLEN - UNII:Y2U5S5PF22)	IVA ANNUA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6637-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

PROSOPIS JULIFLORA POLLEN

mesquite injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6638
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PROSOPIS JULIFLORA POLLEN (UNII: 6EIJ3D04MR) (PROSOPIS JULIFLORA POLLEN - UNII:6EIJ3D04MR)	PROSOPIS JULIFLORA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6638-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

ARTEMISIA VULGARIS POLLEN

common mugwort injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6639
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARTEMISIA VULGARIS POLLEN (UNII: ANT994T71D) (ARTEMISIA VULGARIS POLLEN - UNII:ANT994T71D)	ARTEMISIA VULGARIS POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL

SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6639-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

MORUS RUBRA POLLEN

red mulberry injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6640
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MORUS RUBRA POLLEN (UNII: 9LYI4RTZ52) (MORUS RUBRA POLLEN - UNII:9LYI4RTZ52)	MORUS RUBRA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:0268-6640-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
----------	------------------	---	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

MORUS ALBA POLLEN

white mulberry injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6641
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MORUS ALBA POLLEN (UNII: 3I9T68187H) (MORUS ALBA POLLEN - UNII:3I9T68187H)	MORUS ALBA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6641-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

QUERCUS RUBRA POLLEN

red oak injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6642
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6642-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

QUERCUS VIRGINIANA POLLEN

virginia live oak injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6643
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
QUERCUS VIRGINIANA POLLEN (UNII: 8KDG09A4GO) (QUERCUS VIRGINIANA POLLEN - UNII:8KDG09A4GO)			QUERCUS VIRGINIANA POLLEN	0.05 g in 1 mL
Inactive Ingredients				
Ingredient Name			Strength	
GLYCERIN (UNII: PDC6A3C0OX)			0.5 mL in 1 mL	
PHENOL (UNII: 339NCG44TV)			0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)			0.009 g in 1 mL	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)			0.00275 g in 1 mL	
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6643-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
BLA	BLA103753		01/01/1965	

QUERCUS ALBA POLLEN

white oak injection, solution

Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6644
Route of Administration	PERCUTANEOUS		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
QUERCUS ALBA POLLEN (UNII: Z4Y9ZSV4KK) (QUERCUS ALBA POLLEN - UNII:Z4Y9ZSV4KK)		QUERCUS ALBA POLLEN	0.05 g in 1 mL
Inactive Ingredients			
Ingredient Name		Strength	
GLYCERIN (UNII: PDC6A3C0OX)		0.5 mL in 1 mL	
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL	

SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6644-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

OLEA EUROPAEA POLLEN

olive pollen injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6646
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OLEA EUROPAEA POLLEN (UNII: 43R41XZ627) (OLEA EUROPAEA POLLEN - UNII:43R41XZ627)	OLEA EUROPAEA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:0268-6646-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
----------	------------------	---	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

SYAGRUS ROMANZOFFIANA POLLEN

queen palm coco palm injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6647
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SYAGRUS ROMANZOFFIANA POLLEN (UNII: 84ZOM591BB) (SYAGRUS ROMANZOFFIANA POLLEN - UNII:84ZOM591BB)	SYAGRUS ROMANZOFFIANA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6647-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

CARYA ILLINOINENSIS POLLEN

pecan pollen injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6648
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARYA ILLINOINENSIS POLLEN (UNII: PYO4JR720Y) (CARYA ILLINOINENSIS POLLEN - UNII:PYO4JR720Y)	CARYA ILLINOINENSIS POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6648-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

AMARANTHUS RETROFLEXUS POLLEN

rough pigweed injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6649
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
AMARANTHUS RETROFLEXUS POLLEN (UNII: 73B14PX5FW) (AMARANTHUS RETROFLEXUS POLLEN - UNII:73B14PX5FW)		AMARANTHUS RETROFLEXUS POLLEN	0.05 g in 1 mL	
Inactive Ingredients				
Ingredient Name		Strength		
GLYCERIN (UNII: PDC6A3C0OX)		0.5 mL in 1 mL		
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL		
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6649-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965		

PINUS STROBUS POLLEN

white pine injection, solution

Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6651
Route of Administration	PERCUTANEOUS		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
PINUS STROBUS POLLEN (UNII: TX1ER5UV3T) (PINUS STROBUS POLLEN - UNII:TX1ER5UV3T)		PINUS STROBUS POLLEN	0.05 g in 1 mL
Inactive Ingredients			
Ingredient Name		Strength	
GLYCERIN (UNII: PDC6A3C0OX)		0.5 mL in 1 mL	
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL	

SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL		
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6651-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965		

PLANTAGO LANCEOLATA POLLEN

english plantain injection, solution

Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6652	
Route of Administration	PERCUTANEOUS			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
PLANTAGO LANCEOLATA POLLEN (UNII: DO87T1U2CI) (PLANTAGO LANCEOLATA POLLEN - UNII:DO87T1U2CI)		PLANTAGO LANCEOLATA POLLEN	0.05 g in 1 mL	
Inactive Ingredients				
Ingredient Name		Strength		
GLYCERIN (UNII: PDC6A3C0OX)		0.5 mL in 1 mL		
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL		
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6652-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

POPULUS ALBA POLLEN

white poplar injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6654
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POPULUS ALBA POLLEN (UNII: VU8C8SB23P) (POPULUS ALBA POLLEN - UNII:VU8C8SB23P)	POPULUS ALBA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6654-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

LIGUSTRUM VULGARE POLLEN

privet injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6656
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIGUSTRUM VULGARE POLLEN (UNII: Y3FRX92Z0E) (LIGUSTRUM VULGARE POLLEN - UNII:Y3FRX92Z0E)	LIGUSTRUM VULGARE POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6656-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

ELYMUS REPENS POLLEN

quack grass injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6657
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of	Strength
------------------------	-----------------	-----------------

Ingredient Name		Strength	Strength	
ELYMUS REPENS POLLEN (UNII: ON2T85TA2O) (ELYMUS REPENS POLLEN - UNII:ON2T85TA2O)		ELYMUS REPENS POLLEN	0.05 g in 1 mL	
Inactive Ingredients				
Ingredient Name		Strength		
GLYCERIN (UNII: PDC6A3C0OX)		0.5 mL in 1 mL		
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL		
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6657-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	05/22/2023	

AMBROSIA TRIFIDA POLLEN

tall ragweed giant injection, solution

Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6658
Route of Administration	PERCUTANEOUS		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
AMBROSIA TRIFIDA POLLEN (UNII: KU1V1898XX) (AMBROSIA TRIFIDA POLLEN - UNII:KU1V1898XX)		AMBROSIA TRIFIDA POLLEN	0.05 g in 1 mL
Inactive Ingredients			
Ingredient Name		Strength	
GLYCERIN (UNII: PDC6A3C0OX)		0.5 mL in 1 mL	
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL	

SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL		
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6658-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965		

SALSOLA KALI POLLEN				
russian thistle injection, solution				
Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6659	
Route of Administration	PERCUTANEOUS			
Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
SALSOLA KALI POLLEN (UNII: 2MH135KC6G) (SALSOLA KALI POLLEN - UNII:2MH135KC6G)	SALSOLA KALI POLLEN	0.05 g in 1 mL		
Inactive Ingredients				
Ingredient Name	Strength			
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL			
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL			
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL			
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL			
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6659-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

ARTEMISIA TRIDENTATA POLLEN

common sagebrush injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6670
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARTEMISIA TRIDENTATA POLLEN (UNII: YI19RB8YFD) (ARTEMISIA TRIDENTATA POLLEN - UNII:YI19RB8YFD)	ARTEMISIA TRIDENTATA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6670-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

LIQUIDAMBAR STYRACIFLUA POLLEN

sweetgum injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6671
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIQUIDAMBAR STYRACIFLUA POLLEN (UNII: 5Q246DS5BS) (LIQUIDAMBAR STYRACIFLUA POLLEN - UNII:5Q246DS5BS)	LIQUIDAMBAR STYRACIFLUA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6671-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

PLATANUS OCCIDENTALIS POLLEN

american sycamore injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6672
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

PLATANUS OCCIDENTALIS POLLEN (UNII: E03U1K03LK) (PLATANUS OCCIDENTALIS POLLEN - UNII:E03U1K03LK)	PLATANUS OCCIDENTALIS POLLEN	0.05 g in 1 mL
---	------------------------------	----------------

Inactive Ingredients	
Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6672-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

JUGLANS NIGRA POLLEN

black pollen walnut injection, solution

Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6674
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
JUGLANS NIGRA POLLEN (UNII: 1BV28146ZR) (JUGLANS NIGRA POLLEN - UNII:1BV28146ZR)	JUGLANS NIGRA POLLEN	0.05 g in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL

HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6674-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965		

AILANTHUS ALTISSIMA POLLEN				
ailanthus tree of heaven injection, solution				
Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6677	
Route of Administration	PERCUTANEOUS			
Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
AILANTHUS ALTISSIMA POLLEN (UNII: 2A64U81OQ3) (AILANTHUS ALTISSIMA POLLEN - UNII:2A64U81OQ3)	AILANTHUS ALTISSIMA POLLEN	0.05 g in 1 mL		
Inactive Ingredients				
Ingredient Name	Strength			
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL			
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL			
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL			
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL			
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6677-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	11/30/2021

POPULUS TREMULOIDES POLLEN

aspen injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6681
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POPULUS TREMULOIDES POLLEN (UNII: 928OC2TJDA) (POPULUS TREMULOIDES POLLEN - UNII:928OC2TJDA)	POPULUS TREMULOIDES POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6681-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	11/30/2021

POA ANNUA POLLEN

annual bluegrass injection, solution

Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6689	
Route of Administration	PERCUTANEOUS			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
POA ANNUA POLLEN (UNII: 7U437HHU5C) (POA ANNUA POLLEN - UNII:7U437HHU5C)		POA ANNUA POLLEN	0.05 g in 1 mL	
Inactive Ingredients				
Ingredient Name		Strength		
GLYCERIN (UNII: PDC6A3C00X)		0.5 mL in 1 mL		
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL		
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6689-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	05/22/2023	

BROMUS INERMIS POLLEN				
brome grass injection, solution				
Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6691	
Route of Administration	PERCUTANEOUS			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
BROMUS INERMIS POLLEN (UNII: 766QT72BK6) (BROMUS INERMIS POLLEN -		BROMUS INERMIS	0.05 g	

UNII:766QT72BK6)		POLLEN	in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
GLYCERIN (UNII: PDC6A3C0OX)			0.5 mL in 1 mL	
PHENOL (UNII: 339NCG44TV)			0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)			0.009 g in 1 mL	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)			0.00275 g in 1 mL	
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6691-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965		

ZEA MAYS POLLEN				
corn pollen injection, solution				
Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6697	
Route of Administration	PERCUTANEOUS			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
ZEA MAYS POLLEN (UNII: 74PD8J616H) (ZEA MAYS POLLEN - UNII:74PD8J616H)		ZEA MAYS POLLEN	0.05 g in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
GLYCERIN (UNII: PDC6A3C0OX)			0.5 mL in 1 mL	
PHENOL (UNII: 339NCG44TV)			0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)			0.009 g in 1 mL	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)			0.00275 g in 1 mL	
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6697-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

POPULUS FREMONTII POLLEN

fremont cottonwood injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6700
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POPULUS FREMONTII POLLEN (UNII: 426RHB4302) (POPULUS FREMONTII POLLEN - UNII:426RHB4302)	POPULUS FREMONTII POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6700-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	11/30/2021

POPULUS DELTOIDES SSP MONILIFERA POLLEN

western cottonwood injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6701
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POPULUS DELTOIDES SUBSP. MONILIFERA POLLEN (UNII: 5928LJ1441) (POPULUS DELTOIDES SUBSP. MONILIFERA POLLEN - UNII:5928LJ1441)	POPULUS DELTOIDES SUBSP. MONILIFERA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6701-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

EUPATORIUM CAPILLIFOLIUM POLLEN

dog fennel injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6706
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
EUPATORIUM CAPILLIFOLIUM POLLEN (UNII: B67NF86HF0) (EUPATORIUM CAPILLIFOLIUM POLLEN - UNII:B67NF86HF0)	EUPATORIUM CAPILLIFOLIUM POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6706-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

ULMUS CRASSIFOLIA POLLEN

cedar elm injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6709
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ULMUS CRASSIFOLIA POLLEN (UNII: G82398SD3I) (ULMUS CRASSIFOLIA POLLEN - UNII:G82398SD3I)	ULMUS CRASSIFOLIA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6709-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

ULMUS PUMILA POLLEN

chinese elm injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6710
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ULMUS PUMILA POLLEN (UNII: 030R993R8E) (ULMUS PUMILA POLLEN - UNII:030R993R8E)	ULMUS PUMILA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6710-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

EUCALYPTUS GLOBULUS POLLEN

eucalyptus injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6712
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
EUCALYPTUS GLOBULUS POLLEN (UNII: 7XW7TB10X9) (EUCALYPTUS GLOBULUS POLLEN - UNII: 7XW7TB10X9)	EUCALYPTUS GLOBULUS POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6712-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

BLA	BLA103753	01/01/1965	
-----	-----------	------------	--

CORYLUS AMERICANA POLLEN

hazelnut pollen injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6714
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CORYLUS AMERICANA POLLEN (UNII: ZGS382Y3AV) (CORYLUS AMERICANA POLLEN - UNII:ZGS382Y3AV)	CORYLUS AMERICANA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6714-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	11/30/2021

ROBINIA PSEUDOACACIA POLLEN

black locust injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6722
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ROBINIA PSEUDOACACIA POLLEN (UNII: 8003NOJ82F) (ROBINIA PSEUDOACACIA POLLEN - UNII:8003NOJ82F)	ROBINIA PSEUDOACACIA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6722-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	11/30/2021

MELALEUCA QUINQUENERVIA POLLEN

melaleuca pollen injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6728
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MELALEUCA QUINQUENERVIA POLLEN (UNII: NX974IRT8E) (MELALEUCA QUINQUENERVIA POLLEN - UNII:NX974IRT8E)	MELALEUCA QUINQUENERVIA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6728-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

CHENOPODIUM AMBROSIOIDES POLLEN

mexican tea injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6731
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHENOPODIUM AMBROSIOIDES POLLEN (UNII: WB701MW2H) (CHENOPODIUM AMBROSIOIDES POLLEN - UNII:WB701MW2H)	CHENOPODIUM AMBROSIOIDES POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:0268-6731-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	06/30/2013

QUERCUS AGRIFOLIA POLLEN				
california live oak coast injection, solution				
Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6736	
Route of Administration	PERCUTANEOUS			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	QUERCUS AGRIFOLIA POLLEN (UNII: VOT5MA71M7) (QUERCUS AGRIFOLIA POLLEN - UNII:VOT5MA71M7)	QUERCUS AGRIFOLIA POLLEN	0.05 g in 1 mL	
Inactive Ingredients				
	Ingredient Name	Strength		
	GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL		
	PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL		
	SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL		
	SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL		
	HYDROCHLORIC ACID (UNII: QTT17582CB)			
	SODIUM HYDROXIDE (UNII: 55X04QC32I)			
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6736-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	11/30/2021	

QUERCUS ALBA POLLEN

wild pollen oat injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6741
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
QUERCUS ALBA POLLEN (UNII: Z4Y9ZSV4KK) (QUERCUS ALBA POLLEN - UNII:Z4Y9ZSV4KK)	QUERCUS ALBA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6741-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	11/30/2021

SCHINUS MOLLE POLLEN

california pepper tree injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6743
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SCHINUS MOLLE POLLEN (UNII: M0G28FH9K1) (SCHINUS MOLLE POLLEN - UNII:M0G28FH9K1)	SCHINUS MOLLE POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6743-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

AMARANTHUS SPINOSUS POLLEN

spiny pigweed injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6744
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AMARANTHUS SPINOSUS POLLEN (UNII: 380W4HYR6N) (AMARANTHUS SPINOSUS POLLEN - UNII:380W4HYR6N)	AMARANTHUS SPINOSUS POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL

PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6744-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

CASUARINA EQUISETIFOLIA POLLEN

australian pine beefwood injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6745
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CASUARINA EQUISETIFOLIA POLLEN (UNII: OZJ4OE173N) (CASUARINA EQUISETIFOLIA POLLEN - UNII:OZJ4OE173N)	CASUARINA EQUISETIFOLIA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:0268-6745-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product	
----------	------------------	---	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

PINUS ECHINATA POLLEN

yellow pine injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6748
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PINUS ECHINATA POLLEN (UNII: 96LRW14765) (PINUS ECHINATA POLLEN - UNII:96LRW14765)	PINUS ECHINATA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6748-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

AMBROSIA ACANTHICARPA POLLEN

false ragweed bur injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6749
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AMBROSIA ACANTHICARPA POLLEN (UNII: U2AI3H2J5Y) (AMBROSIA ACANTHICARPA POLLEN - UNII:U2AI3H2J5Y)	AMBROSIA ACANTHICARPA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6749-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

AMBROSIA TENUIFOLIA POLLEN

slender ragweed injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6750
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
AMBROSIA TENUIFOLIA POLLEN (UNII: 57W5SO585B) (AMBROSIA TENUIFOLIA POLLEN - UNII:57W5SO585B)		AMBROSIA TENUIFOLIA POLLEN	0.05 g in 1 mL	
Inactive Ingredients				
Ingredient Name		Strength		
GLYCERIN (UNII: PDC6A3C0OX)		0.5 mL in 1 mL		
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL		
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6750-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	05/22/2023	

AMBROSIA BIDENTATA POLLEN

southern ragweed injection, solution

Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6751
Route of Administration	PERCUTANEOUS		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
AMBROSIA BIDENTATA POLLEN (UNII: M3S672G75O) (AMBROSIA BIDENTATA POLLEN - UNII:M3S672G75O)		AMBROSIA BIDENTATA POLLEN	0.05 g in 1 mL
Inactive Ingredients			
Ingredient Name		Strength	
GLYCERIN (UNII: PDC6A3C0OX)		0.5 mL in 1 mL	
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL	

SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6751-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	11/30/2021

AMBROSIA PSILOSTACHYA POLLEN

western ragweed injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6752
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AMBROSIA PSILOSTACHYA POLLEN (UNII: RX18M46K8L) (AMBROSIA PSILOSTACHYA POLLEN - UNII:RX18M46K8L)	AMBROSIA PSILOSTACHYA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6752-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

LOLIUM PERENNE SSP MULTIFLORUM POLLEN

italian rye grass injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6754
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOLIUM MULTIFLORUM POLLEN (UNII: VJ10WKK736) (LOLIUM MULTIFLORUM POLLEN - UNII:VJ10WKK736)	LOLIUM MULTIFLORUM POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6754-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	11/30/2021

ARTEMISIA FRIGIDA POLLEN

prairie sage injection, solution

Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC		Item Code (Source)	NDC:0268-6755
Route of Administration	PERCUTANEOUS			
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
ARTEMISIA FRIGIDA POLLEN (UNII: 5AN5LR8L3F) (ARTEMISIA FRIGIDA POLLEN - UNII:5AN5LR8L3F)			ARTEMISIA FRIGIDA POLLEN	0.05 g in 1 mL
Inactive Ingredients				
Ingredient Name			Strength	
GLYCERIN (UNII: PDC6A3C0OX)			0.5 mL in 1 mL	
PHENOL (UNII: 339NCG44TV)			0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)			0.009 g in 1 mL	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)			0.00275 g in 1 mL	
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6755-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
BLA	BLA103753		01/01/1965	11/30/2021

DISTICHLIS SPICATA POLLEN				
salt grass injection, solution				
Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC		Item Code (Source)	NDC:0268-6757
Route of Administration	PERCUTANEOUS			
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
DISTICHLIS SPICATA POLLEN (UNII: GOA51670YV) (DISTICHLIS SPICATA POLLEN			DISTICHLIS SPICATA	0.05 g

- UNII:GOA51670YV)		POLLEN	in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
GLYCERIN (UNII: PDC6A3C00X)			0.5 mL in 1 mL	
PHENOL (UNII: 339NCG44TV)			0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)			0.009 g in 1 mL	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)			0.00275 g in 1 mL	
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6757-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	05/22/2023	

HOLCUS LANATUS POLLEN

velvet grass injection, solution

Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6760
Route of Administration	PERCUTANEOUS		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
HOLCUS LANATUS POLLEN (UNII: 7001TP6H01) (HOLCUS LANATUS POLLEN - UNII:7001TP6H01)		HOLCUS LANATUS POLLEN	0.05 g in 1 mL
Inactive Ingredients			
Ingredient Name		Strength	
GLYCERIN (UNII: PDC6A3C00X)		0.5 mL in 1 mL	
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL	
HYDROCHLORIC ACID (UNII: QTT17582CB)			

SODIUM HYDROXIDE (UNII: 55X04QC32I)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6760-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

JUGLANS NIGRA POLLEN

california walnut black pollen injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6761
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
JUGLANS NIGRA POLLEN (UNII: 1BV28146ZR) (JUGLANS NIGRA POLLEN - UNII:1BV28146ZR)	JUGLANS NIGRA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6761-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

JUGLANS REGIA POLLEN

english walnut pollen injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6762
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
JUGLANS REGIA POLLEN (UNII: ARW43087I1) (JUGLANS REGIA POLLEN - UNII:ARW43087I1)	JUGLANS REGIA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6762-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	11/30/2021

TRITICUM AESTIVUM POLLEN

wheat pollen injection, solution

Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6763	
Route of Administration	PERCUTANEOUS			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
TRITICUM AESTIVUM POLLEN (UNII: F1KAH8374D) (TRITICUM AESTIVUM POLLEN - UNII:F1KAH8374D)		TRITICUM AESTIVUM POLLEN	0.05 g in 1 mL	
Inactive Ingredients				
Ingredient Name		Strength		
GLYCERIN (UNII: PDC6A3C00X)		0.5 mL in 1 mL		
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL		
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6763-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	11/30/2021	

ARTEMISIA ANNUA POLLEN				
common wormwood annual injection, solution				
Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6764	
Route of Administration	PERCUTANEOUS			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
ARTEMISIA ANNUA POLLEN (UNII: 36R82U4DL6) (ARTEMISIA ANNUA POLLEN -		ARTEMISIA ANNUA	0.05 g	

UNII:36R82U4DL6)		POLLEN	in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
GLYCERIN (UNII: PDC6A3C0OX)			0.5 mL in 1 mL	
PHENOL (UNII: 339NCG44TV)			0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)			0.009 g in 1 mL	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)			0.00275 g in 1 mL	
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6764-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	05/22/2023	

AMARANTHUS TUBERCULATUS POLLEN				
water hemp injection, solution				
Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6771	
Route of Administration	PERCUTANEOUS			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
AMARANTHUS TUBERCULATUS POLLEN (UNII: 92N6W6KO2G) (AMARANTHUS TUBERCULATUS POLLEN - UNII:92N6W6KO2G)		AMARANTHUS TUBERCULATUS POLLEN	0.025 g in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
GLYCERIN (UNII: PDC6A3C0OX)			0.5 mL in 1 mL	
PHENOL (UNII: 339NCG44TV)			0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)			0.009 g in 1 mL	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)			0.00275 g in 1 mL	
HYDROCHLORIC ACID (UNII: QTT17582CB)				

SODIUM HYDROXIDE (UNII: 55X04QC32I)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6771-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

HOUSE DUST

house dust injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6001
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOUSE DUST (UNII: EYO007VX98) (HOUSE DUST - UNII:EYO007VX98)	HOUSE DUST	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6001-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	06/30/2013

BOS TAURUS SKIN

cattle epithelium injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6301
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BOS TAURUS SKIN (UNII: 7J12CD6O9L) (BOS TAURUS SKIN - UNII:7J12CD6O9L)	BOS TAURUS SKIN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6301-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

COTTON FIBER

cotton linters injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6303
--------------	-----------------------------	--------------------	---------------

Route of Administration	INTRADERMAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	COTTON FIBER (UNII: 70LDW53ROO) (COTTON FIBER - UNII:70LDW53ROO)	COTTON FIBER	0.001 g in 1 mL	
Inactive Ingredients				
	Ingredient Name	Strength		
	PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL		
	SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL		
	SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL		
	HYDROCHLORIC ACID (UNII: QTT17582CB)			
	SODIUM HYDROXIDE (UNII: 55X04QC32I)			
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6303-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
	BLA	BLA103753	01/01/1965	05/22/2023

CANIS LUPUS FAMILIARIS SKIN			
dog epithelium injection, solution			
Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6305
Route of Administration	INTRADERMAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	CANIS LUPUS FAMILIARIS SKIN (UNII: X2W7CLE97T) (CANIS LUPUS FAMILIARIS SKIN - UNII:X2W7CLE97T)	CANIS LUPUS FAMILIARIS SKIN	1000 [PNU] in 1 mL
Inactive Ingredients			
	Ingredient Name	Strength	

PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6305-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

CAVIA PORCELLUS SKIN

guinea pig epithelium injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6308
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAVIA PORCELLUS SKIN (UNII: GM3H4U6QS8) (CAVIA PORCELLUS SKIN - UNII:GM3H4U6QS8)	CAVIA PORCELLUS SKIN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:0268-6308-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
----------	------------------	---	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

EQUUS CABALLUS SKIN

horse epithelium injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6310
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
EQUUS CABALLUS SKIN (UNII: 88VZV9HGT4) (EQUUS CABALLUS SKIN - UNII:88VZV9HGT4)	EQUUS CABALLUS SKIN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6310-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	11/30/2021

MUS MUSCULUS SKIN

mouse epithelium injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6316
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MUS MUSCULUS SKIN (UNII: 390AN9GB09) (MUS MUSCULUS SKIN - UNII:390AN9GB09)	MUS MUSCULUS SKIN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6316-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

RABBIT

rabbit epithelium injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6319
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
RABBIT (UNII: O5V0F26RUW) (RABBIT - UNII:O5V0F26RUW)		RABBIT	1000 [PNU] in 1 mL	
Inactive Ingredients				
Ingredient Name		Strength		
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL		
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6319-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	05/22/2023	

SOLENOPSIS INVICTA			
fire ant injection, solution			
Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6401
Route of Administration	INTRADERMAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
SOLENOPSIS INVICTA (UNII: 5O7CR4P444) (SOLENOPSIS INVICTA - UNII:5O7CR4P444)		SOLENOPSIS INVICTA	10 [PNU] in 1 mL
Inactive Ingredients			
Ingredient Name		Strength	
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL	
HYDROCHLORIC ACID (UNII: QTT17582CB)			

SODIUM HYDROXIDE (UNII: 55X04QC32I)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6401-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

PERIPLANETA AMERICANA

american cockroach injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6402
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PERIPLANETA AMERICANA (UNII: 2RQ1L9N089) (PERIPLANETA AMERICANA - UNII:2RQ1L9N089)	PERIPLANETA AMERICANA	100 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6402-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	11/30/2021

BLATELLA GERMANICA

german cockroach injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6407
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BLATELLA GERMANICA (UNII: G9O67I0A8Q) (BLATELLA GERMANICA - UNII:G9O67I0A8Q)	BLATELLA GERMANICA	100 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6407-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

ACREMONIUM STRICTUM

acremonium cephalosporium injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6501	
Route of Administration	INTRADERMAL			
Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ACREMONIUM STRICTUM (UNII: 3F36V0451W) (ACREMONIUM STRICTUM - UNII:3F36V0451W)	ACREMONIUM STRICTUM	1000 [PNU] in 1 mL		
Inactive Ingredients				
Ingredient Name	Strength			
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL			
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL			
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL			
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6501-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	05/22/2023	

ALTERNARIA TENUIS

alternaria tenuis a alternata injection, solution

Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6503
Route of Administration	INTRADERMAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ALTERNARIA ALTERNATA (UNII: 52B29REC7H) (ALTERNARIA ALTERNATA - UNII:52B29REC7H)	ALTERNARIA ALTERNATA	1000 [PNU] in 1 mL	

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6503-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

ASPERGILLUS FUMIGATUS

aspergillus fumigatus injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6506
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPERGILLUS FUMIGATUS (UNII: X88DF51T48) (ASPERGILLUS FUMIGATUS - UNII:X88DF51T48)	ASPERGILLUS FUMIGATUS	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6506-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

ASPERGILLUS NIGER VAR NIGER

aspergillus niger injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6508
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPERGILLUS NIGER VAR. NIGER (UNII: 9IOA40ANG6) (ASPERGILLUS NIGER VAR. NIGER - UNII:9IOA40ANG6)	ASPERGILLUS NIGER VAR. NIGER	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6508-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

AUREOBASIDIUM PULLULANS VAR PULLULANS

aureobasidium pullularia pullulans injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6511
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AUREOBASIDIUM PULLULANS VAR. PULLUTANS (UNII: D1A2NG69CK) (AUREOBASIDIUM PULLULANS VAR. PULLUTANS - UNII:D1A2NG69CK)	AUREOBASIDIUM PULLULANS VAR. PULLUTANS	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6511-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

BOTRYTIS CINEREA

botrytis cinerea injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6513
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BOTRYTIS CINEREA (UNII: TBW53313S7) (BOTRYTIS CINEREA - UNII:TBW53313S7)	BOTRYTIS CINEREA	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6513-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

CANDIDA ALBICANS

candida albicans injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6515
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CANDIDA ALBICANS (UNII: 4D7G21HDBC) (CANDIDA ALBICANS - UNII:4D7G21HDBC)	CANDIDA ALBICANS	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL

SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL		
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6515-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	05/22/2023	

CHAETOMIUM GLOBOSUM				
chaetomium globosum injection, solution				
Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6517	
Route of Administration	INTRADERMAL			
Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
CHAETOMIUM GLOBOSUM (UNII: 5016WB8B8A) (CHAETOMIUM GLOBOSUM - UNII:5016WB8B8A)	CHAETOMIUM GLOBOSUM	1000 [PNU] in 1 mL		
Inactive Ingredients				
Ingredient Name	Strength			
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL			
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL			
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL			
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6517-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

CLADOSPORIUM CLADOSPORIOIDES

cladosporium cladosporioides hormodendrum clad injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6519
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CLADOSPORIUM CLADOSPORIOIDES (UNII: 4ZWY20GTGO) (CLADOSPORIUM CLADOSPORIOIDES - UNII:4ZWY20GTGO)	CLADOSPORIUM CLADOSPORIOIDES	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6519-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

CLADOSPORIUM SPHAEROSPERMUM

cladosporium sphaerospermum hormodendrum hordei injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6521
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CLADOSPORIUM SPHAEROSPERMUM (UNII: P87YCA1U8R) (CLADOSPORIUM SPHAEROSPERMUM - UNII:P87YCA1U8R)	CLADOSPORIUM SPHAEROSPERMUM	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6521-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

COCHLIOBOLUS SATIVUS

drechslera helminthosporium injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6525
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
COCHLIOBOLUS SATIVUS (UNII: 3LN5B70U4W) (COCHLIOBOLUS SATIVUS - UNII:3LN5B70U4W)	COCHLIOBOLUS SATIVUS	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6525-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

EPICOCCUM NIGRUM

epicoccum nigrum injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6528
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
EPICOCCUM NIGRUM (UNII: 87U156LEN7) (EPICOCCUM NIGRUM - UNII:87U156LEN7)	EPICOCCUM NIGRUM	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6528-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

FUSARIUM OXYSPORUM VASINFECTUM

fusarium spp injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6532
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FUSARIUM OXYSPORUM VASINFECTUM (UNII: 6M98DC08TZ) (FUSARIUM OXYSPORUM VASINFECTUM - UNII:6M98DC08TZ)	FUSARIUM OXYSPORUM VASINFECTUM	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6532-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

HELMINTHOSPORIUM SOLANI

helminthosporium solani spondylocladium injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6535
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HELMINTHOSPORIUM SOLANI (UNII: U6Z259H815) (HELMINTHOSPORIUM SOLANI - UNII:U6Z259H815)	HELMINTHOSPORIUM SOLANI	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6535-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

MUCOR PLUMBEUS

helminthmucor spp injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6537
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MUCOR PLUMBEUS (UNII: D7401PWY6E) (MUCOR PLUMBEUS - UNII:D7401PWY6E)	MUCOR PLUMBEUS	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6537-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

NEUROSPORA INTERMEDIA

neurospora spp injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6539
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEUROSPORA INTERMEDIA (UNII: 2072U60DUI) (NEUROSPORA INTERMEDIA - UNII:2072U60DUI)	NEUROSPORA INTERMEDIA	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL

SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6539-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

PHOMA EXIGUA VAR EXIGUA

phoma herbarum injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6544
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHOMA EXIGUA VAR. EXIGUA (UNII: 8JAG41IE4M) (PHOMA EXIGUA VAR. EXIGUA - UNII:8JAG41IE4M)	PHOMA EXIGUA VAR. EXIGUA	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6544-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

RHIZOPUS ARRHZUS VAR ARRHZUS

rhizopus spp injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6547
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RHIZOPUS ARRHZUS (UNII: 8476849N1Y) (RHIZOPUS ARRHZUS - UNII:8476849N1Y)	RHIZOPUS ARRHZUS	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6547-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

RHODOTORULA RUBRA

rhodotorula rubra injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6549
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RHODOTORULA RUBRA (UNII: 15W81V867R) (RHODOTORULA RUBRA - UNII:15W81V867R)	RHODOTORULA RUBRA	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6549-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

STEMPHYLIUM SOLANI

stemphylium spp injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6555
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
STEMPHYLIUM SOLANI (UNII: 1IEK4UDP5M) (STEMPHYLIUM SOLANI -	STEMPHYLIUM	1000 [PNU]

UNII:1IEK4UDP5M) SOLANI in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6555-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

TRICHOPHYTON MENTAGROPHYTES

trichophyton mentagrophytes injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6557
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TRICHOPHYTON MENTAGROPHYTES (UNII: 199I7J3JIV) (TRICHOPHYTON MENTAGROPHYTES - UNII:199I7J3JIV)	TRICHOPHYTON MENTAGROPHYTES	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6557-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

SACCHAROMYCES CEREVISIAE

yeast saccharomyces cerevisiae injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6560
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SACCHAROMYCES CEREVISIAE (UNII: 978D8U419H) (SACCHAROMYCES CEREVISIAE - UNII:978D8U419H)	SACCHAROMYCES CEREVISIAE	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6560-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

BLA	BLA103753	01/01/1965	05/22/2023
-----	-----------	------------	------------

ACACIA

acacia injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6676
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACACIA (UNII: 5C5403N26O) (ACACIA - UNII:5C5403N26O)	ACACIA	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6676-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

ALNUS INCANA SSP RUGOSA POLLEN

white alder injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6678
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALNUS INCANA SUBSP. RUGOSA POLLEN (UNII: 605T96G8Y5) (ALNUS INCANA SUBSP. RUGOSA POLLEN - UNII:605T96G8Y5)	ALNUS INCANA SUBSP. RUGOSA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6678-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

FRAXINUS VELUTINA POLLEN

arizona ash injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6679
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FRAXINUS VELUTINA POLLEN (UNII: LJT6I6Z8FD) (FRAXINUS VELUTINA POLLEN - UNII:LJT6I6Z8FD)	FRAXINUS VELUTINA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL

SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6679-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

FRAXINUS AMERICANA POLLEN

white ash injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6680
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6680-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

PASPALUM NOTATUM POLLEN

bahia grass injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6682
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PASPALUM NOTATUM POLLEN (UNII: V003SHB7VK) (PASPALUM NOTATUM POLLEN - UNII:V003SHB7VK)	PASPALUM NOTATUM POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6682-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

MORELLA CERIFERA POLLEN

bayberry wax myrtle injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6683
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MORELLA CERIFERA POLLEN (UNII: LC8MEV9S89) (MORELLA CERIFERA POLLEN - UNII:LC8MEV9S89)	MORELLA CERIFERA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6683-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

FAGUS GRANDIFOLIA POLLEN

beech injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6684
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6684-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

BETULA LENTA POLLEN

black birch injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6686
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BETULA LENTA POLLEN (UNII: JQ5HI5004M) (BETULA LENTA POLLEN - UNII:JQ5HI5004M)	BETULA LENTA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6686-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

BETULA NIGRA POLLEN

river birch red injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6687
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6687-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

BLA	BLA103753	01/01/1965	05/22/2023
-----	-----------	------------	------------

BETULA LENTA POLLEN

white birch injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6688
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BETULA LENTA POLLEN (UNII: JQ5HI5004M) (BETULA LENTA POLLEN - UNII:JQ5HI5004M)	BETULA LENTA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6688-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

ACER NEGUNDO POLLEN

box elder ash leaf maple injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6690
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACER NEGUNDO POLLEN (UNII: P6K070AR8V) (ACER NEGUNDO POLLEN - UNII:P6K070AR8V)	ACER NEGUNDO POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6690-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

BROMUS INERMIS POLLEN

brome grass injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6692
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BROMUS INERMIS POLLEN (UNII: 766QT72BK6) (BROMUS INERMIS POLLEN - UNII:766QT72BK6)	BROMUS INERMIS POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6692-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

AMARANTHUS PALMERI POLLEN

carelessweed injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6693
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AMARANTHUS PALMERI POLLEN (UNII: 1GH3W23KH) (AMARANTHUS PALMERI POLLEN - UNII:1GH3W23KH)	AMARANTHUS PALMERI POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:0268-6693-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product	
---	------------------	---	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

JUNIPERUS ASHEI POLLEN

mountain cedar injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6694
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
JUNIPERUS ASHEI POLLEN (UNII: 544F8MEY0Y) (JUNIPERUS ASHEI POLLEN - UNII:544F8MEY0Y)	JUNIPERUS ASHEI POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6694-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

JUNIPERUS VIRGINIANA POLLEN

red cedar injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6695
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
JUNIPERUS VIRGINIANA POLLEN (UNII: PY0JA16R2G) (JUNIPERUS VIRGINIANA POLLEN - UNII:PY0JA16R2G)	JUNIPERUS VIRGINIANA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6695-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

XANTHIUM STRUMARIUM VAR CANADENSE POLLEN

cocklebur injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6696
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

XANTHIUM STRUMARIUM VAR. CANADENSE POLLEN (UNII: 0ZK6G3W3BI) (XANTHIUM STRUMARIUM VAR. CANADENSE POLLEN - UNII:0ZK6G3W3BI)	XANTHIUM STRUMARIUM VAR. CANADENSE POLLEN	1000 [PNU] in 1 mL
--	--	-----------------------

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6696-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

POPULUS DELTOIDES POLLEN

eastern cottonwood common injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6699
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6699-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

POPULUS DELTOIDES SSP MONILIFERA POLLEN

western cottonwood injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6702
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POPULUS DELTOIDES SUBSP. MONILIFERA POLLEN (UNII: 5928LJ1441) (POPULUS DELTOIDES SUBSP. MONILIFERA POLLEN - UNII:5928LJ1441)	POPULUS DELTOIDES SUBSP. MONILIFERA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6702-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

CUPRESSUS ARIZONICA POLLEN

arizona cypress injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6703
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CUPRESSUS ARIZONICA POLLEN (UNII: 232DMH0XVF) (CUPRESSUS ARIZONICA POLLEN - UNII:232DMH0XVF)	CUPRESSUS ARIZONICA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6703-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

RUMEX ACETOSELLA POLLEN

sour dock sheep sorrel injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6704
--------------	-----------------------------	--------------------	---------------

Route of Administration INTRADERMAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RUMEX ACETOSELLA POLLEN (UNII: N52MIQ81ZW) (RUMEX ACETOSELLA POLLEN - UNII:N52MIQ81ZW)	RUMEX ACETOSELLA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6704-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

RUMEX CRISPUS POLLEN

yellow dock injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6705
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RUMEX CRISPUS POLLEN (UNII: V825XJG64G) (RUMEX CRISPUS POLLEN - UNII:V825XJG64G)	RUMEX CRISPUS POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6705-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

EUPATORIUM CAPILLIFOLIUM POLLEN

dog fennel injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6707
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
EUPATORIUM CAPILLIFOLIUM POLLEN (UNII: B67NF86HF0) (EUPATORIUM CAPILLIFOLIUM POLLEN - UNII:B67NF86HF0)	EUPATORIUM CAPILLIFOLIUM POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:0268-6707-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product	
---	------------------	---	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

ULMUS AMERICANA POLLEN

american elm injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6708
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6708-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	11/30/2021

ULMUS PUMILA POLLEN

chinese elm injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6711
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ULMUS PUMILA POLLEN (UNII: 030R993R8E) (ULMUS PUMILA POLLEN - UNII:030R993R8E)	ULMUS PUMILA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6711-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

EUCALYPTUS GLOBULUS POLLEN

eucalyptus injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6713
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
EUCALYPTUS GLOBULUS POLLEN (UNII: 7XW7TB10X9) (EUCALYPTUS GLOBULUS POLLEN - UNII:7XW7TB10X9)		EUCALYPTUS GLOBULUS POLLEN	1000 [PNU] in 1 mL	
Inactive Ingredients				
Ingredient Name		Strength		
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL		
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6713-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	05/22/2023	

CORYLUS AMERICANA POLLEN			
hazelnut pollen injection, solution			
Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6715
Route of Administration	INTRADERMAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
CORYLUS AMERICANA POLLEN (UNII: ZGS382Y3AV) (CORYLUS AMERICANA POLLEN - UNII:ZGS382Y3AV)		CORYLUS AMERICANA POLLEN	1000 [PNU] in 1 mL
Inactive Ingredients			
Ingredient Name		Strength	
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL	
HYDROCHLORIC ACID (UNII: QTT17582CB)			

SODIUM HYDROXIDE (UNII: 55X04QC32I)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6715-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

CARYA OVATA POLLEN

shagbark hickory injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6716
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6716-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

SORGHUM HALEPENSE POLLEN

johnson grass injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6717
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SORGHUM HALEPENSE POLLEN (UNII: 577VA5B4HP) (SORGHUM HALEPENSE POLLEN - UNII:577VA5B4HP)	SORGHUM HALEPENSE POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6717-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

JUNIPERUS CALIFORNICA POLLEN

western juniper injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6719
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
JUNIPERUS CALIFORNICA POLLEN (UNII: 0H1V4V5V9L) (JUNIPERUS CALIFORNICA POLLEN - UNII:0H1V4V5V9L)	JUNIPERUS CALIFORNICA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6719-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

KOCHIA SCOPARIA POLLEN

kochia firebush injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6720
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BASSIA SCOPARIA POLLEN (UNII: 07A108ZKW5) (BASSIA SCOPARIA POLLEN - UNII:07A108ZKW5)	BASSIA SCOPARIA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6720-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

CHENOPODIUM ALBUM POLLEN

lamb's quarters injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6721
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHENOPODIUM ALBUM POLLEN (UNII: 098LKX5NCN) (CHENOPODIUM ALBUM POLLEN - UNII:098LKX5NCN)	CHENOPODIUM ALBUM POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6721-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

ROBINIA PSEUDOACACIA POLLEN				
black locust injection, solution				
Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6723	
Route of Administration	INTRADERMAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
ROBINIA PSEUDOACACIA POLLEN (UNII: 8003NOJ82F) (ROBINIA PSEUDOACACIA POLLEN - UNII:8003NOJ82F)		ROBINIA PSEUDOACACIA POLLEN	1000 [PNU] in 1 mL	
Inactive Ingredients				
Ingredient Name		Strength		
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL		
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6723-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	05/22/2023	

ACER RUBRUM POLLEN

red maple injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6724
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACER RUBRUM POLLEN (UNII: 700NK45C76) (ACER RUBRUM POLLEN - UNII:700NK45C76)	ACER RUBRUM POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6724-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

ACER SACCHARUM POLLEN

sugar maple injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6725
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
ACER SACCHARUM POLLEN (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)			ACER SACCHARUM POLLEN	1000 [PNU] in 1 mL
Inactive Ingredients				
Ingredient Name			Strength	
PHENOL (UNII: 339NCG44TV)			0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)			0.009 g in 1 mL	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)			0.00275 g in 1 mL	
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6725-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	05/22/2023	

IVA XANTHIFOLIA POLLEN			
burweed marshelder injection, solution			
Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6726
Route of Administration	INTRADERMAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
CYCLACHAENA XANTHIFOLIA POLLEN (UNII: V80TPZ0T6J) (CYCLACHAENA XANTHIFOLIA POLLEN - UNII:V80TPZ0T6J)		CYCLACHAENA XANTHIFOLIA POLLEN	1000 [PNU] in 1 mL
Inactive Ingredients			
Ingredient Name		Strength	
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL	

HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6726-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

IVA ANNUA VAR ANNUA POLLEN

rough marshelder injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6727
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IVA ANNUA POLLEN (UNII: Y2U5S5PF22) (IVA ANNUA POLLEN - UNII:Y2U5S5PF22)	IVA ANNUA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6727-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

PROSOPIS JULIFLORA POLLEN

mesquite injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6730
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PROSOPIS JULIFLORA POLLEN (UNII: 6EIJ3D04MR) (PROSOPIS JULIFLORA POLLEN - UNII:6EIJ3D04MR)	PROSOPIS JULIFLORA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6730-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

ARTEMISIA VULGARIS POLLEN

common mugwort injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6732	
Route of Administration	INTRADERMAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
ARTEMISIA VULGARIS POLLEN (UNII: ANT994T71D) (ARTEMISIA VULGARIS POLLEN - UNII:ANT994T71D)		ARTEMISIA VULGARIS POLLEN	1000 [PNU] in 1 mL	
Inactive Ingredients				
Ingredient Name		Strength		
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL		
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6732-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	05/22/2023	

MORUS RUBRA POLLEN			
red mulberry injection, solution			
Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6734
Route of Administration	INTRADERMAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
MORUS RUBRA POLLEN (UNII: 9LYI4RTZ52) (MORUS RUBRA POLLEN - UNII:9LYI4RTZ52)		MORUS RUBRA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6734-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

MORUS ALBA POLLEN

white mulberry injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6735
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MORUS ALBA POLLEN (UNII: 3I9T68187H) (MORUS ALBA POLLEN - UNII:3I9T68187H)	MORUS ALBA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6735-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

QUERCUS AGRIFOLIA POLLEN

california live oak coast injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6737
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
QUERCUS AGRIFOLIA POLLEN (UNII: VOT5MA71M7) (QUERCUS AGRIFOLIA POLLEN - UNII:VOT5MA71M7)	QUERCUS AGRIFOLIA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6737-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

QUERCUS RUBRA POLLEN

red oak injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6738
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6738-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

QUERCUS VIRGINIANA POLLEN

virginia live oak injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6739
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
QUERCUS VIRGINIANA POLLEN (UNII: 8KDG09A4GO) (QUERCUS VIRGINIANA POLLEN - UNII:8KDG09A4GO)	QUERCUS VIRGINIANA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6739-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

QUERCUS ALBA POLLEN

white oak injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6740
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
QUERCUS ALBA POLLEN (UNII: Z4Y9ZSV4KK) (QUERCUS ALBA POLLEN - UNII:Z4Y9ZSV4KK)	QUERCUS ALBA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL

SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6740-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

BETULA LENTA POLLEN

white pine injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6772
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BETULA LENTA POLLEN (UNII: JQ5HI5004M) (BETULA LENTA POLLEN - UNII:JQ5HI5004M)	BETULA LENTA POLLEN	0.002 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6772-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

OLEA EUROPAEA POLLEN

olive pollen injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6773
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OLEA EUROPAEA POLLEN (UNII: 43R41XZ627) (OLEA EUROPAEA POLLEN - UNII:43R41XZ627)	OLEA EUROPAEA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6773-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

SYAGRUS ROMANZOFFIANA POLLEN

queen palm coco palm injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6774
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SYAGRUS ROMANZOFFIANA POLLEN (UNII: 84ZOM591BB) (SYAGRUS ROMANZOFFIANA POLLEN - UNII:84ZOM591BB)	SYAGRUS ROMANZOFFIANA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6774-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

CARYA ILLINOINENSIS POLLEN

pecan pollen injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6775
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of	Strength
-----------------	----------	----------

Ingredient Name		Strength	Strength	
CARYA ILLINOINENSIS POLLEN (UNII: PYO4JR720Y) (CARYA ILLINOINENSIS POLLEN - UNII:PYO4JR720Y)		CARYA ILLINOINENSIS POLLEN	1000 [PNU] in 1 mL	
Inactive Ingredients				
Ingredient Name		Strength		
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL		
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6775-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	05/22/2023	

AMARANTHUS RETROFLEXUS POLLEN

rough pigweed redroot injection, solution

Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6776
Route of Administration	INTRADERMAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
AMARANTHUS RETROFLEXUS POLLEN (UNII: 73B14PX5FW) (AMARANTHUS RETROFLEXUS POLLEN - UNII:73B14PX5FW)		AMARANTHUS RETROFLEXUS POLLEN	1000 [PNU] in 1 mL
Inactive Ingredients			
Ingredient Name		Strength	
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL	
HYDROCHLORIC ACID (UNII: QTT17582CB)			
SODIUM HYDROXIDE (UNII: 55X04QC32I)			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6776-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

CASUARINA EQUISETIFOLIA POLLEN

australian pine beefwood injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6777
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CASUARINA EQUISETIFOLIA POLLEN (UNII: OZJ4OE173N) (CASUARINA EQUISETIFOLIA POLLEN - UNII:OZJ4OE173N)	CASUARINA EQUISETIFOLIA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6777-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

PLANTAGO LANCEOLATA POLLEN

english plantain injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6778
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PLANTAGO LANCEOLATA POLLEN (UNII: DO87T1U2CI) (PLANTAGO LANCEOLATA POLLEN - UNII:DO87T1U2CI)	PLANTAGO LANCEOLATA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6778-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

POPULUS ALBA POLLEN

white poplar injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6779
--------------	-----------------------------	--------------------	---------------

Route of Administration INTRADERMAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POPULUS ALBA POLLEN (UNII: VU8C8SB23P) (POPULUS ALBA POLLEN - UNII:VU8C8SB23P)	POPULUS ALBA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6779-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

LIGUSTRUM VULGARE POLLEN

privet injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6780
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIGUSTRUM VULGARE POLLEN (UNII: Y3FRX92Z0E) (LIGUSTRUM VULGARE POLLEN - UNII:Y3FRX92Z0E)	LIGUSTRUM VULGARE POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6780-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

AMBROSIA ACANTHICARPA POLLEN

false ragweed bur injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6781
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AMBROSIA ACANTHICARPA POLLEN (UNII: U2AI3H2J5Y) (AMBROSIA ACANTHICARPA POLLEN - UNII:U2AI3H2J5Y)	AMBROSIA ACANTHICARPA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:0268-6781-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product	
---	------------------	---	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

AMBROSIA TRIFIDA POLLEN

tall ragweed giant injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6782
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AMBROSIA TRIFIDA POLLEN (UNII: KU1V1898XX) (AMBROSIA TRIFIDA POLLEN - UNII:KU1V1898XX)	AMBROSIA TRIFIDA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6782-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

AMBROSIA PSILOSTACHYA POLLEN

western ragweed injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6783
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AMBROSIA PSILOSTACHYA POLLEN (UNII: RX18M46K8L) (AMBROSIA PSILOSTACHYA POLLEN - UNII:RX18M46K8L)	AMBROSIA PSILOSTACHYA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6783-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

SALSOLA KALI POLLEN

russian thistle injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6784
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Basis of

Ingredient Name		Basis of Strength	Strength	
SALSOLA KALI POLLEN (UNII: 2MH135KC6G) (SALSOLA KALI POLLEN - UNII:2MH135KC6G)		SALSOLA KALI POLLEN	1000 [PNU] in 1 mL	
Inactive Ingredients				
Ingredient Name		Strength		
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL		
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6784-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	05/22/2023	

ARTEMISIA FRIGIDA POLLEN

prairie sage injection, solution

Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6785
Route of Administration	INTRADERMAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ARTEMISIA FRIGIDA POLLEN (UNII: 5AN5LR8L3F) (ARTEMISIA FRIGIDA POLLEN - UNII:5AN5LR8L3F)		ARTEMISIA FRIGIDA POLLEN	1000 [PNU] in 1 mL
Inactive Ingredients			
Ingredient Name		Strength	
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL	

HYDROCHLORIC ACID (UNII: QTT17582CB)

SODIUM HYDROXIDE (UNII: 55X04QC32I)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6785-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

ARTEMISIA TRIDENTATA POLLEN

common sagebrush injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6786
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARTEMISIA TRIDENTATA POLLEN (UNII: YI19RB8YFD) (ARTEMISIA TRIDENTATA POLLEN - UNII:YI19RB8YFD)	ARTEMISIA TRIDENTATA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6786-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

LIQUIDAMBAR STYRACIFLUA POLLEN

sweetgum non stock injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6787
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIQUIDAMBAR STYRACIFLUA POLLEN (UNII: 5Q246DS5BS) (LIQUIDAMBAR STYRACIFLUA POLLEN - UNII:5Q246DS5BS)	LIQUIDAMBAR STYRACIFLUA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6787-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

PLATANUS OCCIDENTALIS POLLEN

american sycamore injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6788
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PLATANUS OCCIDENTALIS POLLEN (UNII: E03U1K03LK) (PLATANUS OCCIDENTALIS POLLEN - UNII:E03U1K03LK)	PLATANUS OCCIDENTALIS POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6788-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

HOLCUS LANATUS POLLEN

velvet grass injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6790
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOLCUS LANATUS POLLEN (UNII: 7001TP6H01) (HOLCUS LANATUS POLLEN - UNII:7001TP6H01)	HOLCUS LANATUS POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6790-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

JUGLANS NIGRA POLLEN

walnut black pollen injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6791
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
JUGLANS NIGRA POLLEN (UNII: 1BV28146ZR) (JUGLANS NIGRA POLLEN - UNII:1BV28146ZR)	JUGLANS NIGRA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6791-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

JUGLANS NIGRA POLLEN				
california walnut black pollen injection, solution				
Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6792	
Route of Administration	INTRADERMAL			
Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
JUGLANS NIGRA POLLEN (UNII: 1BV28146ZR) (JUGLANS NIGRA POLLEN - UNII:1BV28146ZR)	JUGLANS NIGRA POLLEN	1000 [PNU] in 1 mL		
Inactive Ingredients				
Ingredient Name	Strength			
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL			
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL			
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL			
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6792-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	05/22/2023	

JUGLANS REGIA POLLEN

english walnut pollen injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6793
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
JUGLANS REGIA POLLEN (UNII: ARW43087I1) (JUGLANS REGIA POLLEN - UNII:ARW43087I1)	JUGLANS REGIA POLLEN	1000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	0.004 mL in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X)	0.009 g in 1 mL
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.00275 g in 1 mL
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6793-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

AMARANTHUS TUBERCULATUS POLLEN

water hemp injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6794
Route of Administration	INTRADERMAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
AMARANTHUS TUBERCULATUS POLLEN (UNII: 92N6W6KO2G) (AMARANTHUS TUBERCULATUS POLLEN - UNII:92N6W6KO2G)			AMARANTHUS TUBERCULATUS POLLEN	1000 [PNU] in 1 mL
Inactive Ingredients				
Ingredient Name			Strength	
PHENOL (UNII: 339NCG44TV)			0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)			0.009 g in 1 mL	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)			0.00275 g in 1 mL	
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6794-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	05/22/2023	

TRITICUM AESTIVUM POLLEN				
wheat pollen injection, solution				
Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6795	
Route of Administration	INTRADERMAL			
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
TRITICUM AESTIVUM POLLEN (UNII: F1KAH8374D) (TRITICUM AESTIVUM POLLEN - UNII:F1KAH8374D)			TRITICUM AESTIVUM POLLEN	1000 [PNU] in 1 mL
Inactive Ingredients				
Ingredient Name			Strength	
PHENOL (UNII: 339NCG44TV)			0.004 mL in 1 mL	
SODIUM CHLORIDE (UNII: 451W47IQ8X)			0.009 g in 1 mL	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)			0.00275 g in 1 mL	

HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6795-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	01/01/1965	05/22/2023	

SALIX NIGRA POLLEN				
black willow injection, solution				
Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6796	
Route of Administration	INTRADERMAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
SALIX NIGRA POLLEN (UNII: 6M2JIH93ZN) (SALIX NIGRA POLLEN - UNII:6M2JIH93ZN)		SALIX NIGRA POLLEN	1000 [PNU] in 1 mL	
Inactive Ingredients				
Ingredient Name		Strength		
PHENOL (UNII: 339NCG44TV)		0.004 mL in 1 mL		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		0.009 g in 1 mL		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		0.00275 g in 1 mL		
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6796-05	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/22/2023

Labeler - ALK-Abello, Inc. (809998847)

Establishment

Name	Address	ID/FEI	Business Operations
Alk- abello, Inc.		809998847	manufacture(0268-6000, 0268-6143, 0268-6300, 0268-6302, 0268-6304, 0268-6306, 0268-6309, 0268-6311, 0268-6312, 0268-6314, 0268-6317, 0268-6318, 0268-6320, 0268-6400, 0268-6403, 0268-6405, 0268-6500, 0268-6502, 0268-6504, 0268-6507, 0268-6509, 0268-6512, 0268-6514, 0268-6516, 0268-6518, 0268-6520, 0268-6524, 0268-6526, 0268-6529, 0268-6533, 0268-6536, 0268-6538, 0268-6540, 0268-6543, 0268-6545, 0268-6548, 0268-6550, 0268-6552, 0268-6553, 0268-6556, 0268-6558, 0268-6600, 0268-6601, 0268-6602, 0268-6603, 0268-6605, 0268-6606, 0268-6607, 0268-6608, 0268-6609, 0268-6610, 0268-6612, 0268-6613, 0268-6614, 0268-6615, 0268-6616, 0268-6618, 0268-6619, 0268-6620, 0268-6621, 0268-6622, 0268-6623, 0268-6625, 0268-6626, 0268-6627, 0268-6629, 0268-6630, 0268-6631, 0268-6632, 0268-6634, 0268-6635, 0268-6636, 0268-6637, 0268-6638, 0268-6639, 0268-6640, 0268-6641, 0268-6642, 0268-6643, 0268-6644, 0268-6646, 0268-6647, 0268-6648, 0268-6649, 0268-6651, 0268-6652, 0268-6654, 0268-6656, 0268-6657, 0268-6658, 0268-6659, 0268-6670, 0268-6671, 0268-6672, 0268-6674, 0268-6677, 0268-6681, 0268-6689, 0268-6691, 0268-6697, 0268-6700, 0268-6701, 0268-6706, 0268-6709, 0268-6710, 0268-6712, 0268-6714, 0268-6722, 0268-6728, 0268-6731, 0268-6736, 0268-6741, 0268-6743, 0268-6744, 0268-6745, 0268-6748, 0268-6749, 0268-6750, 0268-6751, 0268-6752, 0268-6754, 0268-6755, 0268-6757, 0268-6760, 0268-6761, 0268-6762, 0268-6763, 0268-6764, 0268-6771, 0268-6001, 0268-6301, 0268-6303, 0268-6305, 0268-6308, 0268-6310, 0268-6316, 0268-6319, 0268-6401, 0268-6402, 0268-6407, 0268-6501, 0268-6503, 0268-6506, 0268-6508, 0268-6511, 0268-6513, 0268-6515, 0268-6517, 0268-6519, 0268-6521, 0268-6525, 0268-6528, 0268-6532, 0268-6535, 0268-6537, 0268-6539, 0268-6544, 0268-6547, 0268-6549, 0268-6555, 0268-6557, 0268-6560, 0268-6676, 0268-6678, 0268-6679, 0268-6680, 0268-6682, 0268-6683, 0268-6684, 0268-6686, 0268-6687, 0268-6688, 0268-6690, 0268-6692, 0268-6693, 0268-6694, 0268-6695, 0268-6696, 0268-6699, 0268-6702, 0268-6703, 0268-6704, 0268-6705, 0268-6707, 0268-6708, 0268-6711, 0268-6713, 0268-6715, 0268-6716, 0268-6717, 0268-6719, 0268-6720, 0268-6721, 0268-6723, 0268-6724, 0268-6725, 0268-6726, 0268-6727, 0268-6730, 0268-6732, 0268-6734, 0268-6735, 0268-6737, 0268-6738, 0268-6739, 0268-6740, 0268-6772, 0268-6773, 0268-6774, 0268-6775, 0268-6776, 0268-6777, 0268-6778, 0268-6779, 0268-6780, 0268-6781, 0268-6782, 0268-6783, 0268-6784, 0268-6785, 0268-6786, 0268-6787, 0268-6788, 0268-6790, 0268-6791, 0268-6792, 0268-6793, 0268-6794, 0268-6795, 0268-6796)

Revised: 5/2023

ALK-Abello, Inc.