LORATADINE AND PSEUDOEPHEDRINE- loratadine and pseudoephedrine tablet, extended release

Rebel Distributors Corp

DRUG FACTS

ACTIVE INGREDIENTS (IN EACH TABLET)

Loratadine, USP 10 mg

Pseudoephedrine sulfate, USP 240 mg

PURPOSE

Antihistamine

Nasal decongestant

USES

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - sneezing
 - itchy, watery eyes
 - runny nose
 - itching of the nose or throat
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

WARNINGS

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed.

Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by a fever.
- nervousness, dizziness or sleeplessness occurs

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

DIRECTIONS

- do not divide, crush, chew or dissolve the tablet
- adults and children 12 years and over: 1 tablet daily with a full glass of water; not more than 1 tablet in 24 hours
- children under 12 years of age: ask a doctor
- consumers with liver or kidney disease: ask a doctor

OTHER INFORMATION

- **sodium**: contains 10 mg/tablet
- **calcium**: contains 25 mg/tablet
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING. (for blister carton/label)
- TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE. (for bottle carton/label)
- store between 20° C to 25° C (68° F to 77° F)
- protect from light and store in a dry place

INACTIVE INGREDIENTS


calcium carbonate, colloidal silicon dioxide, hydroxypropyl cellulose, hypromellose, iron oxide black, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, sodium alginate, sodium citrate, talc and titanium dioxide

QUESTIONS?

call **1-800-406-7984**

PACKAGE LABEL. PRINCIPAL DISPLAY PANEL

Distributed by: Ohm Laboratories Inc. 1385 Livingston Avenue North Brunswick, NJ 08902 Repackaged by: Rebel Distributors 3607 Old Conejo Rd.



LORATADINE AND PSEUDOEPHEDRINE

loratadine and pseudoephedrine tablet, extended release

Product Information					
Product Type	HUMAN OTC DRUG Item Code (Source) NDC:21695-729(NDC:5		NDC:51660	51660-724)	
Route of Administration	ORAL				
Active Ingredient/Active Moi	otv				
Ingredient Name Basis of Stree				ngth	Strength
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)			LORATADINE		10 mg
PSEUDO EPHEDRINE SULFATE (UNII: Y9DL7QPE6B) (PSEUDO EPHEDRINE - UNII:7CUC9DDI9F)			PSEUDOEPHEDRINE SULFATE		240 mg
Inactive Ingredients					
Ingredient Name			Strength		
CALCIUM CARBONATE (UNII: H0 G9379 FGK)					
SILICON DIO XIDE (UNII: ETJ7Z6 XBU	(4)				
HYDROXYPROPYL CELLULOSE (UI	NII: RFW2ET671P)				

HYPROMELLOSES (UNII: 3NXW29V3WO)				
FERROSOFERRI	IC OXIDE (UNII: XM0 M87F357)			
LACTOSE MON	OHYDRATE (UNII: EWQ57Q8I5X)		
MAGNESIUM ST	EARATE (UNII: 70097M6I30)			
CELLULOSE, MI	ICROCRYSTALLINE (UNII: OP1	R32D61U)		
POLYETHYLEN	E GLYCOLS (UNII: 3WJQ0SDW1	A)		
PO VIDO NE (UNI	I: FZ989GH94E)			
STARCH, CORN	(UNII: O8232NY3SJ)			
PROPYLENE GL	YCOL (UNII: 6DC9Q167V3)			
SHELLAC (UNII:	46N107B71O)			
SODIUM ALGINATE (UNII: C269C4G2ZQ)				
SODIUM CITRAT	FE (UNII: 1Q73Q2JULR)			
TALC (UNII: 7SE	V7J4R1U)			
TITANIUM DIO X	IDE (UNII: 15FIX9V2JP)			
Product Char	racteristics			
Color	white	Score	no score	
Shape	CAPSULE	Size	17mm	
Flavor		Imprint Code	RX724	
Contains				

D			•
Р	ack	เลช	ing
-	uci		

1 ackaging					
# Item Code	Package Description	Marketing	g Start Date M	arketing End Date	
1 NDC:21695-729-05	5 in 1 BOTTLE				
2 NDC:21695-729-10	10 in 1 BOTTLE				
Marketing Information					
Marketing Category	Application Number or Monogra	nh Citatian	Marketing Start Date	Marketing End Date	
Marketing Category	Application Number of Monogra		Marketing Start Date	Marketing End Date	
ANDA	ANDA076557		11/17/2004		

Labeler - Rebel Distributors Corp (118802834)

Establishment				
Name	Address	ID/FEI	Business Operations	
Rebel Distributors Corp		118802834	RELABEL, REPACK	

Revised: 1/2012

Rebel Distributors Corp