

PAIN RELIEVER EXTRA STRENGTH- acetaminophen tablet, coated
Wal-Mart Stores Inc

Equate 44-519-Pain Reliever

Active ingredient (in each gelcap)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - minor pain of arthritis
 - muscular aches
 - toothache
 - backache
 - premenstrual and menstrual cramps
 - headache
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- if you are allergic to acetaminophen or any of the inactive ingredients in this product
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- new symptoms occur
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over
 - take 2 gelcaps every 6 hours while symptoms last
 - do not take more than 6 gelcaps in 24 hours, unless directed by a doctor
 - do not take for more than 10 days unless directed by a doctor
- children under 12 years: ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid high humidity
- use by expiration date on package

Inactive ingredients

croscarmellose sodium, D&C red #33, FD&C blue #1, FD&C red #40, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, stearic acid, titanium dioxide

Questions or comments?

1-888-287-1915

Principal Display Panel

equate[™]

NDC 49035-919-12

**Compare to
Extra Strength
Tylenol® Rapid
Release Gels
active
ingredient***

**Extra Strength
Pain Reliever
Acetaminophen 500 mg**

Pain Reliever/Fever Reducer
Contains No Aspirin

**500
mg
EACH**

**100
GELCAPS**

Actual Size

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716


PRODUCT OF CHINA

*This product is not manufactured or distributed by Johnson & Johnson Corporation,
owner of the registered trademark Extra Strength Tylenol® Rapid Release Gels.

50844

REV0322A51912

NDC 49035-919-12




EXTRA STRENGTH

Pain Reliever

Acetaminophen 500 mg

Pain Reliever/Fever Reducer
Contains No Aspirin



Actual Size

500 mg EACH

100 GELCAPS


Compare to Extra Strength Tylenol's Rapid Release Gels active ingredients*

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts	<p>Active ingredient (in each gelcap) Purpose</p> <p>Acetaminophen 500 mg. Pain reliever/fever reducer</p> <p>Uses</p> <ul style="list-style-type: none"> ■ temporarily relieves minor aches and pains due to: <ul style="list-style-type: none"> ■ the common cold ■ minor pain of arthritis ■ muscular aches ■ toothache ■ premenstrual and menstrual cramps ■ headache ■ temporarily reduces fever <p>Warnings</p> <p>Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take</p> <ul style="list-style-type: none"> ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product <p>Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:</p> <ul style="list-style-type: none"> ■ hives ■ rash ■ skin reddening <p>If a skin reaction occurs, stop use and seek medical help right away.</p>
-------------------	--

DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716
PRODUCT OF CHINA
*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Extra Strength Tylenol® Rapid Release Gels.
50844 REV0322A1912

729665



6 8113111194 2

* PEEL HERE FOR MORE DRUG FACTS

STOP PEELING

<p>Drug Facts (continued)</p> <p>Do not use ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product: ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.</p> <p>Ask a doctor before use if you have liver disease.</p> <p>Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.</p> <p>Stop use and ask a doctor if ■ new symptoms occur ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present. These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p> <p>Directions ■ do not take more than directed</p> <ul style="list-style-type: none"> ■ adults and children 12 years and over ■ take 2 gelcaps every 6 hours while symptoms last ■ do not take more than 6 gelcaps in 24 hours, unless directed by a doctor ■ do not take for more than 10 days unless directed by a doctor ■ children under 12 years: ask a doctor <p>Other information</p> <ul style="list-style-type: none"> ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ avoid high humidity ■ use by expiration date on package <p>Inactive ingredients croscarmellose sodium, D&C red #33, FD&C blue #1, FD&C red #40, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, stearic acid, titanium dioxide</p> <p>Questions or comments? 1-888-287-1915</p>	<p>Do not use ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product: ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.</p> <p>Ask a doctor before use if you have liver disease.</p> <p>Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.</p> <p>Stop use and ask a doctor if ■ new symptoms occur ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present. These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p> <p>Directions ■ do not take more than directed</p> <ul style="list-style-type: none"> ■ adults and children 12 years and over ■ take 2 gelcaps every 6 hours while symptoms last ■ do not take more than 6 gelcaps in 24 hours, unless directed by a doctor ■ do not take for more than 10 days unless directed by a doctor ■ children under 12 years: ask a doctor <p>Other information</p> <ul style="list-style-type: none"> ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ avoid high humidity ■ use by expiration date on package <p>Inactive ingredients croscarmellose sodium, D&C red #33, FD&C blue #1, FD&C red #40, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, stearic acid, titanium dioxide</p> <p>Questions or comments? 1-888-287-1915</p>
--	---

Equate 44-519

PAIN RELIEVER EXTRA STRENGTH			
acetaminophen tablet, coated			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-919
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg	
Inactive Ingredients			
Ingredient Name	Strength		
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)			
D&C RED NO. 33 (UNII: 9DBA0SBB0L)			

FD&C BLUE NO. 1 (UNII: H3R47K3TBD)
FD&C RED NO. 40 (UNII: WZB9127XOA)
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)
STARCH, CORN (UNII: O8232NY3SJ)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
SHELLAC (UNII: 46N107B710)
STEARIC ACID (UNII: 4ELV7Z65AP)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Characteristics

Color	red, blue	Score	no score
Shape	OVAL	Size	19mm
Flavor		Imprint Code	L;5
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-919-08	1 in 1 CARTON	11/26/2019	
1		24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:49035-919-12	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/26/2019	
3	NDC:49035-919-20	225 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/26/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	11/26/2019	

Labeler - Wal-Mart Stores Inc (051957769)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	manufacture(49035-919) , pack(49035-919)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(49035-919)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(49035-919)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(49035-919)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(49035-919)

Revised: 10/2024

Wal-Mart Stores Inc