

PO SUM ON MEDICATED- menthol oil
PO SUM ON MEDICINE FACTORY LIMITED

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients
Menthol 15%

Purpose
External analgesic

Uses
For the temporary relief of minor aches and pains of muscles and joints due to:
simple backache
arthritis
sprains
bruises
sprains

Warnings
For external use only

Do not use
on wounds
on damaged skin
if excessive irritation develops

When using this product
avoid contact with the eyes
do not bandage tightly

Stop use and ask a doctor if
condition worsens
symptoms persist for more than 7 days
symptoms clear up and occur again within a few days
when using for pain of arthritis if:
pain persists for more than 10 days
redness is present
in conditions affecting children under 12 years of age

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily.

Children under 2 years of age: Do not use, consult your doctor

Other information

keep container tightly closed

store at 15f to 30C (59 to 86F)

Inactive ingredients

Baikal Skullcap (Huang-Qin) Root, Chinese Licorice (Gan-Zao) Root, Cinnamon Oil, Dragon's Blood (Xue-Jie) Resin, Peppermint Oil, and Tea Oil.

Questions or comments? (888)221-3496 M-F 9am to 5pm

you may also report serious side effects to this phone number

PO SUM ON MEDICATED OIL, EXTERNAL ANALGESIC, NDC 54155-052-01 Net wt. 1 fl. oz (30ml.)

EXTERNAL ANALGESIC NDC 54155-052-01

Drug Facts

Active Ingredients Purpose
Menthol 15% External Analgesic

Uses : For the temporary relief of minor aches and pains of muscles and joints due to:
■ simple backache
■ arthritis ■ strains ■ bruises ■ sprains

Warnings For external use only
Do not use: ■ on wounds ■ on damaged skin
■ if excessive irritation develops

When using this product: ■ avoid contact with the eyes ■ do not bandage tightly

Stop use and ask a doctor if
■ condition worsens
■ symptoms persist for more than 7 days
■ symptoms clear up and occur again within a few days
■ when using for pain of arthritis if:
■ pain persists for more than 10 days
■ redness is present
■ in conditions affecting children under 12 years of age


Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
■ Adults and Children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily.
■ Children under 2 years of age: Do not use, consult a doctor.

Other Information
■ keep container tightly closed
■ store at 15° to 30° C (59° to 86° F)

Inactive Ingredients
Baikal Skullcap (Huang-Qin) Root, Chinese Licorice (Gan-Zao) Root, Cinnamon Oil, Dragon's Blood (Xue-Jie) Resin, Peppermint Oil, and Tea Oil.

Questions or Comments (888) 221-3496
M-F, 9 am to 5 pm
■ you may also report serious side effects to this phone number.



U.S. Distributor:
美國總代理:
SOLSTICE MEDICINE COMPANY
美國蘇氏藥業有限公司
215 West Ann Street,
Los Angeles, CA 90012
Toll Free: 1-888-221-3496
www.solsticemed.com
MANUFACTURED BY:
香港保心安藥廠有限公司出品
PO SUM ON MEDICINE FTY. LTD.
12/F, No. 28 Wong Chuk Hang Road, Hong Kong

Made in Hong Kong

保心安油(美)
PO SUM ON MEDICATED OIL
Net wt. 1 fl. oz (30 ml.)



Since 1907 始創於1907年(清光緒33年) Hong Kong G-Merk
Practical Scheme
Scheme No. 1011

中成藥註冊號 HKP-08950

PO SUM ON MEDICATED OIL, EXTERNAL ANALGESIC, NDC 54155-052-02, FREE SAMPLE, NOT FOR RESALE, 0.19 fl. oz (5.6 ML)



PO SUM ON MEDICATED OIL EXTERNAL ANALGESIC

U.S. DISTRIBUTOR 美國總代理：
SOLSTICE MEDICINE COMPANY
美國蘇氏藥業有限公司
215 W. Ann Street
Los Angeles, CA 90012
Toll Free: 1-888-221-3496
www.solsticemed.com

MANUFACTURED BY:
香港保心安藥廠有限公司出品
PO SUM ON MEDICINE FTY. LTD.
12/F, No. 28 Wong Chuk Hang Road, H.K.

Made in Hong Kong

Drug Facts

Active Ingredients Purpose
Menthol 15%External analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints due to:

- simple backache
- arthritis
- strains
- bruises
- sprains

Warnings

For external use only

Do not use:

- on wounds
- on damaged skin
- if excessive irritation develops

When using this product

- avoid contact with the eyes
- do not bandage tightly

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

when using for pain of arthritis if:

- pain persists for more than 10 days →

NDC 54155-052-02

保心安油 (美)



PO SUM ON MEDICATED OIL (US)

FREE SAMPLE

not for Resale

0.19 FL OZ
(5.6 mL)



香港名牌



優質產品
C613

Drug Facts (continued)

- redness is present
- in conditions affecting children under 12 years of age

Keep out of reach of children

if swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily.
- children under 2 years of age: Do not use. consult a doctor.

Inactive ingredients

Baikal Skullcap (Huang - Qin) Root, Chinese Licorice (Gan-Zao) Root, Chinnamon Oil, Dragon's Blood (Xue-Jie) Resin, Peppermint Oil, and Tea Oil.

Questions or Comments? (888) 221-3496

M-F, 9 am to 5 pm
■ you may also report serious side effects to this phone number.

LOT:

EXP:

EXTERNAL ANALGESIC NDC 54155-052-01

Drug Facts

Active Ingredients Purpose
Menthol 15% External Analgesic

Uses : For the temporary relief of minor aches and pains of muscles and joints due to:
■ simple backache
■ arthritis ■ strains ■ bruises ■ sprains

Warnings For external use only
Do not use: ■ on wounds ■ on damaged skin
■ if excessive irritation develops

When using this product: ■ avoid contact with the eyes ■ do not bandage tightly

Stop use and ask a doctor if
■ condition worsens
■ symptoms persist for more than 7 days
■ symptoms clear up and occur again within a few days
■ when using for pain of arthritis if:
■ pain persists for more than 10 days
■ redness is present
■ in conditions affecting children under 12 years of age


Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
■ Adults and Children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily.
■ Children under 2 years of age: Do not use, consult a doctor.

Other Information
■ keep container tightly closed
■ store at 15° to 30° C (59° to 86° F)

Inactive Ingredients
Baikal Skullcap (Huang-Qin) Root, Chinese Licorice (Gan-Zao) Root, Cinnamon Oil, Dragon's Blood (Xue-Jie) Resin, Peppermint Oil, and Tea Oil.

Questions or Comments (888) 221-3496 M-F, 9 am to 5 pm
■ you may also report serious side effects to this phone number.



U.S. Distributor:
美國總代理:
SOLSTICE MEDICINE COMPANY
美國蘇氏藥業有限公司
215 West Ann Street,
Los Angeles, CA 90012
Toll Free: 1-888-221-3496
www.solsticemed.com
MANUFACTURED BY:
香港保心安藥廠有限公司出品
PO SUM ON MEDICINE FTY. LTD.
12/F, No. 28 Wong Chuk Hang Road, Hong Kong

Made in Hong Kong

保心安油(美)
PO SUM ON MEDICATED OIL
Net wt. 1 fl. oz (30 ml.)
Since 1907 始創於1907年(清光緒33年)
Hong Kong G-Merk
Practical Scheme
since 1913

中成藥註冊號 HKP-08950



PO SUM ON
MEDICATED OIL
EXTERNAL
ANALGESIC

U.S. DISTRIBUTOR 美國總代理：
 SOLSTICE MEDICINE COMPANY
 美國蘇氏藥業有限公司
 215 W. Ann Street
 Los Angeles, CA 90012
 Toll Free: 1-888-221-3496
www.solsticemed.com

MANUFACTURED BY:
 香港保心安藥廠有限公司出品
 PO SUM ON MEDICINE FTY. LTD.
 12/F, No. 28 Wong Chuk Hang Road, H.K.

Made in Hong Kong

Drug Facts

Active Ingredients Purpose
 Menthol 15%External analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints due to:

- simple backache
- arthritis
- strains
- bruises
- sprains

Warnings

For external use only

Do not use:

- on wounds
- on damaged skin
- if excessive irritation develops

When using this product

- avoid contact with the eyes
- do not bandage tightly

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

■ when using for pain of arthritis if:

- pain persists for more than 10 days →

NDC 54155-052-02

保心安油
 (美)



PO SUM ON
MEDICATED OIL (US)

FREE SAMPLE

not for Resale

0.19 FL OZ
 (5.6 mL)



香港名牌



優質產品
 C613

Drug Facts (continued)

- redness is present
- in conditions affecting children under 12 years of age

Keep out of reach of children

if swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily.
- children under 2 years of age: Do not use. consult a doctor.

Inactive ingredients

Baikal Skullcap (Huang - Qin) Root, Chinese Licorice (Gan-Zao) Root, Chinnamon Oil, Dragon's Blood (Xue-Jie) Resin, Peppermint Oil, and Tea Oil.

Questions or Comments?
(888) 221-3496

M-F, 9 am to 5 pm
 ■ you may also report serious side effects to this phone number.

LOT:

EXP:

PO SUM ON MEDICATED

menthol oil

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54155-052
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	15 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S)	
GLYCYRRHIZA URALENSIS WHOLE (UNII: 8XW1DS8UIR)	
CINNAMON OIL (UNII: E5GY4I6YCZ)	
DAEMONOROPS DRACO RESIN (UNII: 787Z7N9UCU)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
CAMELLIA OIL (UNII: T1PE06G0VE)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54155-052-01	1 in 1 CAN	05/10/2004	
1		30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		
2	NDC:54155-052-02	1 in 1 BOX	05/10/2004	
2		5.6 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	05/10/2004	

Labeler - PO SUM ON MEDICINE FACTORY LIMITED (664986395)

Establishment

Name	Address	ID/FEI	Business Operations
PO SUM ON MEDICINE FACTORY LIMITED		664986395	manufacture(54155-052)

Revised: 1/2023

PO SUM ON MEDICINE FACTORY LIMITED