**RUTA GRAVEOLENS- ruta graveolens flowering top liquid**
**Washington Homeopathic Products**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

---

**DRUG FACTS**

**ACTIVE INGREDIENTS**

RUTA

**USES**

To relieve the symptoms of bruised feeling.

**KEEP OUT OF REACH OF CHILDREN**

Keep this and all medicines out of reach of children.

**INDICATIONS**

Indications:

RUTA Bruised feeling

**STOP USE AND ASK DOCTOR**

If symptoms persist/worsen or if pregnant/nursing, consult your practitioner.

**DIRECTIONS**

Adults: 4 drops into a tsp. of water 3 times a day. Children: 1/2 dose. Repeat at greater intervals as condition subsides. Or as directed bya lic. practitioner.

**INACTIVE INGREDIENTS**

Sucrose/Lactose

**PRINCIPAL DISPLAY PANEL**

The OTC potency range of RUTA is 3x–30x, 2c–30c, 200c, 1m, 10m, 50m, and CM.
Availability is subject to change.




All WHP single remedies are made to order; thus, the labels are printed on the same label stock, as the orders are filled.

'Bottle Size,' 'Potency,' and 'Alcohol Percentage' vary on the label depending on customer choice.

Standard bottle sizes for dilution-form remedies are 15ml, 30ml, 50ml, and 100ml.

## RUTA GRAVEOLENS

ruta graveolens flowering top liquid

| Product Information | | | |
|---|---|---|---|
| **Product Type** | HUMAN OTC DRUG | **Item Code (Source)** | NDC:71919-595 |
| **Route of Administration** | ORAL | | |

| Active Ingredient/Active Moiety | | |
|---|---|---|
| **Ingredient Name** | **Basis of Strength** | **Strength** |
| **RUTA GRAVEOLENS FLOWERING TOP** (UNII: N94C2U587S) (RUTA GRAVEOLENS FLOWERING TOP - UNII:N94C2U587S) | RUTA GRAVEOLENS FLOWERING TOP | 30 [hp_C] in 1 mL |

| Inactive Ingredients | |
|---|---|
| **Ingredient Name** | **Strength** |
| **ALCOHOL** (UNII: 3K9958V90M) | |
| **WATER** (UNII: 059QF0KO0R) | |

| Product Characteristics | | | |
|---|---|---|---|
| **Color** | white (white) | **Score** | |
| **Shape** | | **Size** | |
| **Flavor** | | **Imprint Code** | |

| Contains | |
|---|---|

## Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|---|---|---|---|
| 1 | NDC:71919-595-07 | 15 mL in 1 VIAL, GLASS; Type 0: Not a Combination Product | 12/31/2009 | |
| 2 | NDC:71919-595-08 | 30 mL in 1 VIAL, GLASS; Type 0: Not a Combination Product | 12/31/2009 | |
| 3 | NDC:71919-595-09 | 50 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 12/31/2009 | |
| 4 | NDC:71919-595-10 | 100 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 12/31/2009 | |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---|---|---|---|
| unapproved homeopathic | | 12/31/2009 | |

## Labeler - Washington Homeopathic Products (084929389)

## Establishment

| Name | Address | ID/FEI | Business Operations |
|---|---|---|---|
| Washington Homeopathic Products | | 084929389 | manufacture(71919-595) |

Revised: 12/2009 Washington Homeopathic Products