

SALICYLIC ACID- wart remover gel gel
Rite Aid Corporation

Rite Aid Wart Remover Gel

Active ingredient

Salicylic acid 17%w/w

Purpose

Wart remover

Uses

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface.
- Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings

For external use only.

Flammable

keep away from fire and flame

Do not use

- on moles, birth marks and warts with hair growing from them
- on mucous membranes such as nose, anus, genitals and lips
- on irritated, infected or reddened skin
- on genital warts and warts on the face
- if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

When using this product

- if product gets into the eyes, flush with water for 15 minutes
- avoid inhaling vapors

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

if discomfort persists

see your doctor or podiatrist.

Directions

- after washing affected area, soak wart in for 5 minutes in comfortably warm water
- dry area thoroughly
- apply one drop of gel at a time to sufficiently cover each wart
- let dry
- repeat this procedure once or twice daily (until wart is removed) for up to 12 weeks

Other information

store between 59°F to 86°F (15°C to 30°C)

Inactive ingredients

camphor, castor oil, ethyl acetate, hydroxypropyl cellulose, hypophosphorous acid, isopropyl alcohol, nitrocellulose, polysorbate 80, SDA 3C ethyl alcohol

Questions?

call 1-866-964-0939

Principal Display Panel**Rite Aid****MAXIMUM STRENGTH****wart****remover****gel**

salicylic acid 17%

safely removes common and plantar warts

convenient and easy

no drip formula

NET WT 0.25 OZ (7g)

GLUE

GLUE

Drug Facts

Active ingredient

Salicylic acid 17% w/w

Purpose

Wart remover

Use ■ for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance on the surface ■ the plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern.

Warnings

For external use only. Flammable - keep away from fire and flame.

Do not use ■ if you are diabetic or have poor blood circulation, except under the advise and supervision of a doctor or podiatrist

Do not use on

- moles, birthmarks and warts with hair growing from them
- mucous membranes such as nose, anus, genitals and lips
- irritated, infected or reddened skin
- genital warts and warts on the face

When using this product ■ if product gets into the eye, flush with water for 15 minutes ■ avoid inhaling vapors

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

If discomfort persists see your doctor or podiatrist.

Directions

- after washing affected area, soak wart for 5 minutes in comfortably warm water ■ dry area thoroughly
- gently squeeze a drop of gel from tube and apply to wart. Apply one drop at a time to sufficiently cover each wart. ■ let dry
- repeat this procedure once or twice daily (until wart is removed) for up to 12 weeks

Other information store between 59° and 86°F (15° and 30°C)

Inactive ingredients camphor, castor oil, ethyl acetate, hydroxypropyl cellulose, hypophosphorous acid, isopropyl alcohol, nitrocellulose, polysorbate 80, SDA 3C ethyl alcohol

Questions? Call 1-866-964-0939

*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Compound W®.

-----PRINT SIDE GLUE-----



wart remover gel

salicylic acid 17%



MAXIMUM STRENGTH

wart remover gel



MAXIMUM STRENGTH

wart remover gel

salicylic acid 17%



MAXIMUM STRENGTH

wart remover gel

DISTRIBUTED BY:
RITE AID
30 HUNTER LANE
CAMP HILL, PA 17011

MADE IN USA



safely removes common and plantar warts
convenient and easy
no drip formula

NET WT .25 OZ (7 g)

NO VARNISH AREA

ITEM 354608
STRIP IN UPC:
0-11822-54608-9
80% MAGNIFICATION,
20% TRUNCATION.
DOTTED RULE
DOES NOT PRINT.

BGWRRA-1



Active ingredient: Salicylic acid 17% w/w **Purpose:** Wart remover. **Warnings:** For external use only. **Flammable:** Keep away from fire and flame. **Do not use** ■ if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist ■ on irritated, infected or reddened skin ■ on genital warts and warts on the face ■ on moles, birthmarks and warts with hair growing from them ■ on mucous membranes such as nose, anus, genitals and lips ■ avoid inhaling vapors ■ if product gets into eyes, flush with water for 15 minutes. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **If discomfort persists** see your doctor or podiatrist. **Directions** ■ after washing affected area, soak wart for 5 minutes in comfortably warm water ■ dry area thoroughly ■ apply one drop at a time to sufficiently cover each wart ■ let dry ■ repeat this procedure once or twice daily (until wart is removed) for up to 12 weeks. **Keep outer carton for complete Drug Facts information. Questions? Call 1-866-964-0939**
DISTRIBUTED BY: RITE AID, 30 HUNTER LANE, CAMP HILL, PA 17011
MADE IN USA WITH U.S. AND IMPORTED PARTS 46-GWRRR-02

SALICYLIC ACID

wart remover gel gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0121
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 g in 7 g

Inactive Ingredients

Ingredient Name	Strength
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
ALCOHOL (UNII: 3K9958V90M)	
ETHYL ACETATE (UNII: 76845O8NMZ)	
HYPOPHOSPHOROUS ACID (UNII: 8B1RL9B4ZJ)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	

POLYSORBATE 80 (UNII: 6OZP39ZG8H)

PYROXYLIN (UNII: KYR8BR2X6O)

CASTOR OIL (UNII: D5340Y2I9G)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0121-7	7 g in 1 TUBE; Type 0: Not a Combination Product	10/07/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	10/07/2014	

Labeler - Rite Aid Corporation (014578892)

Revised: 12/2024

Rite Aid Corporation