TOPCARE TUSSIN MUCUS PLUS CHEST CONGESTION- guaifenesin solution Topco Associates LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Topco Associates LLC. Tussin Mucus + Chest Congestion Drug Facts

Active ingredient (in each 10 mL)

Guaifenesin, USP 200 mg

Purpose

Expectorant

Use

helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided

- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose	
adults and children 12 years and over	10 - 20 mL every 4 hours	
children under 12 years	do not use	

Other information

• store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

anhydrous citric acid, caramel, FD&C red no. 40, flavor, glycerin, high fructose corn syrup, menthol, propylene glycol, purified water, saccharin sodium, sodium benzoate

Questions or comments?

1-888-423-0139

Principal Display Panel

NON-DROWSY

Tussin

Mucus & Chest Congestion

EXPECTORANT - GUAIFENESIN 200 mg

RELIEVES:

Mucus


Chest Congestion

Adult

For Ages 12 & Over

4 FL OZ (118 mL)

ORIGINAL FLAVOR





TopCare ... 36800-95-36

NON-DROWSY

Mucus & Chest

EXPECTORANT-GUAIFENESIN

Congestion

200 ma

RELIEVES:

Congestion

Mucus

Chest

NON-DROWSY

Mucus & Chest Congestion EXPECTORANT-GUAIFENESIN

200 mg

SOO

†TopCare.

USE helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings
Ask a doctor before use if you have

cough that occurs with too much philegm (mucus)

cough that lasts or is chronic such as occurs with

smoking, asthma, chronic bronchists, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

be a sign of a senous condition.

If pregnant or breast-feeding, ask a health
professional before use.

Keep out of reach of children. In case of overdose,
get medical help or contact a Poison Control

Center right away (1-800-222-1222).

- Directions
 do not take more than 6 doses in any 24-hour period

- an ont take more man a cases a nay 24-nour peno
 measure only with dosing cup provided
 keep dosing cup with product
 mt_millitier
 this adult product is not intended for use in children
 under 12 years of age

age	dose
adults and children 12 years and over	10 – 20 mL every 4 hours
children under 12 years	do not use

Other information

■ store at 20-25°C (68-77°F). Do not refrigerate

Inactive ingredients anhydrous citric acid, caramel, FD&C red no. 40, flavor, glycerin, high fructose com syrup, menthol, propylene glycol, purified water, saccharin sodium, sodium benzoate

Questions or comments? 1-888-423-0139

NON-DROWSY

Mucus & Chest Congestion

EXPECTORANT-GUAIFENESIN 200 mg

RELIEVES:

- Mucus
- Chest Congestion



4 FL OZ (118 mL)



ORIGINAL FLAVOR



4 FL OZ (118 mL)



ORIGINAL FLAVOR

NON-DROWSY

Tussin

Mucus & Chest Congestion

EXPECTORANT-GUAIFENESIN 200 ma

DISTRIBUTED BY TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007
CTOPCO PERA0221 QUESTIONS? 1-888-423-0139
topcare@topco.com www.topcarebrand.com




Scan here for more information or call 1-888-423-0139





DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING





TOPCARE TUSSIN MUCUS PLUS CHEST CONGESTION

quaifenesin solution

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:36800-515 **Route of Administration ORAL**

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL	

Inactive Ingredients			
Ingredient Name	Strength		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
CARAMEL (UNII: T9D99G2B1R)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
GLYCERIN (UNII: PDC6A3C0OX)			
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SACCHARIN SODIUM (UNII: SB8ZUX40TY)			
SODIUM BENZOATE (UNII: OJ245FE5EU)			
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)			

Product Characteristics			
Color	RED (dark)	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

F	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-515- 26	1 in 1 CARTON	01/15/1990	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	01/15/1990	

Labeler - Topco Associates LLC (006935977)

Revised: 6/2021 Topco Associates LLC