

**VALUMEDS EXTRA STRENGTH PAIN RELIEF- acetaminophen tablet**  
**SPIRIT PHARMACEUTICALS LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**VALUMEDS EXTRA STRENGTH PAIN RELIEF**

***Drug Facts***

**Active ingredient (in each caplet)**

Acetaminophen 500 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver Warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have** liver disease

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose Warning**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)  
Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

**do not take more than directed (see overdose warning)**

adults and children 12 years and over

- take 2 caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

children under 12 years

- ask a doctor

**Other information**

- **each caplet contains:** magnesium 0.43 mg
- store between 20-25°C (68-77°F)

**Inactive ingredients**

Hypermellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinylpyrrolidone, pregelatinized starch, stearic acid, talc, titanium dioxide

**Questions or comments?**

**1-888-333-9792**

Distributed By

Spirit Pharmaceuticals, LLC

Ronkonkoma, NY 11779

**PRINCIPAL DISPLAY PANEL - 500 mg Caplet Bottle**

**VALUMEDS**

**Compare** to the active ingredient

in Extra Strength Tylenol®\*

**EXTRA STRENGTH**

**PAIN**

**RELIEF**

**ACETAMINOPHEN 500 mg**

**PAIN RELIEVER/  
FEVER REDUCER**

**100 CAPLETS**

**VALUMEDS**

Compare to the active ingredients in Extra Strength Tylenol®\*

**EXTRA STRENGTH**

**PAIN RELIEF**

ACETAMINOPHEN 500 mg  
PAIN RELIEVER/  
FEVER REDUCER

100 CAPLETS

**Drug Facts**

**Active ingredient (in each caplet) Purpose**  
Acetaminophen 500 mg.....Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - the common cold
  - headache
  - minor pain of arthritis
  - toothache
  - premenstrual and menstrual cramps
  - muscular aches
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:**  
acetaminophen may cause severe skin reactions.  
Symptoms may include: rash  
skin redness

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

**Other information**

each caplet contains: magnesium 0.43 mg  
store between 20-25°C (68-77°F)

**Inactive ingredients**  
Hypermelllose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinylpyrrolidone, pregelatinized starch, stearic acid, talc, titanium dioxide

**Questions or comments? 1-888-333-9792**

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Extra Strength Tylenol®

**Warnings (continued under label)**  
Distributed By: Spirit Pharmaceuticals, LLC  
Ronkonkoma, NY 11779 ORIG 04/17  
ITEM# 201-01

0 40232 60529 1

Lot No. Exp. Date

PERFECT COPY

100 ON \*MIN

**Drug Facts (continued)**

**Ask a doctor before use if you have liver disease**

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)  
Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

**do not take more than directed (see overdose warning)**

- take 2 caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

children under 12 years ask a doctor

**Other information**

each caplet contains: magnesium 0.43 mg  
store between 20-25°C (68-77°F)

**Inactive ingredients**  
Hypermelllose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinylpyrrolidone, pregelatinized starch, stearic acid, talc, titanium dioxide

**Questions or comments? 1-888-333-9792**

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Extra Strength Tylenol®

VALUMEDS EXTRA STRENGTH PAIN RELIEF			
acetaminophen tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68210-0130
Route of Administration	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

**Inactive Ingredients**

Ingredient Name	Strength
HYPROMELLOSE 2208 (15000 MPA.S) (UNII: Z78RG6M2N2)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE K30 (UNII: U725QWY32X)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

**Product Characteristics**

Color	white	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	S500
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68210-0130-1	100 in 1 BOTTLE; Type 0: Not a Combination Product	05/15/2017	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	05/15/2017	

**Labeler** - SPIRIT PHARMACEUTICALS LLC (179621011)**Establishment**

Name	Address	ID/FEI	Business Operations
ELYSIUM PHARMACEUTICALS LTD		915664486	manufacture(68210-0130)