

# **STOOL SOFTENER LAXATIVE- docusate sodium and sennosides tablet QUALITY CHOICE (Chain Drug Marketing Association)**

-----  
**DRUG FACTS**

## **Active ingredients (in each tablet)**

Docusate sodium 50 mg

Sennosides 8.6 mg

## **Purpose**

Stool softener

Stimulant laxative

## **Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

## **Warnings**

### **Do not use**

- laxative products for longer than 1 week unless directed by a doctor
- if you are now taking mineral oil, unless directed by a doctor

### **Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

### **Stop use and ask a doctor if**

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

## **Directions**

- Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

### Other Information

- **each tablet contains:** calcium 21mg
- **each tablet contains:** sodium 5 mg VERY LOW SODIUM
- store at 25°C(77°F), excursion permitted between 15-30°C (59-86°F)

### Inactive ingredients

carnauba wax, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate, stearic acid, titanium dioxide

### Questions or comments?

Call **1-800-935-2362** Monday-Friday 9AM-5PM EST

### Principal Display Panel

\*Compare to the Active Ingredients in Colace® 2-IN-1

### STOOL SOFTENER

Plus Stimulant Laxative

Docusate sodium, 50 mg

Sennosides, 8.6 mg

Effective

Reliable

Comfortable

TABLETS

†This product is not manufactured or distributed by Avrio Health L.P., Distributor of Colace® 2-IN-1.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

Distributed by C.D.M.A. Inc. ©

43157 W. 9 Mile Rd  
 Novi, MI 48375  
 www.qualitychoice.com

**Product Label**

NDC 63868-946-01

**QC QUALITY CHOICE**

**Stool Softener**

**Plus Stimulant Laxative**

Docosate Sodium 50 mg  
 Sennosides 8.6 mg

Effective  
 Reliable  
 Comfortable

**100** Tablets actual size

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

**Drug Facts**

**Active Ingredients (in each tablet)**  
 Docosate sodium 50 mg.....Stool softener  
 Sennosides 8.6 mg.....Stimulant laxative

**Uses**  
 ■ relieves occasional constipation (irregularity)  
 ■ generally produces bowel movement in 6 to 12 hours

**Warnings**  
**Do not use**  
 ■ laxative products for longer than 1 week unless directed by a doctor  
 ■ if you are presently taking mineral oil, unless told to do so by a doctor

**Drug Facts (continued under label)**

\*This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® 2-IN-1.

Distributed by C.D.M.A., Inc.®  
 43157 W 9 Mile Rd  
 Novi, MI 48375  
 www.qualitychoice.com  
 Questions: 800-935-2362

PLD-K677A 6 3551599716 5

Lot No.: 4 L8007914 Exp. Date:

PEEL HERE →

**Drug Facts (continued)**

**Ask a doctor before use if you have**  
 ■ stomach pain ■ nausea ■ vomiting  
 ■ noticed a sudden change in bowel habits that lasts over a period of 2 weeks

**Stop use and ask a doctor** if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and over	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

**Other information**  
 ■ each tablet contains: calcium 21 mg  
 ■ each tablet contains: sodium 5 mg VERY LOW SODIUM  
 ■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

**Inactive ingredients** carnauba wax, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate, stearic acid, titanium dioxide

**Questions or comments?**  
 Call 1-800-935-2362 Monday-Friday 9AM-5PM EST

**QUALITY CHOICE Stool Softener**

<b>STOOL SOFTENER LAXATIVE</b>			
docosate sodium and sennosides tablet			
Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63868-946
<b>Route of Administration</b>	ORAL		
Active Ingredient/Active Moiety			

Ingredient Name	Basis of Strength	Strength
<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
<b>SENNOSIDES</b> (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ05DW1A)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	TCL097
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-946-01	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/31/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	03/31/2021	

**Labeler** - QUALITY CHOICE (Chain Drug Marketing Association) (011920774)