

CETIRIZINE HYDROCHLORIDE (ALLERGY)- cetirizine hydrochloride tablet
Preferred Pharmaceuticals Inc.

Drug Facts

Active ingredient (in each tablet)

For 5 mg:

Cetirizine hydrochloride USP 5 mg

For 10 mg:

Cetirizine hydrochloride USP 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives.

When using this product

- drowsiness may occur

- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- If breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. [1-800-222-1222]

Directions

For 5 mg:

adults and children 6 years and over	1 to 2 tablets once daily depending upon severity of symptoms; do not take more than 2 tablets in 24 hours.
adults 65 years and over	1 tablet once a day; do not take more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

For 10 mg:

adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)
- **TAMPER EVIDENT: DO NOT USE IF SEAL OVER BOTTLE OPENING IS BROKEN OR MISSING.**

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide.

Questions?

call **1-855-274-4122**

Distributed by:

AUROHEALTH LLC

2572 Brunswick Pike

Lawrenceville, NJ 08648

Made in India

Code: TS/DRUGS/19/1993

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL -10 mg

AUROHEALTH

Repackaged By: Preferred Pharmaceuticals Inc.

NDC 68788-8204

Original Prescription Strength

Cetirizine

Hydrochloride

Tablets USP

10 mg

Antihistamine

Allergy

Indoor & Outdoor Allergies

24 hour

Relief of

- **Sneezing**
- **Runny Nose**
- **Itchy, Watery Eyes**
- **Itchy Throat or Nose**

Cetirizine Hydrochloride Tablet 10mg

Generic for Zyrtec
 Each tablet contains Cetirizine HCl 10mg
Pkg Size: Exp Date: ####/####
 Lot#: Batch#: Ins:
 Mfg: Aurohealth LLC
 Prod#:

Warning
 Do not use if you ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. Ask doctor before use if you have liver or kidney disease, or if you are taking tranquilizers or sedatives. When using this product drowsiness may occur, avoid alcoholic drinks. Store between 20° to 25°C (68° to 77°F). Keep this and all medication out of the reach of children. Tablet is round, white, and imprinted with X 36



CAUTION: Federal law PROHIBITS transfer of this drug to any person other than the patient for whom it was prescribed.

Cetirizine Hydrochloride Tablet 10 mg
 Qty: Ins:
 Lot: Bat:
 Prod# (NDC):

Log



Directions English

Take ___ tablet(s) every ___ hours. Use as directed by your doctor



GTIN #####
 #####
 SN #####
 EXP #####

Instrucciones Español:
 Toma ___ tableta(s) cada ___ horas. Uso según lo dirigido por su doctor

Cetirizine Hydrochloride Tablet 10 mg
 Qty: Ins:
 Lot: Bat:
 Prod# (NDC):

Chart

Cetirizine Hydrochloride Tablet 10 mg
 Qty: Ins:
 Insurance NDC:
 Lot: Bat:

Billing

Cetirizine Hydrochloride Tablet 10 mg
 Qty: Ins:
 Lot: Bat:
 Prod# (NDC):

Patient

CETIRIZINE HYDROCHLORIDE (ALLERGY)

cetirizine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68788-8204(NDC:58602-445)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSE 2910 (5 MPA.S) (UNII: R75537T0T4)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	WHITE (White to Off-white)	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	X;36
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68788-8204-1	14 in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2022	
2	NDC:68788-8204-5	15 in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2022	
3	NDC:68788-8204-3	30 in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2022	
4	NDC:68788-8204-6	60 in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2022	
5	NDC:68788-8204-9	90 in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2022	
6	NDC:68788-8204-0	100 in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090760	04/01/2022	

Labeler - Preferred Pharmaceuticals Inc. (791119022)

Registrant - Preferred Pharmaceuticals Inc. (791119022)

Establishment

Name	Address	ID/FEI	Business Operations
Preferred Pharmaceuticals Inc.		791119022	REPACK(68788-8204)

Revised: 3/2026

Preferred Pharmaceuticals Inc.