

ANTIGRIP COUGH AND COLD- acetaminophen, chlorpheniramine maleate, dextromethorphan hbr, phenylephrine hci0 capsule, gelatin coated
Pharmadel LLC

Antigrip Cold & Cough Gelcaps (HL)

Drug Facts

Active ingredients & Purposes

<i>Active ingredients (in each gel capsule)</i>	<i>Purposes</i>
Acetaminophen 250 mg	Pain reliever/ fever reducer
Chlorpheniramine maleate 2 mg	Antihistamine
Dextromethorphan HBr 10 mg.....	Cough suppressant
Phenylephrine HCl 5 mg.....	Nasal decongestant

Uses

Temporarily relieves common cough and cold symptoms due to

- minor aches and pain
- headache
- runny nose
- sneezing
- minor throat and bronchial irritation
- nasal congestion
- temporarily reduces fever

Warnings

Liver Warning: This product contains **acetaminophen**. Severe liver damage may occur if

- adult takes more than **4 doses in 24 hours**, which is the maximum daily amount for this product
- child takes more than 5 doses in 24 hours
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks everyday while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking prescription monoamine oxidase inhibitors (MAOI) (certain drugs for depression, psychiatric, or emotional conditions or Parkinson's disease), or

for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask your doctor or pharmacist before taking this product.

Ask a doctor before use if the user

- is a child with pain from arthritis
- has liver disease
- has heart disease
- has high blood pressure
- has thyroid disease
- has diabetes
- has glaucoma
- has a breathing problem such as emphysema or chronic bronchitis
- has difficulty in urination due to enlargement of the prostate gland
- has a persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- have a cough that is accompanied by excessive phlegm (mucus)
- are taking sedatives or tranquilizers

Ask a doctor or pharmacist before use if the user

is taking the blood thinning drug warfarin

When using this product

- **do not exceed the recommended dosage**
- may cause marked drowsiness
- may cause excitability, especially in children
- may cause drowsiness; alcohol, sedatives, and tranquilizers may increase the drowsiness effect
- avoid alcoholic beverages while taking this product
- use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor If

- nervousness, dizziness, or sleeplessness occur
- pain, cough, or nasal congestion gets worse or lasts more than 5 days (children) or 7 days (adults)
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- a cough comes back or occurs with a rash headache that lasts.

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

In case of an accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if

you do not notice any signs or symptoms.

Directions

- take each dose with plenty of water

Age	Dose
Adults and children 12 years and over	2 softgels, every 6 hours not to exceed 4 doses in 24 hours
children 6 to under 12 years of age	1 softgel, every 4 hours not to exceed 5 doses in 24 hours
children under 6 years of age	do not use

Other Information

- store between 68-77°F (20-25°C)
- avoid excessive heat

Inactive Ingredients

FD&C blue #1, gelatin, glycerin, methylparaben, polyethylene glycol 400, povidone k30, propylene glycol, propylparaben, sorbitol, titanium dioxide, water

Dist by/ por:

PHARMADEL LLC

New Castle, DE 19720

Questions/ Preguntas? +1-866-359-3478

Principal Display Panel

FAST RELIEF

ALIVIO RÁPIDO

NDC 55758-043-08

ANTIGRIP[®]

COUGH & COLD



■ Acetaminophen (Pain reliever/ Fever reducer)

■ Chlorpheniramine Maleate (Antihistamine)

■ Dextromethorphan HBr (Cough Suppressant)

■ Phenylephrine HCl (Nasal Decongestant)



8

Softgels

ANTIGRIP[®]

Do not use if blister foil is broken or torn.

No use si el papel aluminio del blister está roto o rasgado.

FAST RELIEF

ALIVIO RÁPIDO

ANTIGRIP COUGH AND COLD

acetaminophen, chlorpheniramine maleate, dextromethorphan hbr, phenylephrine hci0 capsule, gelatin coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55758-043
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)		CHLORPHENIRAMINE MALEATE	2 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE (UNII: 1WS297W6MV) (PHENYLEPHRINE - UNII:1WS297W6MV)		PHENYLEPHRINE	5 mg
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	250 mg

Inactive Ingredients


Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POVIDONE K30 (UNII: U725QWY32X)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
WATER (UNII: 059QF0KO0R)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

Product Characteristics

Color	blue	Score	score with uneven pieces
Shape	CAPSULE (Oblong Soft gel capsule)	Size	21mm
Flavor		Imprint Code	SN5
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55758-043-08	1 in 1 BOX	03/24/2024	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/24/2024	

Labeler - Pharmadel LLC (030129680)

Revised: 2/2025

Pharmadel LLC