

**ANTIGRIP COUGH AND COLD- acetaminophen, chlorpheniramine maleate, dextromethorphan hbr, phenylephrine hci0 capsule, gelatin coated Pharmadel LLC**

-----  
**Antigrip Cold & Cough Gelcaps (HL)**

***Drug Facts***

***Active ingredients & Purposes***

<b><i>Active ingredients (in each gel capsule)</i></b>	<b><i>Purposes</i></b>
<b>Acetaminophen 250 mg .....</b>	Pain reliever/ fever reducer
Chlorpheniramine maleate 2 mg .....	Antihistamine
Dextromethorphan HBr 10 mg.....	Cough suppressant
Phenylephrine HCl 5 mg.....	Nasal decongestant

***Uses***

For the temporary relief of the common cold symptoms:

- minor aches & pains
- headache
- runny nose
- sneezing
- cough due to minor throat and bronchial irritation
- nasal & sinus congestion
- minor throat and bronchial irritation
- nasal congestion
- temporarily reduces fever

***Warnings***

**Liver Warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than **12 gelcaps** in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

***Do not use***

- with any other drug containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are now taking prescription monoamine oxidase inhibitor (MAOI) (certain drugs

for depression, psychiatric, or after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask your doctor or pharmacist before taking this product

**Ask a doctor before use if you**

- have liver disease
- have heart disease
- have high blood pressure
- have thyroid disease
- have diabetes
- have glaucoma
- have a breathing problem such as emphysema or chronic bronchitis
- have difficulty in urination due to enlargement of the prostate gland
- have a persistent or chronic cough as occurs with smoking, asthma, or emphysema
- have a cough that is accompanied by excessive phlegm (mucus)
- are taking sedatives or tranquilizers

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfariin

**When using this product**

- **do not exceed the recommended dosage**
- may cause marked drowsiness
- may cause excitability, especially in children
- avoid alcoholic beverages while taking this product
- use caution when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occurs
- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- a cough comes back or occurs with a rash headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**KEEP OUT OF REACH OF CHILDREN.**

In case of an accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **adults and children 12 years and over:** take two (2) capsules with water every 4

hours. Do not exceed **12 gelcaps** in 24 hours

- **children under 12 years of age:** do not use

### **Other Information**

- store between 68-77°F (20-25°C)
- avoid excessive heat
- do not use if blister foil is punctured or torn

### **Inactive Ingredients**

FD&C blue #1, gelatin, glycerin, methylparaben, polyethylene glycol 400, povidone k30, propylene glycol, propylparaben, sorbitan, sorbitol, titanium dioxide, water

### **Questions & comments?**

+1-866-359-3478 (M-F) 9 AM to 5 PM EST or [www.pharmadel.com](http://www.pharmadel.com)

### **Principal Display Panel**

**FAST RELIEF**  **ALIVIO RÁPIDO**

NDC 55758-043-08

# **ANTIGRIP<sup>®</sup>**

## **COUGH & COLD**



- Acetaminophen (Pain reliever/ Fever reducer)
- Chlorpheniramine Maleate (Antihistamine)
- Dextromethorphan HBr (Cough Suppressant)
- Phenylephrine HCL (Nasal Decongestant)

**8 GELCAPS**

# ANTIGRIP COUGH AND COLD

acetaminophen, chlorpheniramine maleate, dextromethorphan hbr, phenylephrine hci0 capsule, gelatin coated

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55758-043
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CHLORPHENIRAMINE MALEATE</b> (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>PHENYLEPHRINE</b> (UNII: 1WS297W6MV) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE	5 mg
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	250 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>POVIDONE K30</b> (UNII: U725QWY32X)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	

## Product Characteristics

<b>Color</b>	blue	<b>Score</b>	score with uneven pieces
<b>Shape</b>	CAPSULE (Oblong Soft gel capsule)	<b>Size</b>	21mm
<b>Flavor</b>		<b>Imprint Code</b>	SN5
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55758-043-08	1 in 1 BOX	03/24/2024	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		



### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/24/2024	

**Labeler** - Pharmadel LLC (030129680)

Revised: 3/2024

Pharmadel LLC