

**WALGREEN- bismuth subsalicylate tablet, film coated  
WALGREEN CO.**

-----  
**Walgreen Soothe® Bismuth Subsalicylate 262 mg Caplets**

***Drug Facts***

***Active ingredient (in each caplets)***

Bismuth subsalicylate 262 mg

***Purpose***

Upset stomach reliever/anti-diarrheal

***Uses***

Relieves:

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
- belching
- indigestion
- gas
- fullness
- heartburn
- nausea

***Warnings***

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert: Contains salicylates.** Do not take if you are:

- allergic to salicylates (including aspirin)
- taking other salicylate products

**Do not use if you have**

- an ulcer
- a bleeding problem
- bloody or black stool

**Ask a doctor before use if you have**

- fever
- mucus in the stool

**Ask a doctor or pharmacist before use if you are** taking any drug for

- anticoagulation (thinning the blood)
- diabetes
- gout
- arthritis

**When using this product** a temporary, but harmless, darkening of the stool and/or tongue may occur.

**Stop use and ask a doctor if**

- symptoms get worse
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

### ***Directions***

- swallow with water; do not chew
- **adults and children 12 years and over:** 2 caplets every 1/2 to 1 hour as needed.

Do not exceed 8 doses (16 tablets) in 24 hours.

- use until diarrhea stops, but not more than 2 days
- **children under 12 years:** ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

### ***Other information***

- each tablet contains: **calcium 27 mg, sodium 3 mg**
- salicylate 99 mg
- low sodium
- sugar free
- store at room temperature

### ***Inactive ingredients***

calcium carbonate, crospovidone, D&C red # 27 aluminum lake, magnesium stearate, maltodextrin, microcrystalline cellulose, sodium lauryl sulfate.

### ***Questions or comments?***

Call **1-866-467-2748**

**TAMPER EVIDENT: DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING.**

**NDC 0363-9125-40**

Compare to Pepto-Bismol® active ingredient<sup>††</sup>

**Soothe®**

**BISMUTH SUBSALICYLATE, 262 mg/**

**UPSET STOMACH RELIEVER / ANTI-DIARRHEAL**

- Multi-symptom relief of nausea, heartburn, indigestion, upset stomach & diarrhea

**40 CAPLETS.**

<sup>††</sup> Walgreens Pharmacist Survey

<sup>††</sup>This product is not manufactured or distributed by Procter & Gamble, owner of the registered trademark Pepto-Bismol®

Walgreens

Trusted since 1901™

PHARMACIST RECOMMENDED

Health expertise you rely on™.

KEEP THIS CARTON FOR FUTURE REFERENCE ON FULL LABELING.

DISTRIBUTED BY: **WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015**

**100% SATISFACTION GUARANTEED**

**walgreens.com ©2021 Walgreen Co**



Ingredient Name		Strength	Strength	
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD1I8YE, SALICYLIC ACID - UNII:O414PZ4LPZ)		BISMUTH SUBSALICYLATE	262 mg	
Inactive Ingredients				
Ingredient Name			Strength	
CALCIUM CARBONATE (UNII: H0G9379FGK)				
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)				
D&C RED NO. 27 (UNII: 2LRS185U6K)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MALTODEXTRIN (UNII: 7CVR7L4A2D)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
SODIUM LAURYL SULFATE (UNII: 368GB5141J)				
Product Characteristics				
Color	PINK	Score	no score	
Shape	OVAL	Size	16mm	
Flavor		Imprint Code	RP125	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9125-40	40 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/14/2019	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M008	05/14/2019	

**Labeler -** WALGREEN CO. (008965063)