

ISOPROPYL ALCOHOL 70 PERCENT- isopropyl alcohol solution
Aspen Veterinary

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Isopropyl Alcohol 70%

Antiseptic, Disinfectant, and Rubefacient

FOR ANIMAL USE ONLY

Keep Out of Reach of Children

INDICATIONS:

For external use only as an antiseptic, disinfectant and rubefacient.

FOR EXTERNAL USE ONLY

DIRECTIONS:

Use full strength as a topical antiseptic or for disinfections of instruments. May be used for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.

CAUTION:

In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian. Do not apply to irritated skin or if excessive irritation develops.

INGREDIENTS:

Isopropyl Alcohol 70% v/v

Water. q.S.

WARNING:

If taken internally, serious gastric disturbance will result.

FIRST AID:

Induce vomiting or use stomach pump. Call a physician immediately. Avoid getting into eyes or on mucous membranes. In case of eye contact, flush thoroughly with water. Call a physician immediately.

STORAGE:

Store at controlled room temperature between 15° - 30°C (59° - 86°F).

KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.

WARNING! FLAMMABLE!

KEEP AWAY FROM HEAT AND OPEN FLAME.



NET CONTENTS:

1 Gallon (128 fl oz) (3.785 L)

Manufactured for:

Aspen Veterinary Resources,® Ltd.

Liberty, MO 64068, USA

www.aspenveterinaryresources.com

A318FP 5/15

1 Gallon (128 fl oz)

INDICATIONS: For external use only as an antiseptic, disinfectant and rubefacient.

FOR EXTERNAL USE ONLY

DIRECTIONS: Use full strength as a topical antiseptic or for disinfections of instruments. May be used for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.

CAUTION: In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian. Do not apply to irritated skin or if excessive irritation develops.

Manufactured for:
Aspen Veterinary Resources,® Ltd.
Liberty, MO 64068, USA
www.aspenveterinaryresources.com
A318FP 5/15
Lot No. Exp. Date

No Varnish



Isopropyl Alcohol 70%

Antiseptic, Disinfectant,
and Rubefacient

FOR ANIMAL USE ONLY
Keep Out of Reach of Children

NET CONTENTS:
1 Gallon (128 fl oz)
(3.785 L)

INGREDIENTS: Isopropyl Alcohol 70% v/v
Water..... q.s.

WARNING: If taken internally, serious gastric disturbance will result.

FIRST AID: Induce vomiting or use stomach pump. Call a physician immediately. Avoid getting into eyes or on mucous membranes. In case of eye contact, flush thoroughly with water. Call a physician immediately.

STORAGE: Store at controlled room temperature between 15° - 30°C (59° - 86°F).

KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.

WARNING! FLAMMABLE!
KEEP AWAY FROM HEAT AND OPEN FLAME.



ISOPROPYL ALCOHOL 70 PERCENT

isopropyl alcohol solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:46066-231
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	557.25 g in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46066-231-01	4 in 1 CASE		
1		3.785 L in 1 JUG		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/15/2015	

Labeler - Aspen Veterinary (627265361)

Establishment

Name	Address	ID/FEI	Business Operations
FIRST PRIORITY INCORPORATED		179925722	manufacture, label, api manufacture

Revised: 10/2024

Aspen Veterinary