

TUKOL MAX ACTION- oxymetazoline hydrochloride liquid
Genomma Lab USA

Tukol® Max Action Nasal Spray

Drug Facts

Active ingredient

Oxymetazoline hydrochloride 0.05%

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
 - common cold
 - hay fever
 - upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

Warnings

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

- **do not use more than directed**
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: consult a doctor
- shake well before use. Remove safety seal. To open, rotate cap to align the marks. Squeeze cap on both sides in a counter-clockwise turn and pull off to remove. To spray, remove clamp and hold bottle with thumb at base and nozzle between first and second fingers. Without tilting the head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use and snap cap onto bottle.

Other information

- store at room temperature 20-25°C (68-77°F)
- keep carton for full labeling

Inactive ingredients

benzalkonium chloride, benzyl alcohol, edetate disodium, polyethylene glycol 1500, povidone k30, purified water, sodium phosphate dibasic, sodium phosphate monobasic monohydrate

Questions or comments?

Call weekdays 8 AM to 6 PM EST at **1-877-994-3666**

Distributed by:
Genomma Lab USA Inc.,
Houston, TX 77027

PRINCIPAL DISPLAY PANEL - 15 ML Bottle Carton

NEW

Tukol®

MAX ACTION

NASAL SPRAY

Oxymetazoline HCl-Nasal Decongestant

Adults

12 Hour Relief

CHILD SAFETY CAP

FAST, POWERFUL
CONGESTION RELIEF

Pump Mist Anti-Drip

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50066-518
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
oxymetazoline hydrochloride (UNII: K89MJ0S5VY) (oxymetazoline - UNII:8VLN5B44ZY)	oxymetazoline hydrochloride	0.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
benzalkonium chloride (UNII: F5UM2KM3W7)	
benzyl alcohol (UNII: LKG8494WBH)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
SODIUM PHOSPHATE, MONOBASIC, ANHYDROUS (UNII: KH7I04HPUU)	
edetate disodium (UNII: 7FLD91C86K)	
water (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50066-518-05	1 in 1 CARTON	02/12/2025	
1		15 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M012	02/12/2025	

Labeler - Genomma Lab USA (832323534)

Revised: 2/2025

Genomma Lab USA