

**TRIODINE- triple source iodine tincture solution**  
**Vedco, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----  
**Triodine-7<sup>®</sup>**

**Triple Source Iodine Tincture**

ANTISEPTIC/DISINFECTANT

**FOR ANIMAL USE ONLY**

**KEEP OUT OF REACH OF CHILDREN**

**INDICATIONS:**

For use on cattle, sheep, horses, dogs and swine for topical application on the skin to disinfect superficial wounds, cuts, abrasions, insect bites and minor bruises.

**DIRECTIONS FOR USE:**

If necessary, clip hair from area to be treated and cleanse with soap and water. Apply Triodine-7<sup>®</sup> with a swab.

**CAUTION:**

Not for use in body cavities or deep wounds. Do not use on burns. Do not apply under bandage. Irritation may occur if used on tender skin areas. Avoid contact with eyes and mucous membranes. In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian.

**STORAGE:**

Store at controlled room temperature between 15°-30°C (59°-86°F).

PROTECT FROM LIGHT.

**ACTIVE INGREDIENTS:**

7% active ingredients provided by Povidone Iodine, Iodine and Potassium Iodide. Provides 2.4% Titratable Iodine\*.

**INACTIVE INGREDIENTS:**

Water, Isopropyl Alcohol and Propylene Glycol.

**WARNING:**

Ingestion may cause gastrointestinal irritation, nausea and vomiting.

**CALL A PHYSICIAN OR POISON CONTROL CENTER.**

**WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME. KEEP CONTAINER CLOSED WHEN NOT IN USE.**

**Restricted Drug - Use Only as Directed.**

**Not For Human Use.**

**NET CONTENTS:**

16 fl oz (473 mL) VINV-TRIO-16OZ

32 fl oz (960 mL) VINV-TRIO-32OZ



\*Complies with DEA Iodine Regulation 21 C.F.R. §1310.12. No DEA registration required.



Triodine-7 is a registered trademark of First Priority, Inc.

Distributed By  
**VEDCO, INC.**  
St. Joseph, MO 64507

**16 fl oz (473 mL)**

<p><b>INDICATIONS:</b> For use on cattle, sheep, horses, dogs and swine for topical application on the skin to disinfect superficial wounds, cuts, abrasions, insect bites and minor bruises.</p>	<p>NDC 50989-176-26</p>  <p><b>Triodine-7<sup>®</sup></b> Triple source Iodine Tincture</p> <p>ANTISEPTIC/DISINFECTANT</p> <p>NET CONTENTS: 16 fl oz (473 mL)</p> <p><b>VEDCO</b></p> <p><b>FOR ANIMAL USE ONLY</b> <b>KEEP OUT OF REACH OF CHILDREN</b></p>	<p><b>ACTIVE INGREDIENTS:</b> 7% active ingredients provided by Povidone Iodine, Iodine and Potassium Iodide. Provides 2.4% Titratable Iodine*.</p>
<p><b>DIRECTIONS FOR USE:</b> If necessary, clip hair from area to be treated and cleanse with soap and water. Apply Triodine-7<sup>®</sup> with a swab.</p>		<p><b>INACTIVE INGREDIENTS:</b> Water, Isopropyl Alcohol and Propylene Glycol.</p>
<p><b>CAUTION:</b> Not for use in body cavities or deep wounds. Do not use on burns. Do not apply under bandage. Irritation may occur if used on tender skin areas. Avoid contact with eyes and mucous membranes. In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian.</p>	<p><b>WARNING:</b> Ingestion may cause gastrointestinal irritation, nausea and vomiting.</p>	
<p><b>STORAGE:</b> Store at controlled room temperature between 15°-30°C (59°-86°F). PROTECT FROM LIGHT.</p>	<p><b>CALL A PHYSICIAN OR POISON CONTROL CENTER.</b></p>	
<p>Distributed By <b>VEDCO, INC.</b> St. Joseph, MO 64507</p>	<p><b>WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME. KEEP CONTAINER CLOSED WHEN NOT IN USE.</b></p>	
<p>Triodine-7 is a registered trademark of First Priority, Inc. Rev. 07-16 VINV-TRIO-16OZ</p>	<p><b>Restricted Drug - Use Only as Directed.</b></p>	
	<p><b>Not For Human Use.</b> *Complies with DEA Iodine Regulation 21 C.F.R. §1310.12. No DEA registration required.</p>	
	<p>Lot No.  Exp. Date</p>	
	<p><b>No Varnish</b></p>	

**32 fl oz (960 mL)**

**INDICATIONS:** For use on cattle, sheep, horses, dogs and swine for topical application on the skin to disinfect superficial wounds, cuts, abrasions, insect bites and minor bruises.

**DIRECTIONS FOR USE:** If necessary, clip hair from area to be treated and cleanse with soap and water. Apply Triodine-7® with a swab.

**CAUTION:** Not for use in body cavities or deep wounds. Do not use on burns. Do not apply under bandage. Irritation may occur if used on tender skin areas. Avoid contact with eyes and mucous membranes. In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian.

**STORAGE:** Store at controlled room temperature between 15°-30°C (59°-86°F). PROTECT FROM LIGHT.

Triodine-7 is a registered trademark of First Priority, Inc.

Distributed By  
**VEDCO, INC.**  
St. Joseph, MO 64507

Rev. 07-16  
VINV-TRIO-32OZ



**ACTIVE INGREDIENTS:** 7% active ingredients provided by Povidone Iodine, Iodine and Potassium Iodide. Provides 2.4% Titratable Iodine\*.

**INACTIVE INGREDIENTS:** Water, Isopropyl Alcohol and Propylene Glycol.

**WARNING:** Ingestion may cause gastrointestinal irritation, nausea and vomiting.

**CALL A PHYSICIAN OR POISON CONTROL CENTER.**

**WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME. KEEP CONTAINER CLOSED WHEN NOT IN USE.**

**Restricted Drug - Use Only as Directed.**

**Not For Human Use.**

\*Complies with DEA Iodine Regulation 21 C.F.R. §1310.12. No DEA registration required.



Lot No. Exp. Date

**No Varnish**

<b>TRIODINE</b>				
triple source iodine tincture solution				
<b>Product Information</b>				
<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:50989-176	
<b>Route of Administration</b>	TOPICAL			
<b>Active Ingredient/Active Moiety</b>				
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
	IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	2.1 mg in 1 mL	
	POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	3.0 mg in 1 mL	
	POTASSIUM IODIDE (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q)	IODIDE ION	2.0 mg in 1 mL	
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:50989-176-26	12 in 1 CASE		
1		473 mL in 1 BOTTLE, SPRAY		
2	NDC:50989-176-27	16 in 1 CASE		
2		960 mL in 1 BOTTLE		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
unapproved drug other		07/18/2016		

**Labeler** - Vedco, Inc. (021634266)

**Establishment**

Name	Address	ID/FEI	Business Operations
FIRST PRIORITY INCORPORATED		179925722	manufacture, label

Revised: 12/2016

Vedco, Inc.