

MUCINEX CHILDRENS STUFFY NOSE AND CHEST CONGESTION- guaifenesin and phenylephrine hydrochloride solution
RB Health (US) LLC

Mucinex® Children's
Stuffy Nose & Chest Congestion

Drug Facts

<i>Active ingredients (in each 5 mL)</i>	<i>Purposes</i>
Guaifenesin 100 mg	Expectorant
Phenylephrine HCl 2.5 mg	Nasal decongestant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - nasal congestion due to a cold
 - stuffy nose

Warnings

Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if the child has

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

When using this product do not use more than directed

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not give more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor

Age	Dose
children 6 to under 12 years of age	10 mL every 4 hours
children 4 to under 6 years of age	5 mL every 4 hours
children under 4 years of age	do not use

Other information

- each 5 mL contains: **sodium 3 mg**
- store between 20-25°C (68-77°F)
- do not refrigerate

Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C red no. 40, flavors, glycerin (soy), propyl gallate, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, trisodium citrate dihydrate ¹, xanthan gum

1 may contain this ingredient

Questions?

1-866-MUCINEX (1-866-682-4639)

You may also report side effects to this phone number.

Dist. by: RB Health (US)
Parsippany, NJ 07054-0224

Made in England

PRINCIPAL DISPLAY PANEL - 118 mL Bottle Carton

Pediatrician Recommended [†]

NDC 63824-951-07

Mucinex®
Children's

STUFFY NOSE &
CHEST CONGESTION

Guaifenesin 100 mg - Expectorant

Phenylephrine HCl 2.5 mg - Nasal Decongestant

- Relieves Stuffy Nose
- Relieves Chest Congestion
- Breaks up Mucus
- Alcohol-free

Ages


4 +

yrs

Very Berry

Flavor Liquid

4 FL OZ (118 mL)



922376

Drug Facts**Active ingredients**
(in each 5 mL)Guaifenesin 100 mg.....Expectorant
Phenylephrine HCl 2.5 mg.....Nasal decongestant**Purposes****Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - nasal congestion due to a cold
 - stuffy nose

Warnings

Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

- Ask a doctor before use if the child has
- heart disease
 - high blood pressure
 - thyroid disease
 - diabetes
 - cough that occurs with too much phlegm (mucus)
 - persistent or chronic cough such as occurs with asthma

When using this product do not use more than directed

- Stop use and ask a doctor if
- nervousness, dizziness, or sleeplessness occur
 - symptoms do not get better within 7 days or occur with fever
 - cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not give more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor

Age	Dose
children 6 to under 12 years of age	10 mL every 4 hours
children 4 to under 6 years of age	5 mL every 4 hours
children under 4 years of age	do not use

Other information

- each 5 mL contains: sodium 3 mg
- store at 20-25°C (68-77°F)
- do not refrigerate

Drug Facts (continued)

Inactive ingredients anhydrous citric acid, edetate disodium, FD&C red no. 40, flavors, glycerin (soy), propyl gallate, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, trisodium citrate dihydrate*, xanthan gum *may contain this ingredient

Questions? 1-866-MUCINEX (1-866-682-4639)
You may also report side effects to this phone number.

*as an OTC brand in the
Children's Cough/Cold category
(AlphaImpactRxProVoice Survey)

Other convenient forms for
Chest Congestion Relief

**CHEST CONGESTION**

On-the-go
granule packets for
chest congestion relief!

Keep carton for full information

Tamper evident: Do not use if neckband
on bottle cap is broken or missing.

**STUFFY NOSE &
CHEST CONGESTION**

Guaifenesin 100 mg - Expectorant
Phenylephrine HCl 2.5 mg - Nasal Decongestant

Pediatrician Recommended†

NDC 63824-951-07

**STUFFY NOSE &
CHEST CONGESTION**

Guaifenesin 100 mg - Expectorant
Phenylephrine HCl 2.5 mg - Nasal Decongestant

- ✓ Relieves Stuffy Nose
- ✓ Relieves Chest Congestion
- ✓ Breaks up Mucus
- ✓ Alcohol-free



Ages 4+ yrs

Very Berry
Flavor Liquid

4 FL OZ (118 mL)

**STUFFY NOSE &
CHEST CONGESTION**

Each dose of Very Berry flavored
Mucinex Children's Stuffy Nose
& Chest Congestion Liquid:

- ✓ Relieves Stuffy Nose
- ✓ Relieves Chest Congestion
- ✓ Breaks up Mucus
- ✓ Alcohol-free

**Dosing Cup Included**

Questions or comments?
1-866-Mucinex (1-866-682-4639)
or www.mucinex.com

Dist by: RB Health (US)
Parsippany, NJ 07054-0224
©2020 RB Health
Made in Mexico
012221 3163776



HEALTH • HYGIENE • HOME

3163776



3 63824 27764 6

LOT CODE:
EXP. DATE:

MUCINEX CHILDRENS STUFFY NOSE AND CHEST CONGESTION

guaifenesin and phenylephrine hydrochloride solution

Product Information**Product Type**

HUMAN OTC DRUG

Item Code (Source)

NDC:63824-951

Route of Administration		ORAL		
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)		GUAIFENESIN	100 mg in 5 mL	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)		PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 5 mL	
Inactive Ingredients				
Ingredient Name			Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
GLYCERIN (UNII: PDC6A3C0OX)				
PROPYL GALLATE (UNII: 8D4SNN7V92)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SORBITOL (UNII: 506T60A25R)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)				
XANTHAN GUM (UNII: TTV12P4NEE)				
Product Characteristics				
Color	red	Score		
Shape		Size		
Flavor	BERRY	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63824-951-07	1 in 1 CARTON	05/01/2018	
1		118 mL in 1 BOTTLE; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product)		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012		05/01/2018	

