

**METADERM ECZEMA AND BABY ECZEMA CREAM- achillea millefolium, aesculus hippocastanum, berberis vulgaris, conium maculatum, matricaria chamomilla, phytolacca decandra, rhus toxicodendron, sanguinaria canadensis cream  
Cosmetic Specialty Labs, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Metaderm Eczema Cream  
Metaderm Baby Eczema Lotion**

**Active Ingredient**

Achillea millefolium (3X H.P.U.S.\*, 0.04%)  
Aesculus hippocastanum (3X H.P.U.S.\*, 0.04%)  
Berberis vulgaris (3X H.P.U.S.\*, 0.09%)  
Conium maculatum (3X H.P.U.S.\*, 0.21%)  
Matricaria chamomilla (3X H.P.U.S.\*, 0.05%)  
Phytolacca decandra (3X H.P.U.S.\*, 0.11%)  
Rhus toxicodendron (3X H.P.U.S.\*, 0.13%)  
Sanguinaria canadensis (3X H.P.U.S.\*, 0.08%)

**Purpose**

Eczema relief

\*The letters H.P.U.S. indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

**Uses:**

Temporarily relieves the dryness, itching, flaking, rash, redness, and skin irritation associated with eczema.

**Warnings:**

for external use only

**When using this product:**

- Avoid contact with eyes.
- If swallowed, get medical help or contact a Poison Control Center immediately.
- Test for allergy by rubbing small amount on skin first.
- Do not use if allergic to or hypersensitive to any ingredient.
- If condition worsens or does not improve consult a doctor.

**Stop use and ask a doctor if:**

- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days
- redness is present
- irritation develops

Keep all medicines out of reach of children.

**Directions:**

Apply to affected area 2 times daily or as needed.

**Other ingredients:**

Purified Water, Aloe Barbadensis Leaf Juice, Stearic Acid, Carthamus tinctorius (Safflower) Seed Oil, Dimethicone, Glyceryl Stearate, Cetyl Alcohol, Niacinamide, Sodium PCA, Phenoxyethanol, Petrolatum, Triethanolamine, Caprylyl Glycol, Carbomer, Tocopheryl Acetate, Hamamelis virginiana, Hydrastis canadensis, Avena sativa, Populus tremuloides, Populus alba, Cochlearia officinalis, Ervum lens, Veronica officinalis, Scrophularia nodosa, Sambucus nigra, Althaea officinalis, Malva sylvestris, Tussilago farfara, Smilax medica, Nasturtium officinale, Vincetoxicum officinale, Pimpinella saxifraga.

**Principal Display Panel and Drug Facts**

# METADERM<sup>®</sup>

<b>Drug Facts</b>	
<b>Active Ingredient</b>	<b>Purpose</b>
Achillea millefolium (3X H.P.U.S.*; 0.04%).....	Eczema relief
Aesculus hippocastanum (3X H.P.U.S.*; 0.04%).....	Eczema relief
Berberis vulgaris (3X H.P.U.S.*; 0.09%).....	Eczema relief
Conium maculatum (3X H.P.U.S.*; 0.21%).....	Eczema relief
Matricaria chamomilla (3X H.P.U.S.*; 0.05%).....	Eczema relief
Phytolacca decandra (3X H.P.U.S.*; 0.11%).....	Eczema relief
Rhus toxicodendron (3X H.P.U.S.*; 0.13%).....	Eczema relief
Sanguinaria canadensis (3X H.P.U.S.*; 0.08%).....	Eczema relief

\*The letters H.P.U.S. indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

**Uses** Temporarily relieves the dryness, itching, flaking, rash, redness, and skin irritation associated with eczema.

**Warnings** for external use only.

**When using this product** ■ avoid contact with the eyes.

If swallowed, get medical help or contact a Poison Control Center immediately. Test for allergy by rubbing small amount on skin first. Do not use if allergic to or hypersensitive to any ingredient. If condition worsens or does not improve consult a doctor.

Stop use and ask a doctor if condition worsens or symptoms

Stop use and ask a doctor if condition worsens ■ symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ irritation develops.

**Keep all medicines out of reach of children.**

**Directions:**

Apply to affected area 2 times daily ■ or as needed.

**Inactive ingredients** Purified Water, Aloe Barbadensis Leaf Juice, Stearic Acid, Carthamus tinctorius (Safflower) Seed Oil, Dimethicone, Glyceryl Stearate, Cetyl Alcohol, Niacinamide, Sodium PCA, Phenoxyethanol, Petrolatum, Triethanolamine, Caprylyl Glycol, Carbomer, Tocopheryl Acetate, Hamamelis virginiana, Hydrastis canadensis, Avena sativa, Populus tremuloides, Populus alba, Cochlearia officinalis, Ervum lens, Veronica officinalis, Scrophularia nodosa, Sambucus nigra, Althaea officinalis, Malva sylvestris, Tussilago farfara, Smilax medica, Nasturtium officinale, Vincetoxicum officinale, Pimpinella saxifraga.

Haus Bioceuticals  
755 Research Pkwy  
Oklahoma City, OK 73104



1-888-240-7095  
[www.metaderm.com](http://www.metaderm.com)



®  
M  
E  
R  
M



ECZEMA  
CREAM

METAL



---

APPLY **2X** DAILY

---

IMPROVEMENT  
IN 2 WEEKS, CLEAR  
SKIN IN 10-12  
WEEKS

**BABY ECZEMA**

32 fl. oz. (950 ml)



# METADERM™

## Drug Facts

### Active Ingredient

### Purpose

Achillea millefolium (3X H.P.U.S.™, 0.04%).....	Eczema relief
Aesculus hippocastanum (3X H.P.U.S.™, 0.04%).....	Eczema relief
Berberis vulgaris (3X H.P.U.S.™, 0.09%).....	Eczema relief
Conium maculatum (3X H.P.U.S.™, 0.21%).....	Eczema relief
Matricaria chamomilla (3X H.P.U.S.™, 0.05%).....	Eczema relief
Phytolacca decandra (3X H.P.U.S.™, 0.11%).....	Eczema relief
Rhus toxicodendron (3X H.P.U.S.™, 0.13%).....	Eczema relief
Sanguinaria canadensis (3X H.P.U.S.™, 0.08%).....	Eczema relief

\*The letters H.P.U.S. indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

**Uses** Temporarily relieves the dryness, itching, flaking, rash, redness, and skin irritation associated with eczema.

**Warnings** for external use only.

**When using this product** ■ avoid contact with the eyes.

If swallowed, get medical help or contact a Poison Control Center immediately. Test for allergy by rubbing small amount on skin first. Do not use if allergic to or hypersensitive to any ingredient. If condition worsens or does not improve consult a doctor.

**Stop use and ask a doctor if** ■ condition worsens ■ symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ irritation develops.

**Keep all medicines out of reach of children.**

### Directions:

Apply to affected area 2 times daily ■ or as needed.

**Inactive ingredients** Purified Water, Aloe Barbadosis Leaf Juice, Stearic Acid, Carthamus tinctorius (Safflower) Seed Oil, Dimethicone, Glyceryl Stearate, Cetyl Alcohol, Niacinamide, Sodium PCA, Phenoxyethanol, Petrolatum, Triethanolamine, Caprylyl Glycol, Carbomer, Tocopheryl Acetate, Hamamelis virginiana, Hydrastis canadensis, Avena sativa, Populus tremuloides, Populus alba, Cochlearia officinalis, Erum lens, Veronica officinalis, Scrophularia nodosa, Sambucus nigra, Althaea officinalis, Malva sylvestris, Tussilago farfara, Smilax medica, Nasturtium officinale, Vincetoxicum officinale, Pimpinella saxifraga.

Haus Bioceuticals  
755 Research Pkwy  
Oklahoma City, OK 73104



1-888-240-7095  
www.metaderm.com



METADERM

HAUS<sup>®</sup>  
BIOCEUTICALS

ECZEMA  
CREAM

---

APPLY **2X** DAILY

---

IMPROVEMENT  
IN 2 WEEKS, CLEAR  
SKIN IN 10-12  
WEEKS

**ECZEMA**

32 fl. oz. (950 ml)

**METADERM ECZEMA AND BABY ECZEMA CREAM**

achillea millefolium, aesculus hippocastanum, berberis vulgaris, conium maculatum, matricaria chamomilla, phytolacca decandra, rhus toxicodendron, sanguinaria canadensis cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58133-360
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MATRICARIA CHAMOMILLA FLOWERING TOP OIL</b> (UNII: SA8AR2W4ER) (MATRICARIA CHAMOMILLA FLOWERING TOP OIL - UNII:SA8AR2W4ER)	MATRICARIA CHAMOMILLA FLOWERING TOP OIL	5 [hp_M] in 1 mL
<b>SANGUINARIA CANADENSIS ROOT</b> (UNII: N9288CD508) (SANGUINARIA CANADENSIS ROOT - UNII:N9288CD508)	SANGUINARIA CANADENSIS ROOT	8 [hp_M] in 1 mL
<b>ACHILLEA MILLEFOLIUM</b> (UNII: 2FXJ6SW4PK) (ACHILLEA MILLEFOLIUM - UNII:2FXJ6SW4PK)	ACHILLEA MILLEFOLIUM	4 [hp_M] in 1 mL
<b>BERBERIS VULGARIS FRUIT</b> (UNII: 6XEF22AHC3) (BERBERIS VULGARIS FRUIT - UNII:6XEF22AHC3)	BERBERIS VULGARIS FRUIT	9 [hp_M] in 1 mL
<b>CONIUM MACULATUM FRUIT</b> (UNII: Y71WKJ3A2K) (CONIUM MACULATUM FRUIT - UNII:Y71WKJ3A2K)	CONIUM MACULATUM FRUIT	21 [hp_M] in 1 mL
<b>RHUS SPP. WHOLE</b> (UNII: 3U7FG9T9MW) (RHUS SPP. WHOLE - UNII:3U7FG9T9MW)	RHUS SPP. WHOLE	13 [hp_M] in 1 mL
<b>PHYTOLACCA OCTANDRA LEAF</b> (UNII: 0804KD28Q9) (PHYTOLACCA OCTANDRA LEAF - UNII:0804KD28Q9)	PHYTOLACCA OCTANDRA LEAF	11 [hp_M] in 1 mL
<b>AESCULUS HIPPOCASTANUM SEED OIL</b> (UNII: E0M52HIR1Y) (AESCULUS HIPPOCASTANUM SEED OIL - UNII:E0M52HIR1Y)	AESCULUS HIPPOCASTANUM SEED OIL	4 [hp_M] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>CARTHAMUS TINCTORIUS (SAFFLOWER) OLEOSOMES</b> (UNII: 9S60Q72309)	
<b>VERONICA OFFICINALIS LEAF</b> (UNII: 96R87REA55)	
<b>ALTHAEA OFFICINALIS LEAF</b> (UNII: E2QQV92338)	
<b>SCROPHULARIA NODOSA</b> (UNII: 7H443NUB2T)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>TRIETHANOLAMINE LAURYLAMINOPROPIONATE</b> (UNII: 793J74ICPW)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>HAMAMELIS VIRGINIANA ROOT BARK/STEM BARK</b> (UNII: T7S323PKJS)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CARBOMER 940</b> (UNII: 4Q93RCW27E)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>HYDRASTIS CANADENSIS WHOLE</b> (UNII: R763EBH88T)	
<b>LENS CULINARIS FRUIT</b> (UNII: ZYZ076G9JH)	
<b>SAMBUCUS NIGRA FLOWER OIL</b> (UNII: Q35633V53D)	
<b>MALVA SYLVESTRIS LEAF</b> (UNII: 17HB9B00T5)	
<b>TUSSILAGO FARFARA</b> (UNII: 0JXZ63016V)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	

SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)
AVENA SATIVA LEAF (UNII: 206PI19V7R)
POPULUS TREMULOIDES LEAF (UNII: 7I1H57D9E0)
POPULUS ALBA LEAF (UNII: A74CT64437)
COCHLEARIA OFFICINALIS LEAF (UNII: WAG1VW36J6)
SARSAPARILLA (UNII: 2H1576D5WG)
NASTURTIUM OFFICINALE (UNII: YH89GMV676)
VINCETOXICUM ATRATUM ROOT (UNII: 7DQZ24B35Y)
PIMPINELLA SAXIFRAGA ROOT (UNII: 5Y05905N7G)
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)
PETROLATUM (UNII: 4T6H12BN9U)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58133-360-32	950 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/15/2018	
2	NDC:58133-360-06	193 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/15/2018	
3	NDC:58133-360-65	193 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/15/2018	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		08/15/2018	

**Labeler** - Cosmetic Specialty Labs, Inc. (032973000)

**Registrant** - Cosmetic Specialty Labs, Inc. (032973000)

### Establishment

Name	Address	ID/FEI	Business Operations
Cosmetic Specialty Labs, Inc.		032973000	manufacture(58133-360)