

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 8B PORCELAIN BEIGE- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 22G LIGHT GOLDEN- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 37S MEDIUM-TAN SAND- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 37B MEDIUM-TAN BEIGE- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 39N MEDIUM-TAN NEUTRAL- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 42G TAN GOLDEN- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 42N TAN NEUTRAL- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 47G TAN-DEEP GOLDEN- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 48N TAN-DEEP NEUTRAL- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 51G DEEP GOLDEN- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 51N DEEP NEUTRAL- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 56G RICH GOLDEN- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 58N RICH NEUTRAL- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 57S RICH SAND- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 60H MAHOGANY- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 12S FAIR SAND- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 12B FAIR BEIGE- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 13N IVORY- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 16N FAIR-LIGHT NEUTRAL- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 16B FAIR-LIGHT BEIGE- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 16H FAIR-LIGHT HONEY- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 22S LIGHT SAND- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 22N LIGHT NEUTRAL- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 22B LIGHT BEIGE- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 27S LIGHT-MEDIUM SAND- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 27N LIGHT-MEDIUM NEUTRAL- titanium dioxide and zinc oxide liquid

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 29B LIGHT-MEDIUM BEIGE- titanium dioxide and zinc oxide liquid
 AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 29H LIGHT-MEDIUM HONEY- titanium dioxide and zinc oxide liquid
 AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 35S MEDIUM SAND- titanium dioxide and zinc oxide liquid
 AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 35N MEDIUM NEUTRAL- titanium dioxide and zinc oxide liquid
 AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 35B MEDIUM BEIGE- titanium dioxide and zinc oxide liquid
 AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 35H MEDIUM HONEY- titanium dioxide and zinc oxide liquid
 AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 36H MEDIUM-TAN HONEY- titanium dioxide and zinc oxide liquid
 AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 40H TAN HONEY- titanium dioxide and zinc oxide liquid
 AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 44S TAN SAND- titanium dioxide and zinc oxide liquid
 AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 46S TAN-DEEP SAND- titanium dioxide and zinc oxide liquid
 AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 47H TAN-DEEP HONEY- titanium dioxide and zinc oxide liquid
 AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 51S DEEP SAND- titanium dioxide and zinc oxide liquid
 AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 53H DEEP HONEY- titanium dioxide and zinc oxide liquid
 AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 57H RICH HONEY- titanium dioxide and zinc oxide liquid

Tarte, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Amazonian Clay 12-Hour Full Coverage Foundation Broad Spectrum SPF 15 Sunscreen

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Titanium Dioxide 6%	Sunscreen
Zinc Oxide 3%	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients

Water, cyclopentasiloxane, octyldodecyl neopentanoate butylene glycol, polyglyceryl-4 isostearate, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, mica, dimethicone, silica, phenoxyethanol, cetyl PEG/PPG-10/1 dimethicone, stearic acid, aluminum hydroxide, sodium dehydroacetate, caprylyl glycol, phytantriol, hexyl laurate, triethoxycaprylylsilane, sodium chloride, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, nylon-12 fluorescent brightener 230 salt, polyvinylalcohol crosspolymer, kaolin, magnesium chloride, potassium chloride, zinc chloride, sodium hyaluronate, potassium sorbate, iron oxides. MX111FL000361.

Dist. by tarte, Inc. New York, NY 10018.

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 8B Porcelain Beige

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen

8B
porcelain beige

12-hour makeup

Drug Facts

Active Ingredients

Titanium Dioxide 6%.....Sunscreen
Zinc Oxide 3%.....Sunscreen

Purpose

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients

Cyclopentasiloxane, water, octyldodecyl neopentanoate, butylene glycol, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, cetyl PEG/PPG-10/1 dimethicone, polyglyceryl-4 isostearate, mica, aluminum hydroxide, stearic acid, dimethicone, hexyl laurate, silica, phenoxyethanol, caprylyl glycol, sodium dehydroacetate, phytantriol, triethoxycaprylylsilane, nylon-12, sodium chloride, nylon-12 fluorescent brightener 230 salt.

Drug Facts (continued)

octyldodecandl, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, methicone, kaolin, magnesium chloride, potassium chloride, zinc chloride, potassium sorbate, polyvinylalcohol crosspolymer, sodium hyaluronate, iron oxides. MX111FL000401.

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Spil, Rue de la Croix 10A, B-7170 Manage, BE.



www.tarte.com

tarte

high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen




FG05007-01

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 22G Light Golden

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 37S Medium-Tan Sand

tarte
 high-performance naturals™
 Amazonian clay
 full coverage foundation
 Broad Spectrum
 SPF 15 Sunscreen

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 6%.....	Sunscreen
Zinc Oxide 3%.....	Sunscreen

Uses
 • Helps prevent sunburn.
 • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 • Apply liberally 15 minutes before sun exposure.
 • Use a water resistant sunscreen if swimming or sweating.
 • Reapply at least every 2 hours.
 • Children under 6 months: Ask a doctor.
 • Optional: apply to all skin exposed to the sun.
 • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 -Limit time in the sun, especially from 10 a.m.-2 p.m.
 -Wear long-sleeved shirts, pants, hats and sunglasses

Other information
 • Protect the product in this container from excessive heat and direct sunlight.
 • You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients
 Cyclopentasiloxane, water, octyldodecyl neopentanoate, butylene glycol, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, cetyl PEG/PPG-10/1 dimethicone, polyglyceryl-4 isostearate, mica, aluminum hydroxide, stearic acid, dimethicone, hexyl laurate, silica, phenoxyethanol, caprylyl glycol, sodium dehydroacetate, phytantriol, triethoxycaprylylsilane, nylon-12, sodium chloride, nylon-12 fluorescent brightener 230 salt.

Drug Facts (continued)

octyldodecanol, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, methicone, kaolin, magnesium chloride, potassium chloride, zinc chloride, potassium sorbate, polyvinylalcohol crosspolymer, sodium hyaluronate, iron oxides. MX111FL000401.

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croye 10A, B-7170 Manage, BE.


 www.tarte.com

Amazonian clay
 full coverage foundation
 Broad Spectrum
 SPF 15 Sunscreen



FG05008-01

37B
medium-tan sand
12-hour makeup

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 6%.....	Sunscreen
Zinc Oxide 3%.....	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients

Cyclopentasiloxane, water, octyldodecyl neopentanoate, butylene glycol, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, cetyl PEG/PPG-10/1 dimethicone, polyglyceryl-4 isostearate, mica, aluminum hydroxide, stearic acid, dimethicone, hexyl laurate, silica, phenoxyethanol, caprylyl glycol, sodium dehydroacetate, phytantriol, triethoxycaprylylsilane, nylon-12, sodium chloride, nylon-12 fluorescent brightener 230 salt.

Drug Facts (continued)

octyldodecanol, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, methicone, kaolin, magnesium chloride, potassium chloride, zinc chloride, potassium sorbate, polyvinylalcohol crosspolymer, sodium hyaluronate, iron oxides. MX111FL000401.

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius SpA, Rue de la Croiserie 10A, B-7170 Manage, BE.



www.tarte.com




FG05009-01

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 37B Medium-Tan Beige

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 39N Medium-Tan Neutral

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 6%.....	Sunscreen
Zinc Oxide 3%.....	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 -Limit time in the sun, especially from 10 a.m.-2 p.m.
 -Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients

Cyclopentasiloxane, water, octyldodecyl neopentanoate, butylene glycol, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, cetyl PEG/PPG-10/1 dimethicone, polyglyceryl-4 isostearate, mica, aluminum hydroxide, stearic acid, dimethicone hexyl laurate, silica, phenoxethanol, caprylyl glycol, sodium dehydroacetate, phytantriol, triethoxycaprylylsilane, nylon-12, sodium chloride, nylon-12 fluorescent brightener 230 salt.

Drug Facts (continued)

octyldodecandl, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, methicone, kaolin, magnesium chloride, potassium chloride, zinc chloride, potassium sorbate, polyvinylalcohol crosspolymer, sodium hyaluronate, iron oxides. MX111FL000401.

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croycere 10A, B-7170 Manage, BE.




www.tarte.com

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



FG05010-01



39N
medium-tan neutral
12-hour makeup

Drug Facts

Active ingredients	Purpose
Titanium Dioxide 6%.....	Sunscreen
Zinc Oxide 3%.....	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 -Limit time in the sun, especially from 10 a.m.-2 p.m.
 -Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients

Cyclopentasiloxane, water, octyldodecyl neopentanoate, butylene glycol, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, cetyl PEG/PPG-10/1 dimethicone, polyglyceryl-4 isostearate, mica, aluminum hydroxide, stearic acid, dimethicone, hexyl laurate, silica, phenoxyethanol, caprylyl glycol, sodium dehydroacetate, phytantriol, triethoxycaprylsilane, nylon-12, sodium chloride, nylon-12 fluorescent brightener 230 salt.

Drug Facts (continued)

octyldodecand, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, methicone, kaolin, magnesium chloride, potassium chloride, zinc chloride, potassium sorbate, polyvinylalcohol crosspolymer, sodium hyaluronate, iron oxides. MX111FL000401.

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croix 10A, B-7170 Manage, BE.




www.tarte.com



FG05011-01

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 42G Tan Golden

tarte
high-performance naturals™
Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 42N Tan Neutral

tarte
 high-performance naturals™
 Amazonian clay
 full coverage foundation
 Broad Spectrum
 SPF 15 Sunscreen

Drug Facts

Active ingredients	Purpose
Titanium Dioxide 6%.....	Sunscreen
Zinc Oxide 3%.....	Sunscreen

Uses
 • Helps prevent sunburn.
 • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 • Apply liberally 15 minutes before sun exposure.
 • Use a water resistant sunscreen if swimming or sweating.
 • Reapply at least every 2 hours.
 • Children under 6 months: Ask a doctor.
 • Optional: apply to all skin exposed to the sun.
 • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 -Limit time in the sun, especially from 10 a.m.-2 p.m.
 -Wear long-sleeved shirts, pants, hats and sunglasses

Other information
 • Protect the product in this container from excessive heat and direct sunlight.
 • You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients
 Cyclopentasiloxane, water, octyldodecyl neopentanoate, butylene glycol, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, cetyl PEG/PPG-10/1 dimethicone, polyglyceryl-4 isostearate, mica, aluminum hydroxide, stearic acid, dimethicone, hexyl laurate, silica, phenoxyethanol, caprylyl glycol, sodium dehydroacetate, phytantriol, triethoxycaprylsilane, nylon-12, sodium chloride, nylon-12 fluorescent brightener 230 salt.

Drug Facts (continued)

octyldodecyl glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, methicone, kaolin, magnesium chloride, potassium chloride, zinc chloride, potassium sorbate, polyvinylalcohol crosspolymer, sodium hyaluronate, iron oxides. MX111FL000401.

net 50 mL / 1.7 FL. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croiere 10A, B-7170 Manage, BE.



 www.tarte.com

tarte
 high-performance naturals™

Amazonian clay
 full coverage foundation
 Broad Spectrum
 SPF 15 Sunscreen



FG05013-01



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 47G Tan-Deep Golden

tarte
 high-performance naturals™
 Amazonian clay
 full coverage foundation
 Broad Spectrum
 SPF 15 Sunscreen

Drug Facts

Active ingredients	Purpose
Titanium Dioxide 6%.....	Sunscreen
Zinc Oxide 3%.....	Sunscreen

Uses
 • Helps prevent sunburn.
 • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 • Apply liberally 15 minutes before sun exposure.
 • Use a water resistant sunscreen if swimming or sweating.
 • Reapply at least every 2 hours.
 • Children under 6 months: Ask a doctor.
 • Optional: apply to all skin exposed to the sun.
 • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 -Limit time in the sun, especially from 10 a.m.-2 p.m.
 -Wear long-sleeved shirts, pants, hats and sunglasses

Other information
 • Protect the product in this container from excessive heat and direct sunlight.
 • You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients
 Cyclopentasiloxane, water, octyldodecyl neopentanoate, butylene glycol, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, cetyl PEG/PPG-10/1 dimethicone, polyglyceryl-4 isostearate, mica, aluminum hydroxide, stearic acid, dimethicone hexyl laurate, silica, phenoxyethanol, caprylyl glycol, sodium dehydroacetate, phytantriol, triethoxycaprylylsilane, nylon-12, sodium chloride, nylon-12 fluorescent brightener 230 salt.

Drug Facts (continued)

octyldodecandl, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, methicone, kaolin, magnesium chloride, potassium chloride, zinc chloride, potassium sorbate, polyvinylalcohol crosspolymer, sodium hyaluronate, iron oxides. MX111FL000401.


net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croysere 10A, B-7170 Manage, BE.


 www.tarte.com

Amazonian clay
 full coverage foundation
 Broad Spectrum
 SPF 15 Sunscreen



FG05012-01



47G
tan-deep golden
12-hour makeup

Drug Facts
Active Ingredients **Purpose**
Titanium Dioxide 6%.....Sunscreen
Zinc Oxide 3%.....Sunscreen

Uses
• Helps prevent sunburn.
• If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
• Apply liberally 15 minutes before sun exposure.
• Use a water resistant sunscreen if swimming or sweating.
• Reapply at least every 2 hours.
• Children under 6 months: Ask a doctor.
• Optional: apply to all skin exposed to the sun.
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
-Limit time in the sun, especially from 10 a.m.-2 p.m.
-Wear long-sleeved shirts, pants, hats and sunglasses

Other information
• Protect the product in this container from excessive heat and direct sunlight.
• You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients
Cyclopentasiloxane, water, octyldodecyl neopentanoate, butylene glycol, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, cetyl PEG/PPG-10/1 dimethicone, polyglyceryl-4 isostearate, mica, aluminum hydroxide, stearic acid, dimethicone, hexyl laurate, silica, phenoxyethanol, caprylyl glycol, sodium dehydroacetate, phytantriol, triethoxycaprylylsilane, nylon-12, sodium chloride, nylon-12 fluorescent brightener 230 salt.

Drug Facts (continued)
octyldodecandl, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, methicone, kaolin, magnesium chloride, potassium chloride, zinc chloride, potassium sorbate, polyvinylalcohol crosspolymer, sodium hyaluronate, iron oxides. MX111FL000401.

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Spil, Rue de la Croix 10A, B-7170 Manage, BE.


www.tarte.com



FG05015-01

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 48N Tan-Deep Neutral

tarte
high-performance naturals™
Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen

48N
tan-deep neutral
12-hour makeup

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 6%.....	Sunscreen
Zinc Oxide 3%.....	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients

Cyclopentasiloxane, water, octyldodecyl neopentanoate, butylene glycol, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, cetyl PEG/PPG-10/1 dimethicone, polyglyceryl-4 isostearate, mica, aluminum hydroxide, stearic acid, dimethicone, hexyl laurate, silica, phenoxyethanol, caprylyl glycol, sodium dehydroacetate, phytantriol, triethoxycaprylylsilane, nylon-12, sodium chloride, nylon-12 fluorescent brightener 230 salt.

Drug Facts (continued)

octyldodecandl, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, methicone, kaolin, magnesium chloride, potassium chloride, zinc chloride, potassium sorbate, polyvinylalcohol crosspolymer, sodium hyaluronate, iron oxides. MX111FL000401.

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius SpA, Rue de la Croix 10A, B-7170 Manage, BE.



www.tarte.com




FG05014-01

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 51G Deep Golden

tarte
high-performance naturals™


Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 51N Deep Neutral

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 56G Rich Golden

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 6%.....	Sunscreen
Zinc Oxide 3%.....	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients

Cyclopentasiloxane, water, octyldodecyl neopentanoate, butylene glycol, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, cetyl PEG/PPG-10/1 dimethicone, polyglyceryl-4 isostearate, mica, aluminum hydroxide, stearic acid, dimethicone, hexyl laurate, silica, phenoxyethanol, caprylyl glycol, sodium dehydroacetate, phytantriol, triethoxycaprylsilane, nylon-12, sodium chloride, nylon-12 fluorescent brightener 230 salt.

Drug Facts (continued)

octyldodecandl, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, methicone, kaolin, magnesium chloride, potassium chloride, zinc chloride, potassium sorbate, polyvinylalcohol crosspolymer, sodium hyaluronate, iron oxides. MX111FL000401.

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Bionius Sprl, Rue de la Croiyere 10A, B-7170 Manage, BE.




www.tarte.com

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



FG05017-01



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 58N Rich Neutral

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 6%.....	Sunscreen
Zinc Oxide 3%.....	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
-Limit time in the sun, especially from 10 a.m.-2 p.m.
-Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients
Cyclopentasiloxane, water, octyldodecyl neopentanoate, butylene glycol, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, cetyl PEG/PPG-10/1 dimethicone, polyglyceryl-4 isostearate, mica, aluminum hydroxide, stearic acid, dimethicone, hexyl laurate, silica, phenoxyethanol, caprylyl glycol, sodium dehydroacetate, phytantriol, triethoxycaprylylsilane, nylon-12, sodium chloride, nylon-12 fluorescent brightener 230 salt.

Drug Facts (continued)

octyldodecanol, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, methicone, kaolin, magnesium chloride, potassium chloride, zinc chloride, potassium sorbate, polyvinylalcohol crosspolymer, sodium hyaluronate, iron oxides. MX111FL000401.

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croix 10A, B-7170 Manage, BE.




www.tarte.com

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen




FG05020-01



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 57S Rich Sand

tarte
high-performance naturals™


Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 60H Mahogany

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 12S Fair Sand

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 6%.....	Sunscreen
Zinc Oxide 3%.....	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients

Cyclopentasiloxane, water, octyldodecyl neopentanoate, butylene glycol, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, cetyl PEG/PPG-10/1 dimethicone, polyglyceryl-4 isostearate, mica, aluminum hydroxide, stearic acid, dimethicone, hexyl laurate, silica, phenoxyethanol, caprylyl glycol, sodium dehydroacetate, phytantriol, triethoxycaprylsilane, nylon-12, sodium chloride, nylon-12 fluorescent brightener 230 salt.

Drug Facts (continued)

octyldodecanol, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, methicone, kaolin, magnesium chloride, potassium chloride, zinc chloride, potassium sorbate, polyvinylalcohol crosspolymer, sodium hyaluronate, iron oxides. MX111FL000401.

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius SpA, Rue de la Croix 10A, B-7170 Manage, BE.




www.tarte.com

Amazonian clay
full coverage foundation
**Broad Spectrum
SPF 15 Sunscreen**



FG05021-01



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 12B Fair Beige

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen

Drug Facts
Active ingredients **Purpose**
Titanium Dioxide 6%.....Sunscreen
Zinc Oxide 3%.....Sunscreen

Uses
• Helps prevent sunburn.
• If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
• Apply liberally 15 minutes before sun exposure.
• Use a water resistant sunscreen if swimming or sweating.
• Reapply at least every 2 hours.
• Children under 6 months: Ask a doctor.
• Optional: apply to all skin exposed to the sun.
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 -Limit time in the sun, especially from 10 a.m.-2 p.m.
 -Wear long-sleeved shirts, pants, hats and sunglasses

Other information
• Protect the product in this container from excessive heat and direct sunlight.
• You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients
Water, cyclopentasiloxane, octyldodecyl neopentanoate butylene glycol, polyglyceryl-4 isostearate, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, mica, dimethicone, silica, phenoxyethanol, cetyl PEG/PPG-10/1 dimethicone, stearic acid, aluminum hydroxide, sodium dehydroacetate, caprylyl glycol, phytantriol, hexyl laurate, triethoxycaprylylsilane, sodium chloride, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, nylon-12

Drug Facts (continued)
fluorescent brightener 230 salt, polyvinylalcohol crosspolymer, kaolin, magnesium chloride, potassium chloride, zinc chloride, sodium hyaluronate, potassium sorbate, iron oxides, MX111FL000361

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croysere 10A, B-7170 Manage, BE.




#slaywithclay
@tartecosmetics
www.tarte.com

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen




FG00832-02



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 13N Ivory

tarte
high-performance naturals™


Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 16N Fair-light Neutral

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 16B Fair-light Beige

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen

16B
fair-light beige

12-hour makeup

Drug Facts

Active ingredients

Titanium Dioxide 6%.....Sunscreen
Zinc Oxide 3%.....Sunscreen

Purpose

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients

Water, cyclopentasiloxane, cetyl dodecyl neopentanoate butylene glycol, polyglyceryl-4 isostearate, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, mica, dimethicone, silica, phenoxyethanol, cetyl PEG/PPG-10/1 dimethicone, stearic acid, aluminum hydroxide, sodium dehydroacetate, caprylyl glycol, phytantriol, hexyl laurate, triethoxycaprylylsilane, sodium chloride, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, nylon-12

Drug Facts (continued)

fluorescent brightener 230 salt, polyvinylalcohol crosspolymer, kaolin, magnesium chloride, potassium chloride, zinc chloride, sodium hyaluronate, potassium sorbate, iron oxides. MX111FL000361.

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croix 10A, B-7170 Manage, BE.



#slaywithclay
@tartecosmetics
www.tarte.com

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



FG02133-02

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 16H Fair-light Honey

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen

16H
fair-light honey

12-hour makeup

Drug Facts

Active ingredients

Titanium Dioxide 6%.....Sunscreen
Zinc Oxide 3%.....Sunscreen

Purpose

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients

Water, cyclopentasiloxane, octyldodecyl neopentanoate butylene glycol, polyglyceryl-4 isostearate, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, mica, dimethicone, silica, phenoxethanol, cetyl PEG/PPG-10/1 dimethicone, stearic acid, aluminum hydroxide, sodium dehydroacetate, caprylyl glycol, phytantriol, hexyl laurate, triethoxycaprylylsilane, sodium chloride, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, nylon-12

Drug Facts (continued)

fluorescent brightener 230 salt, polyvinylalcohol crosspolymer, kaolin, magnesium chloride, potassium chloride, zinc chloride, sodium hyaluronate, potassium sorbate, iron oxides, MX111FL000361.

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius SprL Rue de la Croiyere 10A, B-7170 Manage, BE.



#slaywithclay

@tartecosmetics

www.tarte.com

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen




FG01377-02

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 22S Light Sand

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



22S
light sand

12-hour makeup

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 6%.....	Sunscreen
Zinc Oxide 3%.....	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients

Water, cyclopentasiloxane, octyldodecyl neopentanoate butylene glycol, polyglyceryl-4 isostearate, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, mica, dimethicone, silica, phenoxyethanol, cetyl PEG/PPG-10/1 dimethicone, stearic acid, aluminum hydroxide, sodium dehydroacetate, caprylyl glycol, phytantriol, hexyl laurate, triethoxycaprylylsilane, sodium chloride, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, nylon-12

Drug Facts (continued)

fluorescent brightener 230 salt, polyvinylalcohol crosspolymer, kaolin, magnesium chloride, potassium chloride, zinc chloride, sodium hyaluronate, potassium sorbate, iron oxides. MX111FL000361

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croycere 10A, B-7170 Manage, BE.



#slaywithclay
 @tartecosmetics
 www.tarte.com

Amazonian clay
 full coverage foundation
 Broad Spectrum
 SPF 15 Sunscreen



FG00834-02

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 22N Light Neutral

tarte
 high-performance naturals™
 Amazonian clay
 full coverage foundation
 Broad Spectrum
 SPF 15 Sunscreen



22N
light neutral

12-hour makeup

Drug Facts

Active ingredients	Purpose
Titanium Dioxide 6%	Sunscreen
Zinc Oxide 3%	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients

Water, cyclopentasiloxane, octyldodecyl neopentanoate butylene glycol, polyglyceryl-4 isostearate, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, mica, dimethicone, silica, phenoxyethanol, cetyl PEG/PPG-10/1 dimethicone, stearic acid, aluminum hydroxide, sodium dehydroacetate, caprylyl glycol, phytantriol, hexyl laurate, triethoxycaprylylsilane, sodium chloride, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, nylon-12

Drug Facts (continued)

fluorescent brightener 230 salt, polyvinylalcohol crosspolymer, kaolin, magnesium chloride, potassium chloride, zinc chloride, sodium hyaluronate, potassium sorbate, iron oxides, MX111FL000361

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croiere 10A, B-7170 Manage, BE.



#slaywithclay
 @tartecosmetics
 www.tarte.com

tarte
 high-performance naturals™

Amazonian clay
 full coverage foundation
 Broad Spectrum
 SPF 15 Sunscreen



FG01379-02

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 22B Light Beige

tarte
 high-performance naturals™

Amazonian clay
 full coverage foundation
 Broad Spectrum
 SPF 15 Sunscreen



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 27S Light-Medium Sand

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 6%.....	Sunscreen
Zinc Oxide 3%.....	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
-Limit time in the sun, especially from 10 a.m.-2 p.m.
-Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients
Water, cyclopentasiloxane, octyldodecyl neopentanoate butylene glycol, polyglyceryl-4 isostearate, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, mica, dimethicone, silica, phenoxyethanol, cetyl PEG/PPG-10/1 dimethicone, stearic acid, aluminum hydroxide, sodium dehydroacetate, caprylyl glycol, phytantriol, hexyl laurate, triethoxycaprylylsilane, sodium chloride, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, nylon-12 ▶

Drug Facts (continued)

fluorescent brightener 230 salt, polyvinylalcohol crosspolymer, kaolin, magnesium chloride, potassium chloride, zinc chloride, sodium hyaluronate, potassium sorbate, iron oxides, MX111FL000361

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croyere 10A, B-7170 Manage, BE.




#slaywithclay
@tartecosmetics
www.tarte.com

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



FG01378-02



27S
light-medium sand
12-hour makeup

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 6%.....	Sunscreen
Zinc Oxide 3%.....	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 -Limit time in the sun, especially from 10 a.m.-2 p.m.
 -Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients
 Water, cyclopentasiloxane, octyldodecyl neopentanoate butylene glycol, polyglyceryl-4 isostearate, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, mica, dimethicone, silica, phenoxyethanol, cetyl PEG/PPG-10/1 dimethicone, stearic acid, aluminum hydroxide, sodium dehydroacetate, caprylyl glycol, phytantriol, hexyl laurate, triethoxycaprylylsilane, sodium chloride, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, nylon-12

Drug Facts (continued)

fluorescent brightener 230 salt, polyvinylalcohol crosspolymer, kaolin, magnesium chloride, potassium chloride, zinc chloride, sodium hyaluronate, potassium sorbate, iron oxides. MX111FL000361.

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croiyere 10A, B-7170 Manage, BE.



#slaywithclay
 @tartecosmetics
 www.tarte.com

Amazonian clay
 full coverage foundation
 Broad Spectrum
 SPF 15 Sunscreen



FG01380-02

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 27N Light-medium Neutral
 tarte
 high-performance naturals™
 Amazonian clay
 full coverage foundation
 Broad Spectrum
 SPF 15 Sunscreen



27N
light-medium neutral
12-hour makeup

Drug Facts
Active Ingredients **Purpose**
Titanium Dioxide 6%.....Sunscreen
Zinc Oxide 3%.....Sunscreen

Uses
• Helps prevent sunburn.
• If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
• Apply liberally 15 minutes before sun exposure.
• Use a water resistant sunscreen if swimming or sweating.
• Reapply at least every 2 hours.
• Children under 6 months: Ask a doctor.
• Optional: apply to all skin exposed to the sun.
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
–Limit time in the sun, especially from 10 a.m.-2 p.m.
–Wear long-sleeved shirts, pants, hats and sunglasses

Other information
• Protect the product in this container from excessive heat and direct sunlight.
• You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients
Water, cyclopentasiloxane, octyldodecyl neopentanoate butylene glycol, polyglyceryl-4 isostearate, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, mica, dimethicone, silica, phenoxyethanol, cetyl PEG/PPG-10/1 dimethicone, stearic acid, aluminum hydroxide, sodium dehydroacetate, caprylyl glycol, phytantriol, hexyl laurate, triethoxycaprylylsilane, sodium chloride, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, nylon-12 ▶

Drug Facts (continued)
fluorescent brightener 230 salt, polyvinylalcohol crosspolymer, kaolin, magnesium chloride, potassium chloride, zinc chloride, sodium hyaluronate, potassium sorbate, iron oxides. MX111FL000361

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croysere 10A, B-7170 Manage, BE.




#slaywithclay
@tartecosmetics
www.tarte.com

Amazonian clay
full coverage foundation
**Broad Spectrum
SPF 15 Sunscreen**



FG02135-02

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 29B Light-medium Beige
tarte
high-performance naturals™
Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 6%.....	Sunscreen
Zinc Oxide 3%.....	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients
 Water, cyclopentasiloxane, octyldodecyl neopentanoate butylene glycol, polyglyceryl-4 isostearate, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, mica, dimethicone, silica, phenoxyethanol, cetyl PEG/PPG-10/1 dimethicone, stearic acid, aluminum hydroxide, sodium dehydroacetate, caprylyl glycol, phytantriol, hexyl laurate, triethoxycaprylylsilane, sodium chloride, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, nylon-12

Drug Facts (continued)

fluorescent brightener 230 salt, polyvinylalcohol crosspolymer, kaolin, magnesium chloride, potassium chloride, zinc chloride, sodium hyaluronate, potassium sorbate, iron oxides. MX111FL000361

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croycere 10A, B-7170 Manage, BE.



#slaywithclay
 @tartecosmetics
 www.tarte.com

Amazonian clay
 full coverage foundation
 Broad Spectrum
 SPF 15 Sunscreen




FG01381-02

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 29H Light-medium Honey

tarte
 high-performance naturals™

Amazonian clay
 full coverage foundation
 Broad Spectrum
 SPF 15 Sunscreen



29H
light-medium honey

12-hour makeup

Drug Facts

Active ingredients	Purpose
Titanium Dioxide 6%.....	Sunscreen
Zinc Oxide 3%.....	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 -Limit time in the sun, especially from 10 a.m.-2 p.m.
 -Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients

Water, cyclopentasiloxane, octyldodecyl neopentanoate butylene glycol, polyglyceryl-4 isostearate, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, mica, dimethicone, silica, phenoxethanol, cetyl PEG/PPG-10/1 dimethicone, stearic acid, aluminum hydroxide, sodium dehydroacetate, caprylyl glycol, phytantriol, hexyl laurate, triethoxycaprylylsilane, sodium chloride, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, nylon-12

Drug Facts (continued)

fluorescent brightener 230 salt, polyvinylalcohol crosspolymer, kaolin, magnesium chloride, potassium chloride, zinc chloride, sodium hyaluronate, potassium sorbate, iron oxides, MX111FL000361.

tarte
high-performance naturals™

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croiere 10A, B-7170 Manage, BE.



#slaywithclay
 @tartecosmetics
 www.tarte.com

Amazonian clay
 full coverage foundation
 Broad Spectrum
 SPF 15 Sunscreen



FG00835-02

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 35S Medium Sand


tarte
 high-performance naturals™
 Amazonian clay
 full coverage foundation
 Broad Spectrum
 SPF 15 Sunscreen



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 35N Medium Neutral

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 35B Medium Beige

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 6%.....	Sunscreen
Zinc Oxide 3%.....	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
-Limit time in the sun, especially from 10 a.m.-2 p.m.
-Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients
Water, cyclopentasiloxane, octyldodecyl neopentanoate butylene glycol, polyglyceryl-4 isostearate, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, mica, dimethicone, silica, phenoxyethanol, cetyl PEG/PPG-10/1 dimethicone, stearic acid, aluminum hydroxide, sodium dehydroacetate, caprylyl glycol, phytantriol, hexyl laurate, triethoxycaprylylsilane, sodium chloride, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, nylon-12

Drug Facts (continued)

fluorescent brightener 230 salt, polyvinylalcohol crosspolymer, kaolin, magnesium chloride, potassium chloride, zinc chloride, sodium hyaluronate, potassium sorbate, iron oxides, MX111FL000361

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croiere 10A, B-7170 Manage, BE.




#slaywithclay
@tartecosmetics
www.tarte.com

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



FG02137-02



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 35H Medium Honey

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen

Drug Facts

Active ingredients	Purpose
Titanium Dioxide 6%.....	Sunscreen
Zinc Oxide 3%.....	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients

Water, cyclopentasiloxane, octyldodecyl neopentanoate butylene glycol, polyglyceryl-4 isostearate, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, mica, dimethicone, silica, phenoxethanol, cetyl PEG/PPG-10/1 dimethicone, stearic acid, aluminum hydroxide, sodium dehydroacetate, caprylyl glycol, phytantriol, hexyl laurate, triethoxycaprylylsilane, sodium chloride, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, nylon-12

Drug Facts (continued)

fluorescent brightener 230 salt, polyvinylalcohol crosspolymer, kaolin, magnesium chloride, potassium chloride, zinc chloride, sodium hyaluronate, potassium sorbate, iron oxides, MX111FL000361

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croix 10A, B-7170 Manage, BE.



#slaywithclay
@tartecosmetics
www.tarte.com

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



FG02136-02

35H
medium honey

12-hour makeup

Drug Facts

Active ingredients

Titanium Dioxide 6%.....Sunscreen
Zinc Oxide 3%.....Sunscreen

Purpose

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients

Water, cyclopentasiloxane, octyldodecyl neopentanoate butylene glycol, polyglyceryl-4 isostearate, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, mica, dimethicone, silica, phenoxyethanol, cetyl PEG/PPG-10/1 dimethicone, stearic acid, aluminum hydroxide, sodium dehydroacetate, caprylyl glycol, phytantriol, hexyl laurate, triethoxycaprylylsilane, sodium chloride, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, nylon-12

Drug Facts (continued)

fluorescent brightener 230 salt, polyvinylalcohol crosspolymer, kaolin, magnesium chloride, potassium chloride, zinc chloride, sodium hyaluronate, potassium sorbate, iron oxides. MX111FL000361.

tarte

high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croysere 10A, B-7170 Manage, BE.



www.tarte.com




FG00836-02

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 36H Medium-tan Honey

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 40H Tan Honey

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen

Drug Facts
Active ingredients **Purpose**
Titanium Dioxide 6%.....Sunscreen
Zinc Oxide 3%.....Sunscreen

Uses
• Helps prevent sunburn.
• If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
• Apply liberally 15 minutes before sun exposure.
• Use a water resistant sunscreen if swimming or sweating.
• Reapply at least every 2 hours.
• Children under 6 months: Ask a doctor.
• Optional: apply to all skin exposed to the sun.
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 -Limit time in the sun, especially from 10 a.m.-2 p.m.
 -Wear long-sleeved shirts, pants, hats and sunglasses

Other information
• Protect the product in this container from excessive heat and direct sunlight.
• You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients
Water, cyclopentasiloxane, octyldodecyl neopentanoate butylene glycol, polyglyceryl-4 isostearate, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, mica, dimethicone, silica, phenoxyethanol, cetyl PEG/PPG-10/1 dimethicone, stearic acid, aluminum hydroxide, sodium dehydroacetate, caprylyl glycol, phytantriol, hexyl laurate, triethoxycaprylylsilane, sodium chloride, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, nylon-12

Drug Facts (continued)
fluorescent brightener 230 salt, polyvinylalcohol crosspolymer, kaolin, magnesium chloride, potassium chloride, zinc chloride, sodium hyaluronate, potassium sorbate, iron oxides, MX111FL000361

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croyere 10A, B-7170 Manage, BE.



#slaywithclay
@tartecosmetics
www.tarte.com

36H
medium-tan honey
12-hour makeup

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



FG01384-02



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 44S Tan Sand

tarte
 high-performance naturals™
 Amazonian clay
 full coverage foundation
 Broad Spectrum
 SPF 15 Sunscreen

Drug Facts

Active ingredients	Purpose
Titanium Dioxide 6%.....	Sunscreen
Zinc Oxide 3%.....	Sunscreen

Uses
 • Helps prevent sunburn.
 • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 • Apply liberally 15 minutes before sun exposure.
 • Use a water resistant sunscreen if swimming or sweating.
 • Reapply at least every 2 hours.
 • Children under 6 months: Ask a doctor.
 • Optional: apply to all skin exposed to the sun.
 • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 -Limit time in the sun, especially from 10 a.m.-2 p.m.
 -Wear long-sleeved shirts, pants, hats and sunglasses

Other information
 • Protect the product in this container from excessive heat and direct sunlight.
 • You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients
 Water, cyclopentasiloxane, octyldodecyl neopentanoate butylene glycol, polyglyceryl-4 isostearate, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, mica, dimethicone, silica, phenoxethanol, cetyl PEG/PPG-10/1 dimethicone, stearic acid, aluminum hydroxide, sodium dehydroacetate, caprylyl glycol, phytantriol, hexyl laurate, triethoxycaprylylsilane, sodium chloride, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, nylon-12

Drug Facts (continued)

fluorescent brightener 230 salt, polyvinylalcohol crosspolymer, kaolin, magnesium chloride, potassium chloride, zinc chloride, sodium hyaluronate, potassium sorbate, iron oxides, MX111FL000361

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croyere 10A, B-7170 Manage, BE.




#slaywithclay
 @tartecosmetics
 www.tarte.com

Amazonian clay
 full coverage foundation
 Broad Spectrum
 SPF 15 Sunscreen



FG00837-02



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 46S Tan-deep Sand

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen

Drug Facts

Active ingredients	Purpose
Titanium Dioxide 6%.....	Sunscreen
Zinc Oxide 3%.....	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
-Limit time in the sun, especially from 10 a.m.-2 p.m.
-Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients
Water, cyclopentasiloxane, octyldodecyl neopentanoate butylene glycol, polyglyceryl-4 isostearate, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, mica, dimethicone, silica, phenoxyethanol, cetyl PEG/PPG-10/1 dimethicone, stearic acid, aluminum hydroxide, sodium dehydroacetate, caprylyl glycol, phytantriol, hexyl laurate, triethoxycaprylylsilane, sodium chloride, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, nylon-12

Drug Facts (continued)

fluorescent brightener 230 salt, polyvinylalcohol crosspolymer, kaolin, magnesium chloride, potassium chloride, zinc chloride, sodium hyaluronate, potassium sorbate, iron oxides, MX111FL000361

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croiere 10A, B-7170 Manage, BE.



#slaywithclay
@tartecosmetics
www.tarte.com

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



FG02138-02

46S
tan-deep sand

12-hour makeup

Drug Facts

Active ingredients

Titanium Dioxide 6%.....Sunscreen
Zinc Oxide 3%.....Sunscreen

Purpose

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients

Water, cyclopentasiloxane, octyldodecyl neopentanoate butylene glycol, polyglyceryl-4 isostearate, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, mica, dimethicone, silica, phenoxyethanol, cetyl PEG/PPG-10/1 dimethicone, stearic acid, aluminum hydroxide, sodium dehydroacetate, caprylyl glycol, phytantriol, hexyl laurate, triethoxycaprylylsilane, sodium chloride, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, nylon-12

Drug Facts (continued)

fluorescent brightener 230 salt, polyvinylalcohol crosspolymer, kaolin, magnesium chloride, potassium chloride, zinc chloride, sodium hyaluronate, potassium sorbate, iron oxides, MX111FL000361

tarte

high-performance naturals™

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croiere 10A, B-7170 Manage, BE.



#slaywithclay

@tartecosmetics

www.tarte.com

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



FG00838-02

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 47H Tan-deep Honey

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen

47H
tan-deep honey

12-hour makeup

Drug Facts

Active ingredients

Titanium Dioxide 6%.....Sunscreen
Zinc Oxide 3%.....Sunscreen

Purpose

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients

Water, cyclopentasiloxane, octyldodecyl neopentanoate butylene glycol, polyglyceryl-4 isostearate, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, mica, dimethicone, silica, phenoxyethanol, cetyl PEG/PPG-10/1 dimethicone, stearic acid, aluminum hydroxide, sodium dehydroacetate, caprylyl glycol, phytantriol, hexyl laurate, triethoxycaprylylsilane, sodium chloride, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, nylon-12

Drug Facts (continued)

fluorescent brightener 230 salt, polyvinylalcohol crosspolymer, kaolin, magnesium chloride, potassium chloride, zinc chloride, sodium hyaluronate, potassium sorbate, iron oxides, MX111FL000361

tarte
high-performance naturals™

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Crocyere 10A, B-7170 Manage, BE.



#slaywithclay
@tartecosmetics
www.tarte.com

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen




FG02139-02

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 51S Deep Sand

tarte
high-performance naturals™


Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 53H Deep Honey

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 57H Rich Honey

tarte
high-performance naturals™

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 6%.....	Sunscreen
Zinc Oxide 3%.....	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.
Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 -Limit time in the sun, especially from 10 a.m.-2 p.m.
 -Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients

Water, cyclopentasiloxane, octyldodecyl neopentanoate butylene glycol, polyglyceryl-4 isostearate, dimethicone crosspolymer, PEG/PPG-18/18 dimethicone, mica, dimethicone, silica, phenoxyethanol, cetyl PEG/PPG-10/1 dimethicone, stearic acid, aluminum hydroxide, sodium dehydroacetate, caprylyl glycol, phytantriol, hexyl laurate, triethoxycaprylylsilane, sodium chloride, hexylene glycol, lysine, tocopherol, tetrahexyldecyl ascorbate, nylon-12

Drug Facts (continued)

fluorescent brightener 230 salt, polyvinylalcohol crosspolymer, kaolin, magnesium chloride, potassium chloride, zinc chloride, sodium hyaluronate, potassium sorbate, iron oxides. MX111FL000361

net 50 mL / 1.7 Fl. Oz. Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croyere 10A, B-7170 Manage, BE.



#slaywithclay
@tartecosmetics
www.tarte.com

Amazonian clay
full coverage foundation
Broad Spectrum
SPF 15 Sunscreen



FG02140-02



AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 8B PORCELAIN BEIGE

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-127
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)	
WATER (UNII: 059QF0KO0R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
MICA (UNII: V8A1AW0880)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE (UNII: 92RU3N3Y10)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)	
PHYTANTRIOL (UNII: 8LVI07A72W)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
NYLON-12 (UNII: 446U8J075B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98110)	
ZINC CHLORIDE (UNII: 86Q357L16B)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-127-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 22G LIGHT GOLDEN

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-128
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)	
WATER (UNII: 059QF0KO0R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
MICA (UNII: V8A1AW0880)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE (UNII: 92RU3N3Y10)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)	
PHYTANTRIOL (UNII: 8LVI07A72W)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
NYLON-12 (UNII: 446U8J075B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
METHICONE (20 CST) (UNII: 6777U11MKT)	

KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98H0)	
ZINC CHLORIDE (UNII: 86Q357L16B)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-128-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 37S MEDIUM-TAN SAND

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-129
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
WATER (UNII: 059QF0K00R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
POLYGLYCERYL-4 ISO STEARATE (UNII: 820DPX33S7)	
MICA (UNII: V8A1AW0880)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

DIMETHICONE (UNII: 92RU3N3Y1O)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
PHYTANTRIOL (UNII: 8LVI07A72W)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
NYLON-12 (UNII: 446U8J075B)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
OCTYLDODECANOL (UNII: 461N1O614Y)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
LYSINE (UNII: K3Z4F929H6)
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)
METHICONE (20 CST) (UNII: 6777U11MKT)
KAOLIN (UNII: 24H4NWX5CO)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
POTASSIUM CHLORIDE (UNII: 660YQ98110)
ZINC CHLORIDE (UNII: 86Q357L16B)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-129-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 37B MEDIUM-TAN BEIGE
titanium dioxide and zinc oxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-130
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL

Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL
--	------------	---------------

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
WATER (UNII: 059QF0KO0R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE CROSSPOLYMER (45000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
MICA (UNII: V8A1AW0880)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE (UNII: 92RU3N3Y10)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
PHYTANTRIOL (UNII: 8LVI07A72W)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
NYLON-12 (UNII: 446U8J075B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98I10)	
ZINC CHLORIDE (UNII: 86Q357L16B)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-130-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 39N MEDIUM-TAN NEUTRAL

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-131
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
WATER (UNII: 059QF0KO0R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
MICA (UNII: V8A1AW0880)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
PHYTANTRIOL (UNII: 8LV107A72W)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
NYLON-12 (UNII: 446U8J075B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98I10)	
ZINC CHLORIDE (UNII: 86Q357L16B)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	

HYALURONATE SODIUM (UNII: YSE9PPT4TH)

FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-131-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 42G TAN GOLDEN

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-132
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
WATER (UNII: 059QF0KO0R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE CROSSPOLYMER (45000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
MICA (UNII: V8A1AW0880)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE (UNII: 92RU3N3Y10)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

CAPRYLYL GLYCOL (UNII: 00YIU5438U)
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)
PHYTANTRIOL (UNII: 8LVI07A72W)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
NYLON-12 (UNII: 446U8J075B)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
OCTYLDODECANOL (UNII: 461N1O614Y)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
LYSINE (UNII: K3Z4F929H6)
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)
METHICONE (20 CST) (UNII: 6777U11MKT)
KAOLIN (UNII: 24H4NWX5CO)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
POTASSIUM CHLORIDE (UNII: 660YQ98110)
ZINC CHLORIDE (UNII: 86Q357L16B)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-132-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 42N TAN NEUTRAL

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-133
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
WATER (UNII: 059QF0K00R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
MICA (UNII: V8A1AW0880)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE (UNII: 92RU3N3Y10)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
PHYTANTRIOL (UNII: 8LVI07A72W)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
NYLON-12 (UNII: 446U8J075B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
OCTYLDODECANOL (UNII: 461N10614Y)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98110)	
ZINC CHLORIDE (UNII: 86Q357L16B)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-133-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 47G TAN-DEEP GOLDEN

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-134
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
WATER (UNII: 059QF0K00R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE CROSSPOLYMER (45000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
MICA (UNII: V8A1AW0880)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
PHYTANTRIOL (UNII: 8LVI07A72W)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
NYLON-12 (UNII: 446U8J075B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
OCTYLDODECANOL (UNII: 461N10614Y)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98110)	
ZINC CHLORIDE (UNII: 86Q357L16B)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-134-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 48N TAN-DEEP NEUTRAL

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-135
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
WATER (UNII: 059QF0KO0R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE CROSSPOLYMER (45000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
MICA (UNII: V8A1AW0880)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE (UNII: 92RU3N3Y10)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
PHYTANTRIOL (UNII: 8LV107A72W)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

NYLON-12 (UNII: 446U8J075B)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
OCTYLDODECANOL (UNII: 461N1O614Y)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
LYSINE (UNII: K3Z4F929H6)
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)
METHICONE (20 CST) (UNII: 6777U11MKT)
KAOLIN (UNII: 24H4NWX5CO)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
POTASSIUM CHLORIDE (UNII: 660YQ98110)
ZINC CHLORIDE (UNII: 86Q357L16B)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-135-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 51G DEEP GOLDEN

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-136
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THI5PCI0R)	
WATER (UNII: 059QF0K00R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	

BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
DIMETHICONE CROSSPOLYMER (45000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
MICA (UNII: V8A1AW0880)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
DIMETHICONE (UNII: 92RU3N3Y10)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
PHYTANTRIOL (UNII: 8LV107A72W)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
NYLON-12 (UNII: 446U8J075B)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
OCTYLDODECANOL (UNII: 461N1O614Y)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
LYSINE (UNII: K3Z4F929H6)
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)
METHICONE (20 CST) (UNII: 6777U11MKT)
KAOLIN (UNII: 24H4NWX5CO)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
POTASSIUM CHLORIDE (UNII: 660YQ98110)
ZINC CHLORIDE (UNII: 86Q357L16B)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-136-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 51N DEEP NEUTRAL
titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-137
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)	
WATER (UNII: 059QF0KO0R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
MICA (UNII: V8A1AW0880)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE49ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)	
PHYTANTRIOL (UNII: 8LVI07A72W)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
NYLON-12 (UNII: 446U8J075B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LVB3F07AZ)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98I10)	
ZINC CHLORIDE (UNII: 86Q357L16B)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-137-01	1 in 1 CARTON	11/01/2018	

1	50 mL in 1 TUBE; Type 0: Not a Combination Product		
---	--	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 56G RICH GOLDEN

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-138
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0TH5PC10R)	
WATER (UNII: 059QF0K00R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
MICA (UNII: V8A1AW0880)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE (UNII: 92RU3N3Y10)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
PHYTANTRIOL (UNII: 8LVI07A72W)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
NYLON-12 (UNII: 446U8J075B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	

LYSINE (UNII: K3Z4F929H6)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98I10)	
ZINC CHLORIDE (UNII: 86Q357L16B)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-138-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 58N RICH NEUTRAL

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-139
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
WATER (UNII: 059QF0K00R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	

MICA (UNII: V8A1AW0880)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
DIMETHICONE (UNII: 92RU3N3Y1O)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
PHYTANTRIOL (UNII: 8LVI07A72W)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
NYLON-12 (UNII: 446U8J075B)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
OCTYLDODECANOL (UNII: 461N1O614Y)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
LYSINE (UNII: K3Z4F929H6)
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)
METHICONE (20 CST) (UNII: 6777U11MKT)
KAOLIN (UNII: 24H4NWX5CO)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
POTASSIUM CHLORIDE (UNII: 660YQ98110)
ZINC CHLORIDE (UNII: 86Q357L16B)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-139-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 57S RICH SAND

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-140
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
WATER (UNII: 059QF0K00R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
MICA (UNII: V8A1AW0880)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE (UNII: 92RU3N3Y10)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
PHYTANTRIOL (UNII: 8LVI07A72W)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
NYLON-12 (UNII: 446U8J075B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
OCTYLDODECANOL (UNII: 461N10614Y)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98110)	
ZINC CHLORIDE (UNII: 86Q357L16B)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-140-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 60H MAHOGANY

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-141
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
WATER (UNII: 059QF0K00R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
MICA (UNII: V8A1AW0880)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE (UNII: 92RU3N3Y10)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
PHYTANTRIOL (UNII: 8LVI07A72W)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
NYLON-12 (UNII: 446U8J075B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
KAOLIN (UNII: 24H4NWX5CO)	

MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98I10)	
ZINC CHLORIDE (UNII: 86Q357L16B)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-141-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 12S FAIR SAND

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-142
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

PHENOXYETHANOL (UNII: HIE492ZZ3T)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
LYSINE (UNII: K3Z4F929H6)
TOCOPHEROL (UNII: R0ZB2556P8)
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)
KAOLIN (UNII: 24H4NWX5CO)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
POTASSIUM CHLORIDE (UNII: 660YQ98I10)
ZINC CHLORIDE (UNII: 86Q357L16B)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-142-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 12B FAIR BEIGE

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-143
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98110)	
ZINC CHLORIDE (UNII: 86Q357L16B)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-143-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 13N IVORY

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-144
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THF5PC10R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ981I0)	
ZINC CHLORIDE (UNII: 86Q357L16B)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-144-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 16N FAIR-LIGHT NEUTRAL

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-145
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	

POTASSIUM CHLORIDE (UNII: 660YQ98I10)	
ZINC CHLORIDE (UNII: 86Q357L16B)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-145-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 16B FAIR-LIGHT BEIGE

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-146
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIMETHICONE CROSSPOLYMER (45000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

STEARIC ACID (UNII: 4ELV7Z65AP)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
LYSINE (UNII: K3Z4F929H6)
TOCOPHEROL (UNII: R0ZB2556P8)
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)
KAOLIN (UNII: 24H4NWX5CO)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
POTASSIUM CHLORIDE (UNII: 660YQ98110)
ZINC CHLORIDE (UNII: 86Q357L16B)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-146-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 16H FAIR-LIGHT HONEY
titanium dioxide and zinc oxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-147
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y10)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98110)	
ZINC CHLORIDE (UNII: 86Q357L16B)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-147-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 22S LIGHT SAND

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-148
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIMETHICONE CROSSPOLYMER (45000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98I10)	
ZINC CHLORIDE (UNII: 86Q357L16B)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-148-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 22N LIGHT NEUTRAL

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-149
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y10)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98110)	

ZINC CHLORIDE (UNII: 86Q357L16B)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-149-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 22B LIGHT BEIGE

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-150
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0TH5PC10R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
LYSINE (UNII: K3Z4F929H6)
TOCOPHEROL (UNII: R0ZB2556P8)
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)
KAOLIN (UNII: 24H4NWX5CO)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
POTASSIUM CHLORIDE (UNII: 660YQ98I10)
ZINC CHLORIDE (UNII: 86Q357L16B)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-150-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 27S LIGHT-MEDIUM SAND

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-151
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

WATER (UNII: 059QF0KO0R)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
DIMETHICONE CROSSPOLYMER (45000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
MICA (UNII: V8A1AW0880)
DIMETHICONE (UNII: 92RU3N3Y1O)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
LYSINE (UNII: K3Z4F929H6)
TOCOPHEROL (UNII: R0ZB2556P8)
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)
KAOLIN (UNII: 24H4NWX5CO)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
POTASSIUM CHLORIDE (UNII: 660YQ98110)
ZINC CHLORIDE (UNII: 86Q357L16B)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-151-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 27N LIGHT-MEDIUM NEUTRAL
titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-152
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98110)	
ZINC CHLORIDE (UNII: 86Q357L16B)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-152-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 29B LIGHT-MEDIUM BEIGE

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-153
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LVB3F07AZ)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98H0)	

ZINC CHLORIDE (UNII: 86Q357L16B)

HYALURONATE SODIUM (UNII: YSE9PPT4TH)

POTASSIUM SORBATE (UNII: 1VPU26JZZ4)

FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-153-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 29H LIGHT-MEDIUM HONEY

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-154
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0TH5PCI0R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	

SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
LYSINE (UNII: K3Z4F929H6)
TOCOPHEROL (UNII: R0ZB2556P8)
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)
KAOLIN (UNII: 24H4NWX5CO)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
POTASSIUM CHLORIDE (UNII: 660YQ98I10)
ZINC CHLORIDE (UNII: 86Q357L16B)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-154-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 35S MEDIUM SAND
titanium dioxide and zinc oxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-155
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength

WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIMETHICONE CROSSPOLYMER (45000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98I10)	
ZINC CHLORIDE (UNII: 86Q357L16B)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-155-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 35N MEDIUM NEUTRAL

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-156
--------------	----------------	--------------------	---------------

Route of Administration	TOPICAL
--------------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SO2LOH54Z) (Zinc Oxide - UNII:SO2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98I10)	
ZINC CHLORIDE (UNII: 86Q357L16B)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-156-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 35B MEDIUM BEIGE

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-157
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98110)	
ZINC CHLORIDE (UNII: 86Q357L16B)	

HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-157-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 35H MEDIUM HONEY

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-158
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIMETHICONE CROSSPOLYMER (45000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y10)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	

SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
LYSINE (UNII: K3Z4F929H6)
TOCOPHEROL (UNII: R0ZB2556P8)
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)
KAOLIN (UNII: 24H4NWX5CO)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
POTASSIUM CHLORIDE (UNII: 660YQ981I0)
ZINC CHLORIDE (UNII: 86Q357L16B)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-158-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 36H MEDIUM-TAN HONEY

titanium dioxide and zinc oxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-159
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	

CYCLOMETHICONE 5 (UNII: 0THT5PC10R)
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
MICA (UNII: V8A1AW0880)
DIMETHICONE (UNII: 92RU3N3Y1O)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PHENOXYETHANOL (UNII: HE492ZZ3T)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
LYSINE (UNII: K3Z4F929H6)
TOCOPHEROL (UNII: R0ZB2556P8)
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)
KAOLIN (UNII: 24H4NWX5CO)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
POTASSIUM CHLORIDE (UNII: 660YQ98110)
ZINC CHLORIDE (UNII: 86Q357L16B)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-159-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 40H TAN HONEY

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-160
--------------	----------------	--------------------	---------------

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98I10)	
ZINC CHLORIDE (UNII: 86Q357L16B)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-160-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 44S TAN SAND

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-161
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98110)	
ZINC CHLORIDE (UNII: 86Q357L16B)	

HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-161-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 46S TAN-DEEP SAND

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-162
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIMETHICONE CROSSPOLYMER (45000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y10)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	

SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
LYSINE (UNII: K3Z4F929H6)
TOCOPHEROL (UNII: R0ZB2556P8)
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)
KAOLIN (UNII: 24H4NWX5CO)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
POTASSIUM CHLORIDE (UNII: 660YQ98I10)
ZINC CHLORIDE (UNII: 86Q357L16B)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-162-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 47H TAN-DEEP HONEY

titanium dioxide and zinc oxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-163
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	

CYCLOMETHICONE 5 (UNII: 0THT5PC10R)
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
MICA (UNII: V8A1AW0880)
DIMETHICONE (UNII: 92RU3N3Y10)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PHENOXYETHANOL (UNII: HE492ZZ3T)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
LYSINE (UNII: K3Z4F929H6)
TOCOPHEROL (UNII: R0ZB2556P8)
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)
KAOLIN (UNII: 24H4NWX5CO)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
POTASSIUM CHLORIDE (UNII: 660YQ98110)
ZINC CHLORIDE (UNII: 86Q357L16B)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-163-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 51S DEEP SAND

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-164
--------------	----------------	--------------------	---------------

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98I10)	
ZINC CHLORIDE (UNII: 86Q357L16B)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-164-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 53H DEEP HONEY

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-165
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LYSINE (UNII: K3Z4F929H6)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98110)	
ZINC CHLORIDE (UNII: 86Q357L16B)	

HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-165-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

AMAZONIAN CLAY 12-HOUR FULL COVERAGE FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 57H RICH HONEY

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-166
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	60 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIMETHICONE CROSSPOLYMER (45000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE (UNII: 92RU3N3Y10)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	

SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
LYSINE (UNII: K3Z4F929H6)
TOCOPHEROL (UNII: R0ZB2556P8)
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)
KAOLIN (UNII: 24H4NWX5CO)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
POTASSIUM CHLORIDE (UNII: 660YQ981I0)
ZINC CHLORIDE (UNII: 86Q357L16B)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-166-01	1 in 1 CARTON	11/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

Labeler - Tarte, Inc (027905186)