

CHILDRENS PAIN RELIEF- childrens pain relief liquid
Allegiant Health

455 - Children Pain Relief Oral Suspension

Active ingredient(s)

Acetaminophen 160 mg

(in each 5 mL = 1 teaspoonful)

Purpose

Pain reliever/fever reducer

Use(s)

temporarily ■ reduces fever ■ relieves minor aches and pains due to: ■ the common cold ■ flu ■ headache ■ sore throat ■ toothache

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes: ■ more than 5 doses in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea or vomiting, consult a doctor promptly.

Do not use

■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ If your child is allergic to acetaminophen or any other of the inactive ingredients in this product.

Ask a doctor before use if

your child has liver disease

Ask a doctor or pharmacist before use if

your child is taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if

■ pain gets worse or lasts more than 5 days ■ fever gets worse or lasts more than 3 days ■ new symptoms ■ redness or swelling is present. These could be signs of a serious condition.

Keep out of reach of children

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

■ this product does not contain directions or complete warnings for adult use. ■ shake well before using

■ mL = milliliter; tsp = teaspoonful ■ find the right dose on the chart below. If possible, use weight to dose, otherwise, use age.

■ if needed, repeat dose every 4 hours while symptoms last ■ do not give more than 5 times in 24 hours

■ do not give for more than 5 days unless directed by a doctor

Weight (lb)	Age (yr)	Dose (mL)*
under 24	under 2 years	ask a doctor
24-35	2-3 years	5 mL(1 tsp)
36-47	4-5 years	7.5 mL(1 1/2 tsp)
48-59	6-8 years	10 mL(2 tsp)
60-71	9-10 years	12.5 mL(2 1/2 tsp)
72-95	11 years	15 mL(3 tsp)

*or as directed by a doctor

Attention: use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

Other information

■ each 5 mL (1 tsp) contains; sodium 3 mg ■ store between 20-25°C (68-77°F) ■ do not refrigerate ■ Keep carton for full directions for use.

Inactive ingredients

anhydrous citric acid, butylparaben, FD&C red #40, flavor, glycerin, high fructose corn syrup, microcrystalline cellulose and carboxymethylcellulose sodium, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose, xanthan gum

Questions/Comments

Call 1-888-952-0050 Monday through Friday 9AM - 5PM EST

Principal Display Panel



Children's Pain Relief

CHILDRENS PAIN RELIEF

childrens pain relief liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69168-455
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) ACETAMINOPHEN 160 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69168-455-53	1 in 1 CARTON	04/11/2024	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/11/2024	

Labeler - Allegiant Health (079501930)