# $\mbox{MUCUS RELIEF DM}$ - guaifenesin and dextromethorphan hbr tablet, extended release

Ahold U.S.A., Inc,

-----

#### **Drug Facts**

# Active ingredients (in each extended-release tablet)

Dextromethorphan Hydrobromide USP 60 mg Guaifenesin USP 1200 mg

#### **Purpose**

Cough suppressant Expectorant

#### Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep

#### Warnings

#### Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

#### Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

#### When using this product

do not use more than directed

#### Stop use and ask a doctor if

• cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### **Directions**

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours
- children under 12 years of age: do not use

#### Other information

- tamper evident: do not use if seal over bottle opening is broken or missing
- store at 20° to 25°C (68° to 77°F)

#### Inactive ingredients

colloidal silicon dioxide, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, pregelatinized starch (maize)

#### **Questions?**

call **1-877-846-9949** You may also report side effects to this phone number.

## PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 1200 mg/60 mg (14 Tablet Bottle)

NDC 60000-057-65
CAREOne®
MUCUS RELIEF DM
Guaifenesin 1200 mg / Dextromethorphan HBr 60 mg
Extended-Release Tablets
Expectorant/Cough Suppressant


#### **Maximum Strength**

Controls Cough
Thins and Loosens Mucus
14 EXTENDED-RELEASE TABLETS

#### Top Layer Printing side



#### Top Layer Adhesive side



#### Drugs Facts (Continued)

#### Warnings

Do not use ■ for children under 12 years of age ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema cough accompanied by too much phlegm (mucus)

When using this product - do not use more than directed

Stop use and ask a doctor if ■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.



LM-2528

#### 2nd Layer Adhesive side

#### Drugs Facts (Continued)

#### Directions

■ do not crush, chew, or break tablet ■ take with a full glass of water ■ this product can be administered without regard for timing of meals ■ adults and children 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours a children under 12 years of age: do not use

#### Other information

- tamper evident: do not use if seal over bottle opening is broken or missing
- store at 20° to 25°C (68° to 77°F)

#### Inactive ingredients

colloidal silicon dioxide, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, pregelatinized starch (maize)

Questions? call 1-877-846-9949 You may also report side effects to this phone number.

**Gluing Area** 

#### Base Layer

LM-2528

NDC 60000-057-65 CARE**ONE**® MUCUS RELIEF DM Gualfenesin 1200 mg / Dextromethorphan HBr 60 mg Extended-Release Tablets Expectorant/Cough Suppressant 12 h Controls Cough Thins and Loosens Mucus 14 EXTENDED-RELEASE TABLETS

DISTRIBUTED BY: FOODHOLD, U.S.A., LLC LANDOVER, MD 20785 1-877-846-9949 @ 2017 S&S Brands, LLC

Quality guaranteed or your money back. www.Care1.info



LM-2528

#### **Carton Label)**

#### NDC 60000-057-65 CARE One®

Compare to the active ingredients in Maximum Strength Mucinex®DM\*
MUCUS
RELIEF DM
Guaifenesin 1200 mg /
Dextromethorphan HBr 60 mg

Dextromethorphan HBr 60 mg Extended-Release Tablets Expectorant/Cough Suppresant

#### **Maximum Strength**

Controls Cough
Thins and Loosens Mucus

#### 12**h**

OUR PHARMACISTS Rx RECOMMENDED

14 EXTENDED-RELEASE TABLETS 63



#### **MUCUS RELIEF DM**

guaifenesin and dextromethorphan hbr tablet, extended release

# Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:60000-057 Route of Administration ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	1200 mg	
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	60 mg	
(DEATHORITIAN ONII.7333ASINOTS)	MEROBROMBE		

Inactive Ingredients			
Ingredient Name	Strength		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
POVIDONE K90 (UNII: RDH86HJV5Z)			
POVIDONE K25 (UNII: K0KQV10C35)			
STARCH, CORN (UNII: O8232NY3SJ)			

Product Characteristics			
Color	WHITE (white to off-white)	Score	no score
Shape	OVAL	Size	22mm
Flavor		Imprint Code	X;63
Contains			

Packaging				
4	tem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60000-057- 65	1 in 1 CARTON	03/17/2017	
1		14 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date
ANDA	ANDA206941	03/17/2017	

### **Labeler -** Ahold U.S.A., Inc, (188910863)

## Registrant - Aurohealth LLC (078728447)

Establishment				
Name	Address	ID/FEI	Business Operations	
Aurobindo Pharma Limited		650381903	ANALYSIS(60000-057), MANUFACTURE(60000-057)	

Revised: 12/2023 Ahold U.S.A., Inc,