

**METADERM ECZEMA BODY AND SCALP AND BABY BODY AND SCALP- achillea millefolium, aesculus hippocastanum, berberis vulgaris, conium maculatum, matricaria chamomilla, phytolacca decandra, rhus toxicodendron, sanguinaria canadensis spray  
Cosmetic Specialty Labs, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Metaderm Excema Body and Scalp Spray  
Metaderm Excema Baby Body and Scalp Spray**

**Active Ingredient**

Achillea millefolium (3X H.P.U.S.\*, 0.04%)  
Aesculus hippocastanum (3X H.P.U.S.\*, 0.04%)  
Berberis vulgaris (3X H.P.U.S.\*, 0.09%)  
Conium maculatum (3X H.P.U.S.\*, 0.21%)  
Matricaria chamomilla (3X H.P.U.S.\*, 0.05%)  
Phytolacca decandra (3X H.P.U.S.\*, 0.11%)  
Rhus toxicodendron (3X H.P.U.S.\*, 0.13%)  
Sanguinaria canadensis (3X H.P.U.S.\*, 0.08%)

**Purpose**

Cracking, Dryness, Rash, Scaling  
Inflammation, itching  
Burning, Itching, Redness, Scaling  
Burning, Itching, Inflammation  
Redness, Itching  
Inflammation, Itching, Redness  
Bleeding, Redness  
Dryness, Irritation, Itching

\*The letters H.P.U.S. indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

**Uses:**

Temporarily protects and helps relieve minor skin irritation and itching due to eczema.

**Warnings:**

for external use only

**When using this product:**

- Avoid contact with eyes.
- 

**Stop use and ask a doctor if:**

condition worsens or does not improve after

regular use as directed.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center immediately. Test for allergy by rubbing a small amount on skin first. Do not use if allergic to or hypersensitive to any ingredient.

**Directions:**

For scalp, part hair, hold targeted nozzle no more than 1 inch from scalp, and spray at the roots to cover the affected area. For body, hold nozzle about 6 inches from skin and spray to cover the affected area. Lightly massage into scalp or skin with fingertips, No rinsing. Repeat on all affected areas and style hair as usual. Apply liberally to dry or wet skin 2 times daily.

**Other ingredients:**

Purified Water, Glycerin, Niacinamide, Phenoxyethanol,  
1,2-Hexanediol, Caprylyl Glycol, Acrylates-C10-30 Alkyl  
Acrylate Crosspolymer, Aminomethyl Propanol, Sodium Citrate,  
Polysorbate-20, Citric Acid, Hamamelis virginiana, Hydrastis canadensis,  
Avena sativa, Populus alba, Populus tremuloides, Cochlearia ocinalis,  
Ervum lens, Scrophularia nodosa, Veronica ocinalis, Althaea ocinalis,  
Sambucus nigra, Malva sylvestris, Nasturtium ocinale, Smilax medica,  
Tussilago farfara, Pimpinella saxifraga, Vincetoxicum ocinale.

**Principal Display Panel and Drug Facts**

**Drug Facts**

**Active Ingredient**      **Purpose:** Relieves Skin:

Phytolacca decandra (4X H.P.U.S.\* 1.19%)      Cracking, Dryness, Rash, Scaling  
Conium maculatum (3X H.P.U.S.\* 0.21%)      Inflammation, Itching  
Rhus toxicodendron (3X H.P.U.S.\* 0.13%)      Burning, Itching, Redness, Scaling  
Berberis vulgaris (3X H.P.U.S.\* 0.09%)      Burning, Itching, Inflammation  
Sanguinaria canadensis (3X H.P.U.S.\* 0.08%)      Redness, Itching  
Matricaria chamomilla (3X H.P.U.S.\* 0.05%)      Inflammation, Itching, Redness  
Achillea millefolium (3X H.P.U.S.\* 0.04%)      Bleeding, Redness  
Aesculus hippocastanum (3X H.P.U.S.\* 0.04%)      Dryness, Irritation, Itching

\*The letters H.P.U.S. indicate that the components in this product are officially monographed in the Homeopathic Pharmacopeia of the United States.

**Uses:** Temporarily protects and helps relieve minor skin irritation and itching due to eczema.

**Warning:** For external use only.


When using this product avoid contact with the eyes.

Stop and ask a doctor if condition worsens or does not improve after regular use as directed.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately. Test for allergy by rubbing a small amount on skin first. Do not use if allergic to or hypersensitive to any ingredient.

**Directions:** For scalp, part hair, hold targeted nozzle no more than 1 inch from scalp, and spray at the roots to cover the affected area. For body, hold nozzle about 6 inches from skin and spray to cover the affected area. Lightly massage into scalp or skin with fingertips - NO rinsing! Repeat on all affected areas and style hair as usual. Apply liberally to dry or wet skin **2X DAILY**.

**Inactive Ingredients:** Purified Water, Glycerin, Nicotinamide, Phenoxyethanol, 1,2-Hexanediol, Caprylyl Glycol, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Aminomethyl Propanol, Sodium Citrate, Polysorbate-20, Citric Acid, Hamamelis virginiana, Hydrastis canadensis, Avena sativa, Populus alba, Populus tremuloides, Cochlearia officinalis, Ervum lens, Scrophularia nodosa, Veronica officinalis, Althaea officinalis, Sambucus nigra, Malva sylvestris, Nasturtium officinale, Smilax medica, Tussilago farfara, Pimpinella saxifraga, Vincetoxicum officinale.




**ECZEMA  
BODY & SCALP  
SPRAY**

4 FL OZ (118mL)

**METADERM.COM**

Manufactured for: Haus Biocenticals, 355 Research  
Plow, Oklahoma City, OK 73104, 1-888-525-3658

**HOMEOPATHIC**

58133-113-E04 

## METADERM ECZEMA BODY AND SCALP AND BABY BODY AND SCALP

achillea millefolium, aesculus hippocastanum, berberis vulgaris, conium maculatum, matricaria chamomilla, phytolacca decandra, rhus toxicodendron, sanguinaria canadensis spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58 133-390
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MATRICARIA CHAMOMILLA FLOWERING TOP OIL</b> (UNII: SA8AR2W4ER) (MATRICARIA CHAMOMILLA FLOWERING TOP OIL - UNII:SA8AR2W4ER)	MATRICARIA CHAMOMILLA FLOWERING TOP OIL	5 [hp_M] in 1 mL
<b>SANGUINARIA CANADENSIS ROOT</b> (UNII: N9288CD508) (SANGUINARIA CANADENSIS ROOT - UNII:N9288CD508)	SANGUINARIA CANADENSIS ROOT	8 [hp_M] in 1 mL
<b>ACHILLEA MILLEFOLIUM</b> (UNII: 2FXJ6SW4PK) (ACHILLEA MILLEFOLIUM - UNII:2FXJ6SW4PK)	ACHILLEA MILLEFOLIUM	4 [hp_M] in 1 mL
<b>BERBERIS VULGARIS FRUIT</b> (UNII: 6XEF22AHC3) (BERBERIS VULGARIS FRUIT - UNII:6XEF22AHC3)	BERBERIS VULGARIS FRUIT	9 [hp_M] in 1 mL
<b>CONIUM MACULATUM FRUIT</b> (UNII: Y71WKJ3A2K) (CONIUM MACULATUM FRUIT - UNII:Y71WKJ3A2K)	CONIUM MACULATUM FRUIT	21 [hp_M] in 1 mL
<b>RHUS SPP. WHOLE</b> (UNII: 3U7FG9T9MW) (RHUS SPP. WHOLE - UNII:3U7FG9T9MW)	RHUS SPP. WHOLE	13 [hp_M] in 1 mL

<b>PHYTOLACCA OCTANDRA LEAF</b> (UNII: 0804KD28Q9) (PHYTOLACCA OCTANDRA LEAF - UNII:0804KD28Q9)	PHYTOLACCA OCTANDRA LEAF	110 [hp_M] in 1 mL
<b>AESCULUS HIPPOCASTANUM SEED OIL</b> (UNII: E0M52HIR1Y) (AESCULUS HIPPOCASTANUM SEED OIL - UNII:E0M52HIR1Y)	AESCULUS HIPPOCASTANUM SEED OIL	4 [hp_M] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
VERONICA OFFICINALIS LEAF (UNII: 96R87REA55)	
ALTHAEA OFFICINALIS LEAF (UNII: E2QQV92338)	
SCROPHULARIA NODOSA (UNII: 7H443NUB2T)	
WATER (UNII: 059QF0KO0R)	
HAMAMELIS VIRGINIANA ROOT BARK/STEM BARK (UNII: T7S323PKJS)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HYDRASTIS CANADENSIS WHOLE (UNII: R763EBH88T)	
TUSSILAGO FARFARA (UNII: 0JXZ63016V)	
LENS CULINARIS FRUIT (UNII: ZYZ076G9JH)	
SAMBUCUS NIGRA FLOWER OIL (UNII: Q35633V53D)	
MALVA SYLVESTRIS LEAF (UNII: 17HB9B00T5)	
NIACINAMIDE (UNII: 25X51I8RD4)	
AVENA SATIVA LEAF (UNII: 206PI19V7R)	
POPULUS TREMULOIDES LEAF (UNII: 7IIE57D9E0)	
POPULUS ALBA LEAF (UNII: A74CT64437)	
COCHLEARIA OFFICINALIS LEAF (UNII: WAG1VW36J6)	
SARSAPARILLA (UNII: 2H1576D5WG)	
NASTURTIUM OFFICINALE (UNII: YH89GMV676)	
VINCETOXICUM ATRATUM ROOT (UNII: 7DQZ24B35Y)	
PIMPINELLA SAXIFRAGA ROOT (UNII: 5Y05905N7G)	
(C10-C30)ALKYL METHACRYLATE ESTER (UNII: XH2FQZ38D8)	
AMINOMETHYL PROPANEDIOL (UNII: CZ7BU4QZJZ)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
GLYCERIN (UNII: PDC6A3C0OX)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58133-390-32	950 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/15/2018	
2	NDC:58133-390-04	118 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	08/15/2018	
3	NDC:58133-390-33	950 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/15/2018	
4	NDC:58133-390-40	118 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	08/15/2018	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		08/15/2018	

**Labeler** - Cosmetic Specialty Labs, Inc. (032973000)

**Registrant** - Cosmetic Specialty Labs, Inc. (032973000)

## Establishment

Name	Address	ID/FEI	Business Operations
Cosmetic Specialty Labs, Inc.		032973000	manufacture(58133-390)

Revised: 8/2018

Cosmetic Specialty Labs, Inc.