PLUSPHARMA EXTRA STRENGTH PAIN RELIEVER, FEVER REDUCER 500 MGacetaminophen tablet

Proficient Rx LP

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each tablet)

Acetaminophen 500 mg

Purposes

Pain reliever/fever reducer

Uses

- for the temporary relief of minor aches and pains due to:
- headache
- muscular aches
- backache
- minor pain of arthritis
- the common cold
- toothache
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. The maximum daily dose of this product is 6 tablets (3,000 mg) in 24 hours. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or non prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose Warning: Taking more than the recommended dose (overdose) may cause liver damage. In the case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

Do not take more than directed (see overdose warning)

Adults and children 12 years and over:

- take 2 tablets every 6 hours while symptoms last
- do not take more than 6 tablets in 24 hours unless directed by a doctor
- do not take for more than 10 days unless directed by a doctor.

Children under 12 years: ask a doctor.

Other information

- Do not use if imprinted safety seal under cap is broken or missing
- Store at room temperature

Inactive ingredients

Povidone, Pregelatinized Starch, Sodium Starch Glycolate, Stearic Acid.

Questions?

If you have any questions or comments, or to report an adverse event, please contact (800) 795-9775.

Principal Display Panel

Repackaged by: Proficient Rx LP Thousand Oaks, CA 91320

See New Warnings Information and Directions

Extra Strength

ACETAMINOPHEN 500 mg

PAIN RELIEVER FEVER REDUCER

CONTAINS NO ASPIRIN

Compare to the Active Ingredient in Extra Strength Tylenol®

This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Extra Strength Tylenol®

30 TABLETS 500 mg each





NDC 63187-293-30

Lot #:00000 Exp. 00/00/00 SN# MASTER

#30 ES Tablets Lot #:00000 NDC 63187-293-30

SN# MASTER Exp:00/00/00

Acetaminophen 500mg #30 ES Tablets Lot #:00000

Acetaminophen 500mg

NDC 63187-293-30

SN# MASTER Exp:00/00/00

Acetaminophen 500mg #30 ES Tablets Lot #:00000

NDC 63187-293-30

SN# MASTER Exp:00/00/00

Packaged By: Proficient Rx LP Thousand Oaks, CA 91320

Acetaminophen 500mg

#30

ES Tablets

Each tablet contains: Acetaminophen 500mg Pain reliever / fever reducer

White, round flat faced beveled edge, scored tablets with imprint code GPI and A5

Product ID: PA029330

Dist. By: Plus Pharma, Commack, NY 11725

Store at room temperature

Keep medication out of the reach of children

PLUSPHARMA EXTRA STRENGTH PAIN RELIEVER, FEVER REDUCER 500 MG

acetaminophen tablet

Product Information

Product TypeHUMAN OTC DRUGItem Code (Source)NDC:63187-293(NDC:51645-706)

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINO PHEN (UNII: 36209 ITL9D) (ACETAMINO PHEN - UNII: 36209 ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients				
Ingredient Name	Strength			
PO VIDONE, UNSPECIFIED (UNII: FZ989GH94E)				
STARCH, CORN (UNII: O8232NY3SJ)				
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)				
STEARIC ACID (UNII: 4ELV7Z65AP)				

Product Characteristics			
Color	white	Score	2 pieces
Shape	ROUND (round flat faced beveled edge)	Size	12mm
Flavor		Imprint Code	GPI;A5
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63187-293- 10	10 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/04/2018	
2	NDC:63187-293- 30	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/0 1/20 14	
3	NDC:63187-293- 40	40 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/01/2017	
4	NDC:63187-293- 50	50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/01/2017	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	03/27/2006	

Labeler - Proficient Rx LP (079196022)

Establishment			
Name	Address	ID/FEI	Business Operations
Proficient Rx LP		079196022	REPACK(63187-293), RELABEL(63187-293)

Revised: 11/2019 Proficient Rx LP