

TAGRID ANTIFUNGAL KIT- tolnaftate, clotrimazole

TAGRID LLC

Initial Drug Listing - Tagrid Antifungal Kit (Soap + Cream)

Tagrid Antifungal Kit (Soap + Cream)

This package contains:

- One bar of antifungal soap with Tolnaftate and herbal ingredients.
- One tube of antifungal cream with Clotrimazole 1% for enhanced relief.

See product labeling below for full directions and warnings. Main instructions on this box are based on soap usage. See cream label for specific use cases.

Questions? Contact support@tagridllc.com or visit www.tagridllc.com

Tolnaftate

- For effective treatment of jock itch, ringworm, athlete's foot, and folliculitis tinea.
- For effective relief of itching, burning, and cracking skin.

For external use only

Do not use on children under 2 years of age except under the advice and supervision of a doctor.

When using this product avoid contact with the eyes.

Stop use and ask a doctor if irritation occurs or if there is no improvement within 2 weeks for jock itch.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

- Wash the affected area well and let the product sit for 1-2 minutes before rinsing.
- Ensure thorough drying of the affected area.
- Supervise children when using this product.
- For patients seeking immediate relief or experiencing severe symptoms, we recommend applying the ointment.
- Please note the potential burning and stinging sensation after application, primarily due to menthol and other natural ingredients.
- Endure any discomfort for 5-10 minutes before experiencing immediate relief.
- Use 1-2 times daily for 4 weeks. If the condition persists longer, consult a doctor.
- The cream provided is intended for severe cases.
- Users may experience a burning or stinging sensation upon application.
- This discomfort should be tolerated for 5-10 minutes before subsiding and can be relieved immediately.

If you have any questions about this product, please contact us at support@tagridllc.com, or visit www.tagridllc.com for more information.

Tested and designed in the USA.

Ingredients:

- GLEDITSIA SINENSIS FRUIT
- MENTHA CANADENSIS WH LE
- STELLERA CHAMAEJASME WHOLE
- OATMEAL
- SOPHORA FLAVESCENS ROOT
- PHELLODENDRON CHINENSE WHOLE
- CNIDIUM MONNIERI FRUIT
- STEMONA SESSILIFOLIA ROOT
- EUCALYPTUS GLOBULUS LEAF OIL
- DICTAMNUS DASYCARPUS ROOT BARK
- MELALEUCA ALTERNIFOLIA (TEA TREE) LEAF OIL

Clotrimazole 1%

Antifungal Ointment

- Treats fungal infections of the skin, such as folliculitis, athlete's foot, jock itch, ringworm, and seborrheic dermatitis.
- Effective for relieving symptoms of itching, scaling, redness, and discomfort caused by fungal infections.
- Helps reduce and control fungal skin infections, including:
 - tinea corporis (body fungus)
 - tinea cruris (groin fungus)
 - tinea pedis (foot fungus)
 - tinea versicolor
- Can be used on areas prone to fungal growth, such as the scalp, face, chest, back, arms, and legs.

For external use only.

on broken, inflamed, or severely irritated skin.

If you are allergic to Clotrimazole or any other ingredients in this product.

Avoid contact with the eyes. If the product gets into the eyes, rinse thoroughly with water.

Stop use and ask a doctor if: a rash appears. the condition does not improve within 2-4 weeks of regular use.

ask a healthcare provider before use.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

1. Adults and children 12 years and over:
 - Clean and dry the affected area before application.
 - Apply a small amount to the affected area once or twice daily, or as directed by a doctor.
 - Use continuously for up to 4 weeks, or as directed by a healthcare provider.
2. Children under 12 years:
 - Ask a doctor before use.

1. Clean the affected area thoroughly with soap and water and dry completely before applying the cream.
2. Apply a small amount of ointment to the affected area and gently rub in.
3. Use daily for up to 4 weeks, or as directed by a healthcare provider.

store at 20°C to 25°C (68°F-77°F).

see the top panel for lot number and expiration date.

Questions or comments?

Contact us at: support@tagridllc.com

- Borneol
- Sophora Flavescens Root
- Cnidium monnieri Root
- Bassia scoparia Fruit
- Scoparia Pollen
- Dictamnus Dasycarpus Root
- Smilax Glabra Whole
- Artemisia argyi Leaf
- Tea Tree Oil

31*24*90MM

® TAGRID

Drug Facts

Active ingredient	Purpose
1% Clotrimazole	Antifungal Ointment

Uses

- Itching
- Scaling, and Discomfort

Warnings For external use only

Do not use

- on skin that is broken or inflamed
- if you are allergic to ingredients in this product

When using this product Avoid contact with the eyes. If the product gets into the eyes, rinse thoroughly with water.

Stop use and ask a doctor if a rash appears or the condition worsens. If the condition does not improve in 2-4 weeks.

If pregnant or breastfeeding, ask a doctor before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

Adults and children 12 years and over
Apply to the affected area once or twice daily or as directed by a doctor. Wash the affected skin with soap and water and dry completely before applying.
Children under 12 years
Ask a doctor before use.

Drug Fact (Continued)

Instructions

- Clean and dry the affected area before applying the ointment.
- Apply a small amount of ointment to the affected area and rub in gently.
- Use daily for up to 4 weeks or as directed by a doctor.

Other information

- Store at 20°C to 25°C (68°F-77°F). See top panel for lot number and expiration date.

Questions or comments?
support@tagridllc.com

TAGRID®

TOP-NOTCH

**ANTI
FUNGAL
TREATMENT**

1% CLOTRIMAZOLE

**MAXIMUM
STRENGTH**

NATURAL & UNIQUE FORMULA
SAFE & EFFECTIVE
POWERFUL & FAST

7
DAYS



NET WT. 0.71 OZ (20 G)

INACTIVE INGREDIENTS

Borneol, Sophora Flavescens, Root Cnidium Monnieri, Fruit Kochia, Scoparia Pollen, Dictamnus Dasycarpus Root, Smilax Glabra Whole, Artemisia Extract, Tea Tree Oil

Distributed by **TAGRID LLC**

Address

3515 Mount Diablo Blvd Unit 18,
Lafayette, CA 94549
Website: tagridllc.com
Email: support@tagridllc.com

SERIAL CODE: 20711162022
MODEL NUMBER: DJ020



**MANUFACTURED AT
THE TAGRID
LICENSED FACILITY
IN THE PRC.**

X0049T5BKN



TAGRID[®]
ANTIFUNGAL SOAP

尺寸:85X33X100, mm

IMPORTANT INFORMATION
The cream provided is intended for severe cases, and users may experience a burning or stinging sensation upon application. This discomfort should be tolerated for 5-10 minutes before subsiding and can be relieved immediately.

DRUG FACTS

ACTIVE INGREDIENTS	PURPOSE
Tolnaftate 1.0% -----	Antifungal

Uses

- For effective treatment of jock itch, ringworm, athlete's foot, folliculitis and most tinea.
- For effective relief of itching, burning, and cracking skin.

WARNINGS

For external use only. Do not use on children under 2 years of age except under the advice and supervision of a doctor. When using this product avoid contact with the eyes.
Stop use and ask a doctor if irritation occurs or if there is no improvement within 2 weeks for jock itch.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

- Wash the affected area well and let the product sit for 1-2 minutes before rinsing.
- Ensure thorough drying of the affected area.
- Supervise children when using this product.
- For patients seeking immediate relief or experiencing severe symptoms, we recommend applying the ointment. Please note the potential burning and stinging sensation after application, primarily due to menthol and other natural ingredients. Endure any discomfort for 5-10 minutes before experiencing immediate relief.
- Use 1-2 times daily for 4 weeks. If the condition persists longer, consult a doctor.

If you have any questions about this product call:
support@tagridllc.com or visit www.tagridllc.com for more information.
TEST & DESIGN IN THE USA



X004641QSZ

INACTIVE INGREDIENTS
Eucalyptus Globulus Leaf Oil,
Melaleuca Alternifolia (Tea Tree) Leaf Oil, Mentha canadensis, Sophora flavescens, Dittany Bark, Glabrous Greenbrier Rhizome, Mosla cavaleriei Levl, Stellera chamaejasme, Huang Bai, Sessile Stemonia Root, Gleditsia sinensis, Common Caidium Fruit, Fructus Kochiae



MANUFACTURED AT THE
TAGRID LICENSED FACILITY
IN THE PRC.

TAGRID[®]

TOP-NOTCH

ANTIFUNGAL SOAP NET WT. 4 OZ

MAXIMUM STRENGTH

- ✓ **JOCK ITCH**
- ✓ **RINGWORM**
- ✓ **ATHLETE'S FOOT**
- ✓ **FOLLICULITIS**
- ✓ **TINEA VERSICOLOR**

7
DAYS

BE COMPLETELY RELIEF
FOR ALL SKIN TYPES
ADVANCED
TENDER LOVING CARE



尺寸:83X35X93, mm
材质:银卡纸逆向UV

TAGRID ANTIFUNGAL KIT

tolnaftate, clotrimazole kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85384-0014
--------------	----------------	--------------------	----------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85384-0014-1	1 in 1 BOX; Type 0: Not a Combination Product	06/09/2025	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOX	113.4 g
Part 2	1 TUBE	20 g

Part 1 of 2

TAGRID ANTIFUNGAL

tolnaftate soap

Product Information

Item Code (Source)	NDC:85384-0013
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
GLEDITSIA SINENSIS FRUIT (UNII: A6W0J6U07Q)	
MENTHA CANADENSIS WHOLE (UNII: J1BO4MHT2L)	
STELLERA CHAMAEJASME WHOLE (UNII: 80N0P0DD9J)	
OATMEAL (UNII: 8PI54V663Y)	
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K)	
PHELLODENDRON CHINENSE WHOLE (UNII: QKA3ZK8IIE)	
CNIDIUM MONNIERI FRUIT (UNII: V1IA3S3CUS)	
STEMONA SESSILIFOLIA ROOT (UNII: EKG8030U4N)	
EUCALYPTUS GLOBULUS LEAF OIL (UNII: 2R04ONI662)	
DICTAMNUS DASYCARPUS ROOT BARK (UNII: LA97176ILS)	
MELALEUCA ALTERNIFOLIA (TEA TREE) LEAF OIL (UNII: VIF565UC2G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85384-0013-1	113.4 g in 1 BOX; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005		

Part 2 of 2

TAGRID ANTIFUNGAL TREATMENT CLOTRIMAZOLE 1%

clotrimazole cream

Product Information

Item Code (Source)	NDC:85384-0012
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Clotrimazole (UNII: G07GZ97H65) (Clotrimazole - UNII:G07GZ97H65)	Clotrimazole	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
CNIDIUM MONNIERI FRUIT (UNII: V1IA3S3CUS)	
DICTAMNUS DASYCARPUS ROOT BARK (UNII: LA97176ILS)	
TEA TREE OIL (UNII: VIF565UC2G)	
BORNEOL (UNII: M89NIB437X)	
BASSIA SCOPARIA POLLEN (UNII: 07A108ZKW5)	
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K)	
BASSIA SCOPARIA FRUIT (UNII: 04W97Z676Y)	
ARTEMISIA ARGYI LEAF (UNII: 2JYC99Q0WZ)	
SMILAX GLABRA WHOLE (UNII: H51N91QNEB)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85384-0012-1	20 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	06/09/2025	

Labeler - TAGRID LLC (118778969)

