

**EBV/CFS PLUS- baptisia tinctoria, condurango, echinacea (angustifolia), hydrastis canadensis, nasturtium aquaticum, ligusticum porteri, nasturtium aquaticum, phytolacca decandra, tabebuia impetiginosa, astragalus menziesii, propolis, glandula suprarenalis suis, thymus (suis), aranea diadema, gelsemium sempervirens, ipecacuanha, lycopodium clavatum, mercurius solubilis, muriaticum acidum, nitricum acidum, rhus tox, selenium metallicum, silicea, epstein-barr virus nosode liquid**

**Deseret Biologicals, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **DRUG FACTS:**

## **ACTIVE INGREDIENT:**

Baptisia tinctoria 3X, Condurango 3X, Echinacea (angustifolia) 3X, Hydrastis canadensis 3X, Nasturtium aquaticum 3X, Ligusticum porteri 3X, Nasturtium aquaticum 3X, Phytolacca decandra 3X, Tabebuia impetiginosa 3X, Astragalus menziesii 6X, Propolis 6X, Glandula suprarenalis suis 8X, Thymus (suis) 8X, Aranea diadema 12X, Gelsemium sempervirens 12X, Ipecacuanha 12X, Lycopodium clavatum 12X, Mercurius solubilis 12X, Muriaticum acidum 12X, Nitricum acidum 12X, Rhus tox 12X, Selenium metallicum 12X, Silicea 12X, Epstein-Barr virus nosode 30X, 60X, 200X.

## **INDICATIONS:**

For temporary relief of symptoms related to Epstein-Barr virus, fibromyalgia, or chronic fatigue syndrome including sore throat, fatigue, joint pain, muscle pain, foggy thinking, and swollen lymph glands.\*\*

\*\*These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

## **WARNINGS:**

**Keep out of reach of children.** In case of overdose, contact a physician or Poison Control Center right away.

**If pregnant or breast-feeding,** ask a health professional before use.

Tamper seal: "Sealed for Your Protection." Do not use if seal is broken or missing.

**WARNING:** Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a physician promptly. Do not use more than two days or administer to children under 3 years of age unless directed by a physician.

## **KEEP OUT OF REACH OF CHILDREN:**

**Keep out of reach of children.** In case of overdose, contact a physician or Poison Control Center.

## **DIRECTIONS:**

1-10 drops under the tongue, 3 times a day or as directed by a health professional. Consult a physician for use in children under 12 years of age.

## INDICATIONS:

For temporary relief of symptoms related to Epstein-Barr virus, fibromyalgia, or chronic fatigue syndrome including sore throat, fatigue, joint pain, muscle pain, foggy thinking, and swollen lymph glands.\*\*

\*\*These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

## INACTIVE INGREDIENTS:

Demineralized Water, 25% Ethanol.

## QUESTIONS:

Dist. By: Deseret Biologicals, Inc.

469 W. Parkland Drive

Sandy, UT 84070 [www.desbio.com](http://www.desbio.com)

## PACKAGE LABEL DISPLAY:

**DESBIO**

**NDC 43742-0423-1**

**HOMEOPATHIC**

**EBV/CFS PLUS**

**1 FL OZ (30 ml)**

### WARNINGS:


**Keep out of reach of children.** In case of overdose, contact a physician or Poison Control Center right away. **If pregnant or breast-feeding**, ask a health professional before use. Tamper seal: "Sealed for Your Protection." Do not use if seal is broken or missing.

### DIRECTIONS:

1-10 drops under the tongue, 3 times a day or as directed by a health professional. Consult a physician for use in children under 12 years of age.

**WARNING:** Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a physician promptly. Do not use more than two days or administer to children under 3 years of age unless directed by a physician.

LOT:



### ACTIVE INGREDIENTS:

Baptisia 3X, Condurango 3X, Echinacea 3X, Hydrastis 3X, Ligusticum Porteri 3X, Nasturtium 3X, Phytolacca 3X, Tabebuia Impetiginosa 3X, Astragalus 6X, Propolis 6X, Glandula Suprarenalis Suis 8X, Thymus 8X, Aranea 12X, Gelsemium 12X, Ipecac 12X, Lycopodium 12X, Merc Solub 12X, Muriaticum Ac 12X, Nitricum Ac 12X, Rhus Tox 12X, Selenium 12X, Silicea 12X, Epstein-Barr Virus Nosode 30X, 60X, 200X.

### HOMEOPATHIC INDICATIONS:

For temporary relief of symptoms related to Epstein-Barr Virus, fibromyalgia, or chronic fatigue syndrome including sore throat, fatigue, joint pain, muscle pain, foggy thinking, and swollen lymph glands.\*\*

\*\*These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

Dist. By: Deseret Biologicals, Inc.  
469 W. Parkland Drive  
Sandy, UT 84070 [www.desbio.com](http://www.desbio.com)

## EBV/CFS PLUS

baptisia tinctoria, condurango, echinacea (angustifolia), hydrastis canadensis, nasturtium aquaticum, ligusticum porteri, nasturtium aquaticum, phytolacca decandra, tabebuia impetiginosa, astragalus menziesii, propolis, glandula suprarenalis suis, thymus (suis), aranea diadema, gelsemium sempervirens, ipecacuanha, lycopodium clavatum, mercurius solubilis, muriaticum acidum, nitricum acidum, rhus tox, selenium metallicum, silicea, epstein-barr virus

nosode liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43742-0423
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BAPTISIA TINCTORIA ROOT</b> (UNII: 5EF0HWI5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HWI5WU)	BAPTISIA TINCTORIA ROOT	3 [hp_X] in 1 mL
<b>MARSDENIA CONDURANGO BARK</b> (UNII: R23QIR6YBA) (MARSDENIA CONDURANGO BARK - UNII:R23QIR6YBA)	MARSDENIA CONDURANGO BARK	3 [hp_X] in 1 mL
<b>ECHINACEA ANGUSTIFOLIA</b> (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	3 [hp_X] in 1 mL
<b>GOLDENSEAL</b> (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)	GOLDENSEAL	3 [hp_X] in 1 mL
<b>LIGUSTICUM PORTERI ROOT</b> (UNII: 81FGO4H42J) (LIGUSTICUM PORTERI ROOT - UNII:81FGO4H42J)	LIGUSTICUM PORTERI ROOT	3 [hp_X] in 1 mL
<b>NASTURTIUM OFFICINALE</b> (UNII: YH89GMV676) (NASTURTIUM OFFICINALE - UNII:YH89GMV676)	NASTURTIUM OFFICINALE	3 [hp_X] in 1 mL
<b>PHYTOLACCA AMERICANA ROOT</b> (UNII: 11E6V18VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6V18VEG)	PHYTOLACCA AMERICANA ROOT	3 [hp_X] in 1 mL
<b>TABEBUIA IMPETIGINOSA BARK</b> (UNII: 6GLA1946WX) (TABEBUIA IMPETIGINOSA BARK - UNII:6GLA1946WX)	TABEBUIA IMPETIGINOSA BARK	3 [hp_X] in 1 mL
<b>ASTRAGALUS NUTTALLII LEAF</b> (UNII: NC1P15G4KZ) (ASTRAGALUS NUTTALLII LEAF - UNII:NC1P15G4KZ)	ASTRAGALUS NUTTALLII LEAF	6 [hp_X] in 1 mL
<b>PROPOLIS WAX</b> (UNII: 6Y8XYV2NOF) (PROPOLIS WAX - UNII:6Y8XYV2NOF)	PROPOLIS WAX	6 [hp_X] in 1 mL
<b>SUS SCROFA ADRENAL GLAND</b> (UNII: 398IYQ16YV) (SUS SCROFA ADRENAL GLAND - UNII:398IYQ16YV)	SUS SCROFA ADRENAL GLAND	8 [hp_X] in 1 mL
<b>SUS SCROFA THYMUS</b> (UNII: 7B69B0BD62) (SUS SCROFA THYMUS - UNII:7B69B0BD62)	SUS SCROFA THYMUS	8 [hp_X] in 1 mL
<b>ARANEUS DIADEMATUS</b> (UNII: 6T6CO7R3Z5) (ARANEUS DIADEMATUS - UNII:6T6CO7R3Z5)	ARANEUS DIADEMATUS	12 [hp_X] in 1 mL
<b>GELSEMIUM SEMPERVIRENS ROOT</b> (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	12 [hp_X] in 1 mL
<b>IPECAC</b> (UNII: 62I3C8233L) (IPECAC - UNII:62I3C8233L)	IPECAC	12 [hp_X] in 1 mL
<b>LYCOPODIUM CLAVATUM SPORE</b> (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	12 [hp_X] in 1 mL
<b>MERCURIUS SOLUBILIS</b> (UNII: 324Y4038G2) (MERCURIUS SOLUBILIS - UNII:324Y4038G2)	MERCURIUS SOLUBILIS	12 [hp_X] in 1 mL
<b>HYDROCHLORIC ACID</b> (UNII: QTT17582CB) (HYDROCHLORIC ACID - UNII:QTT17582CB)	HYDROCHLORIC ACID	12 [hp_X] in 1 mL
<b>NITRIC ACID</b> (UNII: 411VRN1TV4) (NITRIC ACID - UNII:411VRN1TV4)	NITRIC ACID	12 [hp_X] in 1 mL
<b>TOXICODENDRON PUBESCENS LEAF</b> (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	12 [hp_X] in 1 mL
<b>SELENIUM</b> (UNII: H6241UJ22B) (SELENIUM - UNII:H6241UJ22B)	SELENIUM	12 [hp_X] in 1 mL
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	12 [hp_X] in 1 mL
<b>HUMAN HERPESVIRUS 4</b> (UNII: 2A26YW7PNX) (HUMAN HERPESVIRUS 4 - UNII:2A26YW7PNX)	HUMAN HERPESVIRUS 4	30 [hp_X] in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43742-0423-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	03/25/2014	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/25/2014	02/23/2021

**Labeler** - Deseret Biologicals, Inc. (940741853)

**Registrant** - Apotheca Company (844330915)

## Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(43742-0423) , api manufacture(43742-0423) , label(43742-0423) , pack(43742-0423)

Revised: 6/2016

Deseret Biologicals, Inc.