

NITROGEN - nitrogen gas
Nordan Smith Welding Supply

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Nitrogen

NITROGEN, COMPRESSED NF
UN1066

DO NOT REMOVE THIS PRODUCT LABEL.
NON-FLAMMABLE GAS 2

Medipure

RX only. **WARNING:** Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

CAUTION: HIGH PRESSURE GAS. CAN CAUSE RAPID SUFFOCATION. Store and use with adequate ventilation. Use equipment rated for cylinder pressure. Use a back flow preventative device in the piping. Cylinder temperature should not exceed 52° (125°). Close valve after each use and when empty. Use in accordance with the Material Safety Data Sheet (MSDS). **FIRST AID: IF INHALED,** remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Call a physician. CAS:7727-37-9

N/S NORDAN SMITH HATTIESBURG, MS. 38301 (R 06/07)



Medipure
NITROGEN, REFRIGERATED LIQUID NF
UN1977

NON-FLAMMABLE GAS 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

RX ONLY

CAUTION: Federal law prohibits dispensing without prescription.

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, administration of Nitrogen and is with the indications, effects, dosages, methods, and frequency and duration of administration and with the hazards, contraindications and side effects and the precautions to be taken.

WARNING: EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE, CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Cylinder temperature should not exceed 52°C (125°F). Close valve after each use and when empty. Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 7727-37-9

DO NOT REMOVE THIS PRODUCT LABEL.

N/S NORDAN SMITH HATTIESBURG, MS.

47350 (03/03)



**NITROGEN,
REFRIGERATED
LIQUID
NF**



UN1977

↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↑

R_x only

CAUTION: Federal law prohibits dispensing without prescription.

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

WARNING: EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE.
CAN CAUSE RAPID SUFFOCATION.
CAN CAUSE SEVERE FROSTBITE.

Store and use with adequate ventilation.
Do not get liquid in eyes, on skin or clothing.
For liquid withdrawal, wear face shield and gloves.
Do not drop. Use suitable hand truck for container movement.
Cylinder temperature should not exceed 52°C (125°F).
Close valve after each use and when empty.
Use in accordance with the **Material Safety Data Sheet (MSDS)**.

FIRST AID: **IF INHALED**, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 7727-37-9

DO NOT REMOVE THIS PRODUCT LABEL.



NORDAN SMITH
HATTIESBURG, MS

47350
(03/03)

nitrogen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:54416-002
Route of Administration	ENDOSINUSIAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Nitrogen (UNII: N762921K75) (Nitrogen - UNII:N762921K75)	Nitrogen	995 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54416-002-01	160 L in 1 DEWAR		
2	NDC:54416-002-02	180 L in 1 DEWAR		
3	NDC:54416-002-03	230 L in 1 DEWAR		
4	NDC:54416-002-04	240 L in 1 DEWAR		
5	NDC:54416-002-05	396 L in 1 CYLINDER		
6	NDC:54416-002-06	654 L in 1 CYLINDER		
7	NDC:54416-002-07	2265 L in 1 CYLINDER		
8	NDC:54416-002-08	3257 L in 1 CYLINDER		
9	NDC:54416-002-09	6514 L in 1 CYLINDER		
10	NDC:54416-002-10	5609 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		11/18/1993	

Labeler - Nordan Smith Welding Supply (062456215)

Establishment

Name	Address	ID/FEI	Business Operations
Nordan Smith Welding Supply		062187120	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Nordan Smith Welding Supply		187765938	manufacture

Revised: 9/2010

Nordan Smith Welding Supply