FONOW- bacitracin, neomycin, polymyxin b, lidocaine hcl ointment Zhejiang Fonow Medicine Co., Ltd.

Drug Facts

Active ingredients (in each gram)

Bacitracin 500 units

Neomycin 3.5mg

Polymyxin B 5000 units

Lidocaine HCl 40 mg

Purpose

First aid antibiotic

First aid antibiotic

First aid antibiotic

Anesthetic

Uses

Fist aid to help prevent infection and provide temporary relief of pain and itching in

- minor cuts
- scrapes
- burns

Directions

Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 or 3 times daily. May be covered with a sterile bandage.

Warnings

For external use only.

Do not use

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

• deep or puncture wounds

- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction occurs

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center immediately.

Other information

Store at temperature 50°F-86°F (10°C-30°C)

Inactive ingredient

White Petrolatum

PRINCIPAL DISPLAY PANEL

Drug Facts	
Active ingredients (in each gram)	
Bacitracin 500 units	First aid antibiotic
Neomycin 3.5mg	First aid antibiotic
Polymyxin B 5000 units	First aid antibiotic
Lidocaine Hcl 40 mg	Anesthetic

Uses

First aid to help prevent infection and provide temporary relief of pain in minor cuts scrapes burns

Warnings For external use only. Do not use

- in the eyes
- over large ares of the body
- if allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition persists or gets worse
- a rash or other allergic reaction occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions


Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 or 3 times daily. May be covered with a sterile bandage.

Other information

Store at temperature 50°-86°F(10°-30°C)

Inactive ingredient

White Petrolatum



lses: First aid to help prevent infection and provide temporary relief of pain nd itching in minor cuts, scrapes, burns. **ach gram contains:** Bacitracin 500 units, Neomycin 3.5mg, Polymyxin B 5000 Neomycin 3.5mg, Polymyxin B 5000

L Week unless the condition persists or gets worse or a rash or other allergic reaction occurs. the condition persists or gets worse or a rash or other allergic reaction occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions: Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times

Zhejiang Fonow Medicine Co., Ltd., 209 West Hulian Road, Dongyang

LONOM

FONOW

Triple Antibiotic Ointment With Pain Relief

Bacitracin, Neomycin, Polymyxin B, Lidocaine HCI

LOT

Store at temperature 50°F-86°F(10°C-30°C)

NET WT.1g 25 each/box

Warnings
For external use only.
Do not use
in the ways
over large areas of the body
or large areas of the body
in all allergic to any of the ingredents
in longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

deep or puncture wounds

arimal bites

serious burns

Stop use and ask a doctor if

the condition persists or gets worse
a rash or other allergic reaction occurs

Keep out of reach of children.

If swallowed,get medical help or contact a Po
Control Center immediately.

NDC 52454-001-03

FONOW

Triple Antibiotic Ointment With Pain Relief

Bacitracin, Neomycin, Polymyxin B, Lidocaine HCI

First aid to help prevent infection
Store at temperature 50°F-86°F(10°C-30°C)

PONOW Zhejiang Fonow Medicine Co.,Ltd., 209 West Hullan Road, Dongyang, Zhejiang, 322100, P.R.China | Made in China

NET WT. 1g

Drug Facts

Directions

Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 or 3 times daily. May be covered with a sterile bandage.

Other information Store at temperature 50°F-86°F(10°-30°C)

Inactive ingredient



NDC 52454-001-02

24-Hour Protection Against Germs

FONOW

Triple Antibiotic Ointment With Pain Relief

Bacitracin / Neomycin / Polymyxin B / Lidocaine HCI

NET WT. 15g

24-Hour Protection Against Germs

FONOW

Triple Antibiotic Ointment With Pain Relief

Bacitracin / Neomycin / Polymyxin B / Lidocaine HCI

NET WT. 15g

Store at temperature 50 F-86 F (10 C-30 C).

See box or tube for lot number and expiration date.

Zhejiang Fonow Medicine Co.,Ltd., 209 West Hulian Road, Dongyang, Zhejiang, 322100, P.R.China | Made in China Tel:+86-579-86358015

LOT

Inactive ingredient White Petrolatum. the tip of a finger) on the area 1 or 3 times daily. May be covered with a sterile bandage. Directions Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately. Stop use and ask a doctor if • the condition persists or gets worse • a rash or other allergic reaction occurs Yek a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns Do not use ■ in the eyes ■ over large areas of the body ■ if allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor For external use only. **Warnings** Uses First aid to help prevent infection and provide temporary relief of pain and itching in ■ minor cuts ■scrapes ■ burns stinu 0003 8 nixymylo9 Neomycin 3.5mg First aid antibiotic Bacitracin 500 units First aid antibiotic Purpose Active ingredients (in each gram)

Drug Facts

LONOM

Triple Antibiotic Ointment With Pain Relief

Bacitracin / Neomycin / Polymyxin B / Lidocaine HCl Store at temperature 50°F-86°F(10°C-30°C)

NET WT. 15g

Zhejiang Fonow Medicine Co., Ltd., 209 West Hulian Road, Dongyang, Zhejiang, 322100, P.R.China | Made in China

Drug Facts

Active ingredients (in each gram)PurposeBacitracin 500 unitsFirst aid antibioticNeomycin 3.5mgFirst aid antibioticPolymyxin B 5000 unitsFirst aid antibioticLidocaine HCl 40 mgAnesthetic

Uses First aid to help prevent infection and provide temporary relief of pain and itching in ■ minor cuts ■ scrapes ■ burns

Warnings For external use only

Do not use ■ in the eyes ■ over large areas of the body ■ if allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor

Drug Facts (continued)

Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns

Stop use and ask a doctor if ■ condition persists or gets worse ■ a rash or other allergic reaction occurs

Keep out of reach of children. if swallowed, get medical help or contact a Poison Control Center immediately.

Directions ■ Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 or 3 times daily. May be covered with a sterile bandage.

Inactive ingredient White Petrolatum.

P.

Ä



FONOW

bacitracin, neomycin, polymyxin b, lidocaine hcl ointment

Prod	luct I	Intor	mation

Product Type HUMAN OTC DRUG Item Code (Source) NDC:52454-001

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN (UNII: 58H6RWO52I) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:116QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B -	DOLVMANINI D	5000 [ill] in 1 a

UNII:J2VZ 07J96K)	PULTIVITALIN D	טטטט נוטן ווו ב ט
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

Inactive Ingredients			
Ingredient Name	Strength		
WHITE PETROLATUM (UNII: B6E5W8RQJ4)	945 mg in 1 g		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52454-001- 01	100 in 1 BOX	01/01/2018	
1		1 g in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:52454-001- 02	1 in 1 BOX	01/01/2018	
2		15 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:52454-001- 03	25 in 1 BOX	01/01/2018	
3		1 g in 1 POUCH; Type 0: Not a Combination Product		
4	NDC:52454-001- 04	1 g in 1 POUCH; Type 0: Not a Combination Product	12/03/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	01/01/2018	

Labeler - Zhejiang Fonow Medicine Co., Ltd. (420094818)

Establishment			
Name	Address	ID/FEI	Business Operations
Zhejiang Fonow Medicine Co., Ltd.		420094818	manufacture(52454-001)

Revised: 2/2025 Zhejiang Fonow Medicine Co., Ltd.