

MOTION SICKNESS- meclizine hcl tablet, chewable
CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED

CVS 44-404A

Active ingredient (in each chewable tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

for prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Warnings

Do not use

for children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- dosage should be taken one hour before travel starts
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- adults and children 12 years and over: take 1 to 2 chewable tablets once daily or as directed by a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

Inactive ingredients

colloidal silicon dioxide, dextrose, FD&C red #40 aluminum lake, flavor, lactose monohydrate, magnesium stearate, pregelatinized starch, propylene glycol, saccharin sodium, silicon dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

CVS™

51316-441-21

UP TO

24

HR

actual size

Raspberry

Flavor

MOTION SICKNESS**Meclizine Hydrochloride, 25 mg Chewable Tablets, Antiemetic**

Helps prevent nausea, vomiting | Ages 12 Years
& dizziness due to motion sickness | & Over

16 CHEWABLE
TABLETS
(25 mg EACH)

Compare to Bonine®
Chewable Tablets

active ingredient*

Chew or crush tablets
completely before
swallowing. Do not swallow
tablets whole.

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2025 CVS/pharmacy CVS.com®
1-800-SHOP CVS V-11112

100% money back
guaranteed.
[CVS.com/returnpolicy](https://www.cvs.com/returnpolicy)

50844 ORG082340421

*This product is not
manufactured or distributed
by WellSpring Pharmaceutical
Corporation, owner of the
registered trademark
Bonine® Chewable Tablets.

MOTION SICKNESS

16 CHEWABLE TABLETS (25 mg EACH)

NDC 51316-441-21



actual size

Raspberry
Flavor

MOTION SICKNESS

Meclizine Hydrochloride, 25 mg Chewable Tablets, Antiemetic

Helps prevent nausea, vomiting
& dizziness due to motion sickness

Ages 12 Years
& Over

16 CHEWABLE
TABLETS
(25 mg EACH)

Compare to Bonine®
Chewable Tablets
active ingredient*

Chew or crush tablets
completely before
swallowing. Do not swallow
tablets whole.

E1042

B-0231-404A-21-JPN
ORG082340421

Drug Facts (continued)

Inactive ingredients colloidal silicon dioxide, dextrose, FD&C red #40 aluminum lake, flavor, lactose monohydrate, magnesium stearate, pregelatinized starch, propylene glycol, saccharin sodium, silicon dioxide

Questions or comments? 1-800-426-9391

Drug Facts

Active ingredient
(in each chewable tablet)
Meclizine HCl 25 mg.....Antiemetic

Purpose

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

do not take more than directed
do sage should be taken one hour before travel starts
chew or crush tablets completely before swallowing;
do not swallow tablets whole
adults and children 12 years and over: take 1 to 2
chewable tablets once daily or as directed by a doctor

Other information

■ **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
■ protect from heat and humidity
■ see end flap for expiration date and lot number

Warnings

Do not use for children under 12 years of age unless directed by a doctor.
Ask a doctor before use if you have
■ difficulty in urination due to enlargement of the prostate gland
■ glaucoma
■ a breathing problem such as emphysema or chronic bronchitis
Ask a doctor or pharmacist before use if you are
■ taking sedatives or tranquilizers.
When using this product
■ drowsiness may occur
■ alcohol, sedatives, and tranquilizers may increase drowsiness
■ avoid alcoholic beverages
■ use caution when driving a motor vehicle or operating machinery

KEEP OUTER PACKAGE FOR
COMPLETE PRODUCT INFORMATION

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN
OR SHOWS ANY SIGNS OF TAMPERING

#417088

*This product is not
manufactured or distributed
by Wellspring Pharmaceutical
Corporation, owner of the
registered trademark
Bonine® Chewable Tablets.

FP0 80%
UPC# 050428027684

X XXXXXX XXXXXX X

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2025 CVS/pharmacy CVS.com®
1-800-SHOP CVS V-11112
50844 ORG082340421
100% money back
guaranteed.
CVS.com/returnpolicy

No Print/No Varnish Lot & EXP

MOTION SICKNESS

meclizine hcl tablet, chewable

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51316-441
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients	
Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
FD&C RED NO. 40 ALUMINUM LAKE (UNII: 6T47AS764T)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

Product Characteristics			
Color	pink	Score	no score
Shape	ROUND	Size	9mm
Flavor	RASPBERRY	Imprint Code	44;404
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-441-21	2 in 1 CARTON	09/26/2025	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

OTC Monograph Drug	M009	09/26/2025	
--------------------	------	------------	--

Labeler - CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED (062312574)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(51316-441) , pack(51316-441)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(51316-441)

Revised: 9/2025

CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED