

**UNBLEMISH REGIMEN FOR ACNE, BLEMISHES AND BREAKOUTS- salicylic acid, benzoyl peroxide, titanium dioxide, zinc oxide**

**Rodan & Fields**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Gentle Exfoliating Acne Wash**

**125mL/4.2 Fl. Oz.U.S.**

**Drug Facts**

**Active Ingredient**

Salicylic Acid 0.5%

**Purpose**

Acne treatment

**Uses**

- For the treatment of acne.
- Helps keep skin clear of new acne blemishes, acne pimples, blackheads and whiteheads.

**Warnings**

For external use only

**When using this product**

- Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- Rinse right away with water if it gets in eyes.

**Stop and ask a doctor**

- If skin irritation occurs or gets worse.

**Keep out of reach of children.** If swallowed get medical help or contact a Poison Control Center right away.

**Directions**

- Cover the entire affected area with a thin layer, lather and rinse thoroughly.
- Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.
- If bothersome dryness or peeling occurs, reduce application to once a day or every other day.

**Inactive Ingredients**

Water, Cocamidopropyl Betaine, Potassium Cocoyl Glycinate, Sodium Cocoyl Isethionate, Perlite, Lauryl Glucoside, Colloidal Sulfur, Glycerin, Potassium Cocoate, Cetyl Alcohol, Distearyl Phthalic Acid Amide, Hydrogenated Polyisobutene, Acrylates Copolymer, Propanediol, Myristic Acid, Sodium

Chloride, Niacinamide, Coconut Acid, Lauric Acid, Sodium Isethionate, Fragrance (Parfum), Phytosteryl/Octylidodecyl Lauroyl Glutamate, Xanthan Gum, Tocopherol, Dextrin, Polydextrose, Amylopectin, Potassium Hydroxide, Propylene Glycol, Ethylhexylglycerin, Phenoxyethanol, Limonene, Linalool, Citronellol, Geraniol, Titanium Dioxide (CI 77891), Red 33 (CI 17200), Violet 2 (CI 60725)

## **Dual Intensive Acne Treatment**

**2 x 22.5mL/ 2 x 0.76 Fl. Oz. U.S.**

### **Drug Facts**

#### **Active Ingredients**

Benzoyl Peroxide 2.5%

#### **Purpose**

Acne treatment

#### **Uses**

- For the treatment of acne.
- Helps keep skin clear of new acne blemishes, acne pimples, blackheads and whiteheads.

#### **Warnings**

For external use only

When using this product

- Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- Rinse right away with water if it gets in eyes.
- Avoid unnecessary sun exposure and use a sunscreen.
- Avoid contact with the eyes, lips and mouth.
- Avoid contact with hair and dyed fabrics, which may be bleached by this product.
- Skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

#### **Do not use if you**

- Have very sensitive skin.
- Are sensitive to benzoyl peroxide.

#### **Stop use and ask a doctor if**

- Irritation becomes severe.

**Keep out of reach of children.** If swallowed get medical help or contact a Poison Control Center right away.

#### **Directions**

- Clean the skin thoroughly before applying this product. Dispense 1-2 pumps from each side. Blend product evenly. Cover the entire affected area with a thin even layer one to three times daily. Do not rinse product off face.
- Because excessive drying of the skin may occur, start with one application daily, then gradually

increase to two or three times daily if needed or as directed by a doctor.

- If bothersome dryness or peeling occurs, reduce application to once a day or every other day.
- If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.
- Wash hands after application to help avoid staining fabrics.

### **Other Information**

Store between 15-30°C (59-86°F).

### **Inactive Ingredients**

Water, Ethoxydiglycol, Glycerin, Polyacrylamide, Chamomilla Recutita (Matricaria) Flower Extract, Aloe Barbadosensis Leaf Juice, Allantoin, Niacinamide, Panthenol, Punica Granatum Fruit Extract, Yucca Glauca Root Extract, Ceramide AP, Ceramide EOP, Ceramide NP, Fragrance (Parfum), Biosaccharide Gum-1, Disodium Cocamido MIPA-Sulfosuccinate, Carbomer, Cholesterol, Leuconostoc/Radish Root Ferment Filtrate, Corn Starch Modified, Phytosphingosine, Sodium Lauroyl Lactylate, Xanthan Gum, Laureth-7, Aminomethyl Propanol, Disodium Oleamido MEA-Sulfosuccinate, C13-14 Isoparaffin, PEG-7 Glyceryl Cocoate, BHT, Disodium EDTA, Ethylhexylglycerin, Benzyl Alcohol, Phenoxyethanol, Citronellol, Geraniol, Limonene, Linalool

### **Shine-Free Lotion Broad Spectrum SPF 20 Sunscreen**

#### **Drug Facts**

#### **Active Ingredients**

Titanium Dioxide 3%

Zinc Oxide 14%

#### **Purpose**

Sunscreen

Sunscreen

#### **Uses**

- Helps prevent sunburn.

#### **Warnings**

##### **For external use only**

##### **When using this product**

- Keep out of eyes. Rinse with water to remove.

##### **Stop use and ask a doctor**

- If rash occurs.
- Do not use on damaged or broken skin.
- Keep out of reach of children.
- If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

- Apply liberally at least 15 minutes before sun exposure and as needed avoiding the eye area.
- Use a water-resistant sunscreen if swimming or sweating.
- Reapply every two hours. Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeve shirts, pants, hats and sunglasses.
- For children under 6 months of age: ask a doctor.

## Other Information

Protect the product in this container from excessive heat and direct sun.

## Inactive Ingredients

Water, Cyclopentasiloxane, Dimethicone, Butyloctyl Salicylate, PEG-10 Dimethicone, Pentylene Glycol, Cetearyl Alcohol, Styrene/Acrylates Copolymer, Butylene Glycol, Hexyl Laurate, Polysilicone-11, Tocopheryl Acetate, Boerhavia Diffusa Root Extract, Sodium PCA, Tetrahexyldecyl Ascorbate, PEG-60 Almond Glycerides, Nordihydroguaiaretic Acid, Cholesterol, Glycerin, Sorbitan Stearate, Oleanolic Acid, Polyglyceryl-4 Isostearate, Sorbitan Isostearate, Squalane, Stearic Acid, Fragrance, Alumina, Carbomer, Ceteth-10 Phosphate, Dicetyl Phosphate, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Hydroxypropyl Methylcellulose Stearoxy Ether, Ammonium, Polyacryloyldimethyl Taurate, Polysorbate 20, Polysorbate 60, Polysorbate 80, Isohexadecane, Xanthan Gum, Disodium EDTA, Sodium Metabisulfite, Caprylyl Glycol, 1,2-Hexanediol, Chlorphenesin, Phenoxyethanol, Limonene, Linalool, Citronellol, Geraniol

## Principal Display Panel - Kit Label

### RODAN+FIELDS

### UNBLEMISH

Regimen for Adult Acne and Visible Signs of Aging

Based on Multi-Med Therapy, **UNBLEMISH** is a complete skincare system for adult skin that combines cosmetics and active OTC ingredients to gently and effectively treat acne and aging concerns. Powerful ingredients penetrate pores where acne originates to quickly clear blemishes and prevent future breakouts while tackling visible signs of aging.

This 4-Step Regimen was developed by Stanford-trained Dermatologist Dr. Katie Rodan and Dr. Kathy Fields.

### RODAN+FIELDS

Gentle Exfoliating Acne Wash

125 mL/

4.2 Fl. Oz. U.S.

Clarifying Toner

125 mL/


4.2 Fl. Oz. U.S.

Dual Intensive Acne Treatment

2 x 22.5 mL/  
2 x 0.76 Fl. Oz. U.S.

Shine-Free Lotion  
Broad Spectrum SPF 20 Sunscreen

30 mL/  
1.0 Fl. Oz. U.S.



Principal Display Panel - Gentle Exfoliating Acne Wash Tube Label

RODAN+FIELDS  
UNBLEMISH

1 Gentle Exfoliating  
Acne Wash

RODAN+FIELDS  
UNBLEMISH

1

Gentle Exfoliating  
Acne Wash

**ACTIVE INGREDIENT:** Salicylic Acid 0.5% – Acne Treatment

**USES:** For the treatment of acne. Helps keep skin clear of new acne blemishes, acne pimples, blackheads, and whiteheads.

**DIRECTIONS:** Wet skin with lukewarm water. Using fingertips, apply a thin, even layer and massage over entire face for 30-60 seconds, avoiding all contact with eyes. Rinse thoroughly; pat dry. Use once daily and increase to twice daily as tolerated.

**WARNINGS:** For external use only. When using this product skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. Do not get into eyes. If excessive skin irritation develops or increases discontinue use and consult a doctor. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Dist. Rodan & Fields, LLC  
San Francisco, CA 94105  
UNWA125 8500-07-0001 (6000-07-0005) 0A

**QUESTIONS** 1-888-995-5656  
rodanandfields.com

**125 mL / 4.2 Fl. Oz.**

**Principal Display Panel - Dual Intensive Acne Treatment Tube Label**

**RODAN+FIELDS**

**UNBLEMISH**

**3 Dual Intensive  
Acne Treatment**

# RODAN+FIELDS UNBLEMISH

# 3

Dual Intensive  
Acne Treatment

## Benzoyl Peroxide Lotion

**ACTIVE INGREDIENT:** Benzoyl Peroxide 2.5% —  
Acne Treatment

**USES:** For the treatment and prevention of acne, blemishes and breakouts.

**WARNINGS:** For external use only. When using this product skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. Do not use if you have very sensitive skin or are sensitive to benzoyl peroxide. When using this product avoid unnecessary sun exposure and use a sunscreen. Avoid contact with the eyes, lips and mouth. Avoid contact with hair and dyed fabrics, which may be bleached by this product. Skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower combination. Stop use and ask a doctor if irritation becomes severe. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS:** Clean the skin thoroughly before applying this product. Dispense 1-2 pumps from each side. Blend product and apply evenly over the entire face, avoiding the eye area. Allow to penetrate skin. Do not rinse off. Because excessive drying of the skin may occur, start with one application daily, then gradually increase to twice daily as needed or as directed by a doctor. If bothersome dryness or peeling occur, reduce application to once or every other day. If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Dist. Rodan & Fields, LLC San Francisco, CA 94105  
UNTT030 8500-07-0002 (6000-07-0002)  
(6000-07-0007) (6000-07-0008) OC

**QUESTIONS** 1-888-995-5656  
rodanandfields.com

**2 x 22.5 mL / 2 x 0.76 Fl. Oz.**

Principal Display Panel - Shine-Free Lotion Tube Label

RODAN+FIELDS

# UNBLEMISH

4 Shine-Free

Lotion

Broad Spectrum

SPF 20 Sunscreen

RODAN+FIELDS  
UNBLEMISH

4

Shine-Free  
Lotion

Broad Spectrum  
SPF 20 Sunscreen

**ACTIVE INGREDIENTS:** Titanium Dioxide 3%,  
Zinc Oxide 14% — Sunscreens

**USES:** Helps prevent sunburn.

**DIRECTIONS:** Apply a generous amount evenly  
over the entire face every morning, 15 minutes  
before sun exposure, as the final step in the  
Regimen. Reapply every 2 hours when exposed  
to the sun. Avoid the eye area.

**WARNINGS:** For external use only. Do not use  
on damaged or broken skin. Stop use and see  
your doctor if a rash occurs. When using this  
product, keep out of eyes. Rinse with water to  
remove. Keep out of reach of children. If product  
is swallowed, get medical help or contact a  
Poison Control Center right away.

Dist. Rodan & Fields, LLC  
San Francisco, CA 94105

UNSS030 8500-07-0004 (6000-07-0010) 0A

**QUESTIONS** 1-888-995-5656  
rodanandfields.com

**30 mL / 1 Fl. Oz.**

## UNBLEMISH REGIMEN FOR ACNE, BLEMISHES AND BREAKOUTS

salicylic acid, benzoyl peroxide, titanium dioxide, zinc oxide kit

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14222-2100
--------------	----------------	--------------------	----------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2100-1	1 in 1 CARTON; Type 0: Not a Combination Product	02/13/2019	



## Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 TUBE	125 mL
Part 2	1 BOTTLE, PUMP	45 mL
Part 3	1 TUBE	30 mL

## Part 1 of 3

### UNBLEMISH GENTLE EXFOLIATING ACNE WASH

salicylic acid cream

## Product Information

Route of Administration TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.005 g in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
COCAMIDOPROPYL BETAINE (UNII: 5OCF3O11KX)	
POTASSIUM COCOYL GLYCINATE (UNII: WZ70FUF22U)	
SODIUM COCOYL ISETHIONATE (UNII: 518XTE8493)	
PERLITE (UNII: 0SG101ZGK9)	
LAURYL GLUCOSIDE (UNII: 76LN7P7UCU)	
SULFUR (UNII: 70FD1KFU70)	
GLYCERIN (UNII: PDC6A3C0OX)	
POTASSIUM COCOATE (UNII: F8U72V8ZXP)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
DISTEARYL PHTHALAMIC ACID (UNII: 5552GSZ9LI)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
PROPANEDIOL (UNII: 5965N8W85T)	
MYRISTIC ACID (UNII: 0BV7S25AW)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
AMYLOPECTIN (UNII: 4XO4QFV777)	
COCONUT ACID (UNII: 40U37V505D)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
D&C VIOLET NO. 2 (UNII: 350KA7O6HK)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GERANIOL (UNII: L837108USY)	
ICODextrin (UNII: 2NX48Z0A9G)	

LAURIC ACID (UNII: 1160N9NU9U)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
NIACINAMIDE (UNII: 25X51I8RD4)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
PHYTOSTERYL/OCTYLDODECYL LAUROYL GLUTAMATE (UNII: 65954KGO9Q)
POLYDEXTROSE (UNII: VH2XOU12IE)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
SODIUM ISETHIONATE (UNII: 3R36J71C17)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
TOCOPHEROL (UNII: R0ZB2556P8)
XANTHAN GUM (UNII: TTV12P4NEE)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1 in 1 CARTON		
1		125 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	02/13/2019	

### Part 2 of 3

### UNBLEMISH DUAL INTENSIVE ACNE TREATMENT

benzoyl peroxide lotion

### Product Information

Route of Administration	TOPICAL
-------------------------	---------

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOYL PEROXIDE (UNII: W9WZN9A0GM) (BENZOYL PEROXIDE - UNII:W9WZN9A0GM)	BENZOYL PEROXIDE	0.025 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A1I8X02B)	

GLYCERIN (UNII: PDC6A3C0OX)
POLYACRYLAMIDE (10000 MW) (UNII: E2KR9C9V2I)
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)
ALLANTOIN (UNII: 344S277G0Z)
ALOE VERA LEAF (UNII: ZY81Z83H0X)
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)
BENZYL ALCOHOL (UNII: LKG8494WBH)
BIO SACCHARIDE GUM-1 (UNII: BB4PU4V09H)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)
CERAMIDE 1 (UNII: 5THT33P7X7)
CERAMIDE AP (UNII: F1X8L2B00J)
CERAMIDE NP (UNII: 4370DF050B)
CHOLESTEROL (UNII: 97C5T2UQ7J)
DISODIUM OLEAMIDO MONOETHANOLAMINE SULFOSUCCINATE (UNII: 5M1101WGSY)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
GERANIOL (UNII: L837108USY)
LAURETH-7 (UNII: Z95S6G8201)
LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE (UNII: D2QHA03458)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
MATRICARIA CHAMOMILLA FLOWERING TOP (UNII: 3VNC7T6Z02)
NIACINAMIDE (UNII: 25X51I8RD4)
PANTHENOL (UNII: WV9CM0O67Z)
PEG-7 GLYCERYL COCOATE (UNII: VNX7251543)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)
POMEGRANATE (UNII: 56687D1Z4D)
SODIUM LAUROYL LACTYLATE (UNII: 7243K85WFO)
STARCH, CORN (UNII: O8232NY3SJ)
XANTHAN GUM (UNII: TTV12P4NEE)
YUCCA GLAUCA ROOT (UNII: 1A15YBH7N1)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1 in 1 CARTON		
1		45 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	02/13/2019	

# UNBLEMISH SHINE FREE

titanium dioxide, zinc oxide lotion

## Product Information

### Route of Administration

TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.03 g in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.14 g in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BOERHAVIA DIFFUSA ROOT (UNII: KR0SR09KYL)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)	
CETETH-10 PHOSPHATE (UNII: 4E05O5N49G)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
DIHEXADECYL PHOSPHATE (UNII: 2V6E5WN99N)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DIMETHICONOL (600000 CST) (UNII: RKI3S914RT)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
ISOHEXADECANE (UNII: 918X10UF1E)	
OLEANOLIC ACID (UNII: 6SMK8R7TGJ)	
PEG-100 STEARATE (UNII: YD01N1999R)	
PEG-60 ALMOND GLYCERIDES (UNII: 4Y0E651N0F)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	

<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)
<b>SODIUM PYRROLIDONE CARBOXYLATE</b> (UNII: 469OTG57A2)
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)
<b>SQUALANE</b> (UNII: GW89575KF9)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)
<b>.BETA.-CITRONELLOL, (R)-</b> (UNII: P01OUT964K)
<b>GERANIOL</b> (UNII: L837108USY)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1 in 1 CARTON		
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/13/2019	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	02/13/2019	

**Labeler** - Rodan & Fields (051659584)