

ANTIMICROBIAL FOAM HANDWASH- chlorhexidine gluconate 2% solution liquid
GOJO Industries, Inc.

GOJO International

Antiseptic

Directions / Modo de Uso:

DIRECTIONS: / MODO DE USO:



Warnings/Precauciones

For external use only

Allergy Alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away

Para Use Externo Únicamente

Alerta De Alergia:

Este producto puede causar un reacción alérgica severa. Los síntomas pueden incluir:

- sibilancias/dificultad para respirar
- shock
- hinchazón facial
- urticaria
- sarpullido

En caso de ocurrir alguna reacción alérgica, detenga el uso y busque ayuda de inmediato

Do not use/No debe usante

If you are allergic to chlorhexidine gluconate or any other ingredients

Si es alérgico al gluconato de chlorhexidina o a cualquier otro ingrediente

When using this product/ Cuando use este producto

Keep out of eyes, ear and mouth. May cause serious and permanent eye injury if placed or kept in the

eye during surgical procedures or may cause deafness when instilled in the middle of the ear through perforated eardrums. If solution should contact these areas, rinse out promptly and thoroughly with water.

Evite el contacto con los ojos, oídos, y boca. Puede causar daño ocular serio y permanente si se coloca o permanece en el ojo durante procedimientos quirúrgicos o puede causar sordera si se instila en el oído medio a través de tímpano perforado. Si la solución llegara a tener contacto con estas áreas, enjuague lo más pronto posible con suficiente agua.

Stop use an ask a doctor if/ Mantengase fuera consulte a su médico si

Irritation, sensitization or allergic reaction occurs. These may be signs of a serious condition.

Reacciones de irritación, sensibilización o reacciones alérgicas aparecen. Estos son signos de una condición seria.

Keep out of reach of children

If swallowed, get medical help or contact a poison control center right away.

En caso de ingestión, busque ayuda médica o contacte al centro de control de intoxicación de inmediato.

Chlorhexidine Gluconate/Gluconato de chlorhexidina 20 MG/G

Citric acid, cocamide DEA, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, aqua

Antimicrobial Handwash

Chlorhexidine Gluconate 2% Solution

NDC 21749-416-89

GOJO Industries, Inc

Akron, OH 44309

+330 255-6000

www.GOJO.com

GOJOLTXINTLLBL

Net Wt 1200 mL

■ 1922-02-INT00

Gojo®

**ANTIMICROBIAL FOAM
HANDWASH WITH 2% CHG
LAVADO DE MANOS ANTIMICROBIANO
EN ESPUMA AL 2% CHG**



Distributed by, Distribuido por:
GOJO Industries, Inc. Avon, OH 44309
+1 330-255-6000 www.GOJO.com
©2017, GOJO Industries, Inc.
All rights reserved. Todos los derechos reservados.
Made in U.S.A. Hecho en México.

GOJOLTXTINTLLBL

1922-02-INT00

1922-640-INT-B

1200 ml



DIRECTIONS: / MODO DE USO:



WARNINGS FOR EXTERNAL USE ONLY. DO NOT USE IF – YOU ARE ALLERGIC TO CHLORHEXIDINE GLUCONATE OR ANY OTHER INGREDIENTS, **WHEN USING THIS PRODUCT** – KEEP OUT OF EYES, EARS, AND MOUTH – MAY CAUSE SERIOUS AND PERMANENT EYE INJURY IF PLACED OR KEPT IN THE EYE DURING SURGICAL PROCEDURES OR MAY CAUSE DEAFNESS WHEN INSTILLED IN THE MIDDLE OF THE EAR THROUGH PERFORATED EARDRUMS – **IF SOLUTION SHOULD CONTACT THESE AREAS, RINSE OUT PROMPTLY AND THOROUGHLY WITH WATER. STOP USE AND ASK A DOCTOR IF** – IRRITATION SENSITIZATION, OR ALLERGIC REACTION OCCURS. THESE MAY BE SIGNS OF A SERIOUS CONDITION. **KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.**

ALLERGY ALERT – THIS PRODUCT MAY CAUSE A SEVERE ALLERGIC REACTION. SYMPTOMS MAY INCLUDE: •WHEEZING/DIFFICULTY BREATHING •SHOCK •FACIAL SWELLING •HIVES •RASH **IF AN ALLERGIC REACTION OCCURS, STOP USE AND SEEK MEDICAL HELP RIGHT AWAY.**

PRECAUCIONES PARA USO EXTERNO ÚNICAMENTE, NO DEBE USARSE - SI ES ALÉRGICO AL GLUCONATO DE CLORHEXIDINA O A CUALQUIER OTRO INGREDIENTE **CUANDO USE ESTE PRODUCTO** – EVITE EL CONTACTO CON LOS OJOS, OÍDOS, Y BOCA. PUEDE CAUSAR DAÑO OCULAR SERIO Y PERMANENTE SI SE COLOCA O PERMANECE EN EL OJO DURANTE

PROCEDIMIENTOS QUIRÚRGICOS O PUEDE CAUSAR SORDERA SI SE INSTILA EN EL OÍDO MEDIO A TRAVÉS DE TÍMPANO PERFORADO – SI LA SOLUCIÓN LLEGARA A TENER CONTACTO CON ESTAS ÁREAS, ENJUAGUE LO MÁS PRONTO POSIBLE CON SUFICIENTE AGUA **DETENGA EL USO Y CONSULTE A SU MÉDICO SI** – REACCIONES DE IRRITACIÓN, SENSIBILIZACIÓN O REACCIONES ALÉRGICAS APARECEN, ESTOS SON SIGNOS DE UNA CONDICIÓN SERIA, **MANTENGASE FUERA DEL ALCANCE DE NIÑOS**. EN CASO DE INGESTIÓN, BUSQUE AYUDA MÉDICA O CONTACTE AL CENTRO DE CONTROL DE INTOXICACIÓN DE INMEDIATO.

ALERTA DE ALERGIA – ESTE PRODUCTO PUEDE CAUSAR UNA REACCIÓN ALÉRGICA SEVERA. LOS SÍNTOMAS PUEDEN INCLUIR: •SIBILANCIAS/DIFICULTAD PARA RESPIRAR •SHOCK •HINCHAZÓN FACIAL •URTICARIA •SARPULLIDO
EN CASO DE OCURRIR ALGUNA REACCIÓN ALÉRGICA, DETENGA EL USO Y BUSQUE AYUDA DE INMEDIATO.

INGREDIENTS: CHLORHEXIDINE GLUCONATE / GLUCONATO DE CLOROHEXIDINA 20 MG/G, CITRIC ACID, COCAMIDE DEA, HYDROXYETHYLCELLULOSE, ISOPROPYL ALCOHOL, LAURAMINE OXIDE, AQUA

Chlorhexidine Gluconate 2% Solution

NDC 21749-416-90

GOJO Industries, Inc

Akron, OH 44309

+330 255-6000

www.GOJO.com

GOJOADXINTLLBL

Net Wt 1250 mL

8842-03-INT00

Gojo

**ANTIMICROBIAL FOAM
HANDWASH WITH 2% CHG
LAVADO DE MANOS ANTIMICROBIANO
EN ESPUMA AL 2% CHG**



Distributed by, Distribuido por:
GOJO Industries, Inc., Avon, OH 44028
+1 330-255-6000 www.GOJO.com
©2017, GOJO Industries, Inc.
All rights reserved, Todos los derechos reservados.
Made in U.S.A., Hecho en E.E.U.U.

GOJOADXINTLLBL
8842-03-INT00 8842-640-INT-B

1250 ml



ANTIMICROBIAL FOAM HANDWASH

chlorhexidine gluconate 2% solution liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21749-416
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	20 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
HYDROXYETHYL CELLULOSE (2000 CPS AT 1%) (UNII: S38J6RZN16)	
LAURAMINE OXIDE (UNII: 4F6FC4M18W)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21749-416-89	1200 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2018	
2	NDC:21749-416-90	1250 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019422	04/01/2018	

Labeler - GOJO Industries, Inc. (004162038)**Registrant** - Xttrium Laboratories, Inc. (007470579)**Establishment**

Name	Address	ID/FEI	Business Operations
Xttrium Laboratories, Inc.		007470579	manufacture(21749-416)

Revised: 8/2018

GOJO Industries, Inc.