MICONAZOLE 7- miconazole nitrate cream Chain Drug Consortium, LLC

Miconazole Nitrate Vaginal Cream, USP

Drug Facts

Active ingredient

Miconazole nitrate, USP 2% (100 mg in each applicator)

Purpose

Vaginal antifungal

Uses

- treats vaginal yeast infections
- relieves external itching and irritation due to a vaginal yeast infection

Warnings

For vaginal use only

Do not use

if you have never had a vaginal yeast infection diagnosed by a doctor

Ask a doctor before use if you have

- vaginal itching and discomfort for the first time
- lower abdominal, back, or shoulder pain, fever, chills, nausea, vomiting, or foulsmelling vaginal discharge. You may have a more serious condition.
- vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- been exposed to the human immunodeficiency virus (HIV) that causes AIDS

Ask a doctor or pharmacist before use if you are

taking the prescription blood thinning medicine warfarin, because bleeding or bruising may occur

When using this product

- do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).
- do not have vaginal intercourse

- mild increase in vaginal burning, itching or irritation may occur
- if you do not get complete relief ask a doctor before using another product.

Stop use and ask a doctor if

- symptoms do not get better in 3 days
- symptoms last more than 7 days
- you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foulsmelling vaginal discharge

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- before using this product read the enclosed consumer information leaflet for complete directions and information
- adults and children 12 years of age and over:
 - **applicator:** insert 1 applicatorful into the vagina at bedtime for 7 nights in a row. Wash applicator after use.
 - use the same tube of cream if you have itching and irritation on the skin outside the vagina. Squeeze a small amount of cream onto your fingertip. Apply to itchy, irritated skin outside the vagina (vulva). Use 2 times daily for up to 7 days as needed.
- children under 12 years of age: ask a doctor

Other information

- to open tube: unscrew cap, lift tab, and pull to remove foil seal prior to use
- do not use if foil seal on tube opening is broken or missing
- do not purchase if carton is open
- store at room temperature 20°-25°C (68°-77°F) [see USP Controlled Room Temperature] excursions permitted to 15°-30°C (59°-86°F).
- before using any medication, read all label directions. Keep carton, it contains important information.

Inactive ingredients

benzoic acid, butylated hydroxyanisole, mineral oil, oleoyl polyoxylglycerides, pegoxol 7 stearate, purified water

Questions?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal display label

COMPARE TO THE ACTIVE INGREDIENT IN MONISTAT® 7 VAGINAL CREAM*

Miconazole 7

Miconazole Nitrate Vaginal Cream USP, 2%

Vaginal Antifungal

(Miconazole Nitrate 100 mg per applicator)

Cures most vaginal yeast infections

and Relieves Associated External Itching and Irritation

7 Day Vaginal Cream (1 Tube)

with 1 reusable applicator

NET WT OZ (g)

*This product is not affiliated with, manufactured by, or produced by the makers or owners of Monistat®.

Distributed by:

Pharmacy Value Alliance, LLC

407 East Lancaster Avenue,

Wayne, PA 19087

Package label






Miconazole 7

Miconazole Nitrate Vaginal Cream USP, 2%

Vaginal Antifungal

(Miconazole Nitrate 100 mg per applicator)







COMPARE TO THE ACTIVE INGREDIENT IN MONISTAT® 7 VAGINAL CREAM*

Miconazole 7

Miconazole Nitrate Vaginal Cream USP, 2%

Vaginal Antifungal

(Miconazole Nitrate 100 mg per applicator)


Cures most vaginal yeast infections and Relieves Associated External Itching and Irritation

7 Day Vaginal Cream (1 Tube) with 1 reusable applicator

NET WT 1.59 OZ (45 g) TUBE



Distributed by: Pharmacy Value Alliance, LLC 407 East Lancaster Avenue, Wayne, PA 19087



PLD-86558 FC007310

Code: GO/DRUGS/361 AAK3A/03

agranda vaginal discharge "This product is not affiliated wift, manufactured by, or produced by the makers or owners of Monistat". you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or skep / nerti enom izel amoliqmys = CINCAPOUS CALL-753-3935 Monday-Friday 9AM-5PM EST Steb E ni selt ed for ob amorphies . If notoob is kee bet eau gold Says Il you do not get complete relief ask a doctor before using another product olecyl polyoxylglycerides, pegoxol 7 stearate, purified water mild increase in vaginal burning, liching or irritation may occur inactive ingredients benzoic acid, butylated hydroxyanisole, mineral oil, ■ do not have vaginal intercourse pregnancy or sexually transmitted diseases (STDs). посвятот плытофи veginal products. Condoms and disphragms may be damaged and fail to prevent ■ petone using any medication, read all label directions, Keep carbor, it contains When using this product - do not use tempons, douches, spermicides or other (7°88-°82) J°05-°21 at bettirmen anoisrucus (andsregme) Eniming medicine warfarin, because bleeding or bruising may occur. ■ store at room temperature 20° to 25°C (68° to 77°F) [see USP Controlled Room Ask a doctor or pharmacist before use if you are taking the prescription blood ■ qo uor brucyese și cerpou je obeu grissim to mexima si grimego edut no lese liot fi esu ton ob m peeu exboseq to the human immunodeficiency virus (HM) that causes AIDS ■ to open tube: unacrew cap, lift tab, and pull to remove foll seal prior to use diabetes or a weakened immune system. подетлоти төнтО pregnant or have a serious underlying medical cause for your symptoms, including ■ vaginal yeast infections often (such as once a month or 3 in 6 months). You could be m children under 12 years of age: ask a doctor foul-smelling vaginal discharge. You may have a more serious condition. lower abdominal, back, or shoulder pain, fever, chills, nausea, vomiting, or waginal fiching and discomfort for the first time as eyeb 7 of qu not yitab eamit 2 sell .(swluv) anigav artt ebiatuo nixla betafimi the vagina. Squeeze a small amount of cream onto your fingertp. Apply to fichy, Ask a doctor before use if you have ■ use the same tube of cream if you have itching and imitation on the old messide Do not use if you have never had a vaginal yeast infection diagnosed by a doctor. wash applicator after use. ■ applicator: insert 1 applicatorful into the vagina at bedtime for 7 nights in a row. For vaginal use only ■ adults and children 12 years of age and over: **s**бијшем leaflet for complete directions and information modoetni fasev, lanigav a od eub nodašími bna gnirtoti lametve savellen **a** DIRECTIONS - pelose neing this product used the enclosed consumer information OSCS Treats vaginal years infactions Control Center (1-800-222-1222) right away. legnuffms lenigsV. Miconazole nitrate USP, 2% (100 mg in each applicator).. Keep out of reach of children. If swallowed, get medical help or contact a Poison If pregnant or breast-feeding, ask a health professional before use. Purpose Active ingredient **Dung Facts** (continued) Drug Facts

PREMIER VALUE Miconazole Nitrate Vaginal Cream

MICONAZOLE 7

miconazole nitrate cream

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68016-073	
Route of Administration	VAGINAL			

Active Ingredient/Active Moiety Ingredient Name Basis of Strength MICONAZOLE NITRATE (UNII: VW4H1CYW1K) (MICONAZOLE UNII:7NNO0D7S5M) MICONAZOLE NITRATE 20 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
BENZOIC ACID (UNII: 8SKN0B0MIM)	
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
MINERAL OIL (UNII: T5L8T28FGP)	
APRICOT KERNEL OIL PEG-6 ESTERS (UNII: DRG3KJZ1TJ)	
PEGOXOL 7 STEARATE (UNII: 3EW5AXE5X5)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics			
Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:68016-073-01	1 in 1 CARTON	09/11/2003		
1	45 g in 1 TUBE, WTH APPLICATOR; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA074164	09/11/2003		

Labeler - Chain Drug Consortium, LLC (101668460)

Revised: 11/2022 Chain Drug Consortium, LLC