

CVP TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

Salado Sales, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CVP®

Triple Antibiotic Ointment

Drug Facts

<i>Active ingredients (in each gram)</i>	<i>Purpose</i>
Bacitracin zinc USP 400 units	First aid antibiotic
Neomycin sulfate USP 3.5 mg	First aid antibiotic
Polymyxin B sulfate USP 5,000 units	First aid antibiotic

Uses

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition persists or gets worse
- you need to use longer than 1 week
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area and dry thoroughly
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredient

white petrolatum

Questions?

Call **1-866-923-4914**

Distributed by Salado Sales, Inc., Temple, Texas, 76503-6115

PRINCIPAL DISPLAY PANEL - 14.2 g Tube Carton**TRIPLE ANTIBIOTIC
OINTMENT**

Bacitracin Zinc USP • Neomycin Sulfate USP
• Polymyxin B Sulfate USP

FIRST AID ANTIBIOTIC OINTMENT

NET WEIGHT ½ OZ (14.2 g)



COMPARE TO
NEOSPORINE®
ACTIVE INGREDIENTS*

TRIPLE ANTIBIOTIC OINTMENT

Bacitracin Zinc USP • Neomycin Sulfate USP
• Polymyxin B Sulfate USP

FIRST AID ANTIBIOTIC OINTMENT

**Helps Prevent Infection in
Minor Cuts, Scrapes, and Burns.**

LPK-4815-3
0215-3
M368

TRIPLE ANTIBIOTIC OINTMENT

Bacitracin Zinc USP • Neomycin Sulfate USP
• Polymyxin B Sulfate USP

FIRST AID ANTIBIOTIC OINTMENT

NET WEIGHT 1/2 OZ (14.2 g)

CVP
TRIPLE ANTIBIOTIC OINTMENT
Bacitracin Zinc USP
Neomycin Sulfate USP
Polymyxin B Sulfate USP
FIRST AID ANTIBIOTIC OINTMENT

127
BS1.3
ENG19.06



7 61706 16400 6

NO COPY ON THIS FLAP
FOR LOT # AND EXPIRY
DATE PRINT ONLY



*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neosporine®
Distributed by Salado Sales, Inc., Temple, Texas, 76703-6115
Made in Canada

Drug Facts (continued) Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	Drug Facts Purpose Bacitracin zinc USP 400 units.....First aid antibiotic Neomycin sulfate USP 3.5 mg.....First aid antibiotic Polymyxin B sulfate USP 5,000 units.....First aid antibiotic
Directions • clean the affected area and dry thoroughly • apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • may be covered with a sterile bandage	Uses First aid to help prevent infection in minor: • cuts • scrapes • burns
Other information • store at 20° to 25°C (68° to 77°F) • see carton or tube crimp for lot number and expiration date	Warnings For external use only. Do not use • in the eyes • or large areas of the body • if you are allergic to any of the ingredients
Inactive ingredient white petrolatum	Stop use and ask a doctor if • deep or puncture wounds • animal bites • serious burns • Ask a doctor before use if you have
Questions? Call 1-866-923-4914	• rash or other allergic reaction develops • you need to use longer than 1 week • condition persists or gets worse

TRIPLE ANTIBIOTIC OINTMENT
Bacitracin Zinc USP
Neomycin Sulfate USP
Polymyxin B Sulfate USP
FIRST AID ANTIBIOTIC

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57243-016
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Bacitracin zinc (UNII: 89Y4M234ES) (Bacitracin - UNII:58H6RWO52I)	Bacitracin	400 [iU] in 1 g
Neomycin sulfate (UNII: 057Y626693) (Neomycin - UNII:I16QD7X297)	Neomycin	3.5 mg in 1 g
Polymyxin B sulfate (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B	5000 [iU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
petrolatum (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57243-016-01	1 in 1 CARTON		
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333B	12/14/1995	

Labeler - Salado Sales, Inc (009830555)

Revised: 4/2015

Salado Sales, Inc