

**LIL DRUG STORE COLD RELIEF- acetaminophen, dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride tablet
Lil' Drug Store Products, Inc.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Lil' Drug Store[®] Cold Relief

Drug Facts

Active ingredients (in each tablet)	Purpose
Acetaminophen 325 mg	Pain reliever/fever reducer
Dextromethorphan HBr 15 mg	Cough suppressant
Guaifenesin 200 mg	Expectorant
Phenylephrine HCl 5 mg	Nasal decongestant

Uses

- for the temporary relief of the following cold/flu symptoms:
 - minor aches and pains
 - headache
 - sore throat
 - nasal congestion
 - cough
 - impulse to cough
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

Sore throat warning

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- diabetes
- thyroid disease
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin

When using this product

- **do not exceed recommended dosage**

Stop use and ask a doctor if

- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or is accompanied by a fever, rash or persistent headache
- nervousness, dizziness, or sleeplessness occur.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

adults and children 12 years and over	<ul style="list-style-type: none"> ▪ take 2 tablets with water every 6-8 hours as needed ▪ do not take more than 8 tablets in 24 hours, or as directed by a doctor
children under 12	<ul style="list-style-type: none"> ▪ ask a doctor

years of age |

Other information

- do not use if carton or inner pouch is open or torn
- store at room temperature 59-86° F (15-30° C)
- avoid excessive heat and humidity
- see bottom panel or pouch for expiration date and lot number

Inactive ingredients

maltodextrin, microcrystalline cellulose, povidone, sodium starch glycolate, starch, stearic acid

Questions or comments?

call toll-free 1-877-507-6516 (M-F 8AM-4:30PM CST)

PRINCIPAL DISPLAY PANEL - 6 Tablet Pouch Carton

QUALITY

GUARANTEED

on
the
Go
PACKS

Cold

Cold

Acetaminophen, Dextromethorphan HBr, Guaifenesin, Phenylephrine HCl
Pain Reliever/Fever Reducer, Cough Suppressant, Expectorant, Nasal Decongestant


Non-Drowsy Relief of

- Cough, Impulse to Cough
- Nasal Congestion
- Sore Throat

SEVERE
CONGESTION

6
Tablets
3 POUCHES, 2 TABLETS PER POUCH

Lil'
DrugStore®



PRINCIPAL DISPLAY PANEL - 20 Tablet Carton - 9828

EZ Paks™

Stores & Travels Easily!

Compare to the active ingredients in

Tylenol® Cold Head Congestion*

NON-DROWSY FORMULA

Cold Relief

Pain Reliever/Fever Reducer, Expectorant, Nasal Decongestant, Cough Suppressant

SEVERE CONGESTION

Contains 4 Active Medicines:

Acetaminophen... relieves Headache, Sore Throat

Dextromethorphan HBr...relieves Coughing

Guaifenesin...relieves Chest Congestion

Phenylephrine HCl...relieves Nasal Congestion

20 TABLETS

IN 10 POUCHES OF 2 TABLETS

Lil'

Drug Store®

NON-DROWSY FORMULA

Cold Relief

Pain Reliever/Fever Reducer, Expectorant, Nasal Decongestant, Cough Suppressant

SEVERE CONGESTION

Contains 4 Active Medicines:

- Acetaminophen
- Dextromethorphan HBr
- Guaifenesin
- Phenylephrine HCl

20 TABLETS
IN 10 POUCHES OF 2 TABLETS

EZ Paks™
Stores & Travels Easily!

Compare to the active ingredients in
Tylenol® Cold Head Congestion*

NON-DROWSY FORMULA

Cold Relief

Pain Reliever/Fever Reducer, Expectorant, Nasal Decongestant, Cough Suppressant

SEVERE CONGESTION

Contains 4 Active Medicines:

- Acetaminophen... relieves Headache, Sore Throat
- Dextromethorphan HBr...relieves Coughing
- Guaifenesin...relieves Chest Congestion
- Phenylephrine HCl...relieves Nasal Congestion

20 TABLETS

Drug Store

DO NOT USE IF INNER POUCH OR CARTON IS OPEN OR DAMAGED!

Drug Facts

Active Ingredients (In each tablet)	Purpose
Acetaminophen 325 mg.....	Pain reliever/fever reducer
Dextromethorphan HBr 15 mg.....	Cough suppressant
Guaifenesin 200 mg.....	Expectorant
Phenylephrine HCl 5 mg.....	Nasal decongestant

Uses

- for the temporary relief of the following cold/flu symptoms:
 - minor aches and pains
 - headache
 - sore throat
 - nasal congestion
 - cough
 - impulse to cough
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

IN 10 POUCHES OF 2 TABLETS

Product manufactured for:
Lil' Drug Store Products, Inc.
1201 Continental Place NE
Cedar Rapids, IA 52402
www.lildrugstore.com

97288C-US-07-12



*This product is not manufactured or distributed by McNeil Consumer & Specialty Pharmaceuticals Division of McNeil-PPC, Inc. Lil' Drug Store Products, Inc. does not own the Tylenol® Cold Head Congestion trademark.

LOT

EXP

Drug Facts (continued)

■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- diabetes
- thyroid disease
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin

When using this product

- do not exceed recommended dosage

Stop use and ask a doctor if

- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or is accompanied by a fever, rash or persistent headache
- nervousness, dizziness, or sleeplessness occur. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. ➔

Drug Facts (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- | | |
|---------------------------------------|--|
| adults and children 12 years and over | <ul style="list-style-type: none"> ■ take 2 tablets with water every 6-8 hours as needed ■ do not take more than 8 tablets in 24 hours, or as directed by a doctor |
|---------------------------------------|--|

children under 12 years of age

- ask a doctor

Other information


- do not use if carton or inner pouch is open or torn
- store at room temperature 59-86° F (15-30° C)
- avoid excessive heat and humidity
- see bottom panel or pouch for expiration date and lot number

Inactive ingredients

croscarmellose sodium*, hypromellose*, maltodextrin*, microcrystalline cellulose, polyethylene glycol*, povidone*, sodium starch glycolate*, starch, stearic acid *may contain

Questions or comments?

call toll-free 1-877-507-6516 (M-F 8AM-4:30PM CST)



LIL DRUG STORE COLD RELIEF

acetaminophen, dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-9728
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STARCH, CORN (UNII: O8232NY3S)	
STEARIC ACID (UNII: 4ELV7Z 65AP)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	FR12

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-9728-3	3 in 1 CARTON	07/06/2016	
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:66715-9728-8	10 in 1 CARTON	02/03/2011	02/11/2018
2		2 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:66715-9728-4	30 in 1 CARTON	02/03/2011	02/11/2018
3		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	02/03/2011	

LIL DRUG STORE COLD RELIEF

acetaminophen, dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-9828
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	AZ;273
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-9828-3	3 in 1 CARTON	02/03/2011	06/14/2019
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:66715-9828-8	10 in 1 CARTON	02/03/2011	02/11/2018
2		2 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:66715-9828-4	30 in 1 CARTON	02/03/2011	02/11/2018
3		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	02/03/2011	

Labeler - Lil' Drug Store Products, Inc. (093103646)

Revised: 7/2021

Lil' Drug Store Products, Inc.