

**DAY SEVERE COLD AND NIGHT COLD AND FLU MAXIMUM STRENGTH-  
acetaminophen, dextromethorphan hydrobromide, doxylamine succinate,  
guaifenesin, phenylephrine hydrochloride  
Wal-Mart Stores, Inc.**

-----

**Maximum Strength Day Severe Cold and Night Cold and Flu**

***Active ingredients (in each Softgel)***

**Day Severe Cold**

**Acetaminophen 325 mg**

Dextromethorphan HBr 10 mg

Guaifenesin 200 mg

Phenylephrine HCl 5 mg

**Nighttime Cold & Flu**

**Acetaminophen 325 mg**

Dextromethorphan HBr 10 mg

Doxylamine succinate 6.25 mg

Phenylephrine HCl 5 mg

***Purposes***

**Day Severe Cold**

**Pain reliever/fever reducer**

Cough suppressant

Expectorant

Nasal decongestant

**Nighttime Cold & Flu**

**Pain reliever/fever reducer**

Cough suppressant

Antihistamine

Nasal decongestant

***Uses***

- temporarily relieves these common cold and flu symptoms:
  - cough
  - minor aches and pains
  - headache
  - nasal congestion
  - sore throat
  - runny nose and sneezing (***Nighttime only***)
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive (***Daytime***)

**only)**

- controls cough to help you get to sleep (**Nighttime only**)
- temporarily reduces fever

## **Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 12 liquid gels in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, lasts for more than 2 days, occurs with or is followed by fever, headache, rash, nausea, or vomiting, see a doctor promptly.

## **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

## **Ask a doctor before use if you have**

- liver disease
- heart disease
- diabetes
- high blood pressure
- thyroid disease
- trouble urinating due to an enlarged prostate gland
- glaucoma (**Nighttime only**)
- a breathing problem such as emphysema or chronic bronchitis (**Nighttime only**)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

## **Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers (**Nighttime only**)

## **When using this product**

- **do not use more than directed**
- excitability may occur, especially in children (**Nighttime only**)
- marked drowsiness may occur (**Nighttime only**)
- alcohol, sedatives, and tranquilizers may increase drowsiness (**Nighttime only**)
- avoid alcoholic drinks (**Nighttime only**)
- be careful when driving a motor vehicle or operating machinery (**Nighttime only**)

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see Overdose warning)**
- do not take more than 12 softgels in any 24-hour period
- adults and children 12 years of age and older: take 2 softgels every 4 hours
- children under 12 years of age: do not use

**Other information**

- store at room temperature 15°-30°C (59°-86°F) and avoid excessive heat.

**Inactive ingredients**

**(Daytime only)** FD&C yellow #6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan solution and white ink

**(Nighttime only)** D&C yellow #10, FD&C blue #1, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan solution and white ink

**Questions or comments?**

Call toll free: **1-888-287-1915**

**PRINCIPAL DISPLAY PANEL**

Maximum Strength Day and Night Severe Cold & Flu Combo 24ct

NDC 49035-586-04

DAY & NIGHT TWIN PACK



**MAXIMUM STRENGTH**  
Daytime  
**Severe Cold & Flu**  
ACETAMINOPHEN 325mg  
Dextromethorphan HBr 10mg  
Guaifenesin 200mg  
Phenylephrine HCl 5mg

**MAXIMUM STRENGTH**  
Nighttime  
**Severe Cold & Flu**  
ACETAMINOPHEN 325mg  
Dextromethorphan HBr 10mg  
Doxylamine succinate 6.25mg  
Phenylephrine HCl 5mg

DAY & NIGHT TWIN PACK



NDC 49035-586-04

Maximum Strength\*\*

Fast Dissolving Softgels

# Severe Cold & Flu

## Day Severe Cold

ACETAMINOPHEN

Pain Reliever / Fever Reducer 

Dextromethorphan HBr

Cough Suppressant

Guaifenesin

Expectorant

Phenylephrine HCl

Nasal Decongestant

- Relieves aches, fever & sore throat
- Controls cough
- Relieves nasal & chest congestion
- Thins & loosens mucus



Actual Size

## Night Cold & Flu

ACETAMINOPHEN

Pain Reliever / Fever Reducer 

Dextromethorphan HBr

Cough Suppressant

Doxylamine succinate

Antihistamine

Phenylephrine HCl

Nasal Decongestant

- Relieves aches, fever & sore throat
- Controls cough
- Relieves nasal congestion
- Relieves runny nose & sneezing



Actual Size

16 SOFTGELS  
(Liquid Filled Capsules)

24 TOTAL  
AGES 12+

8 SOFTGELS  
(Liquid Filled Capsules)

\*\*Per 4-hour dose

Do not take the Day Severe Cold and Night Cold & Flu softgels at the same time. Do not take more than a total of 12 softgels in a 24-hour period.

Do not take the first dose of the Night Cold & Flu softgels sooner than 4 hours after the last dose of the Day Severe Cold softgels unless directed by a doctor.

Take only as directed.

Keep carton for complete product information

PARENTS:

Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)



COATED PAPER  
BOX



MULTI-LAYER  
TRAY

\*Not recycled in all communities

tamper evident: Do not use if carton is damaged or if printed seal on blister is broken or missing.

DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716  
 PRODUCT OF CHINA  
 \*This product is not manufactured or distributed by Reckitt Benckiser LLC, owner of the registered trademarks Mucinex® Fast-Max® Day Severe Cold and Night Cold & Flu.

Satisfaction guaranteed - For questions or comments please call 1-888-287-1915.

WM23-00

**Drug Facts**

**Active ingredients (in each Softgel) Purposes**  
**Daytime Severe Cold**

Acetaminophen 325 mg.....Pain reliever/fever reducer  
 Dextromethorphan HBr 10 mg.....Cough suppressant  
 Guaifenesin 200 mg.....Expectorant  
 Phenylephrine HCl 5 mg.....Nasal decongestant

**Active ingredients (in each Softgel) Purposes**  
**Nighttime Cold & Flu**

Acetaminophen 325 mg.....Pain reliever/fever reducer  
 Dextromethorphan HBr 10 mg.....Cough suppressant  
 Doxylamine succinate 6.25 mg.....Antihistamine  
 Phenylephrine HCl 5 mg.....Nasal decongestant

**Uses** ■ temporarily relieves these common cold and flu symptoms:  
 ■ cough ■ minor aches and pains  
 ■ headache ■ nasal congestion ■ sore throat  
 ■ runny nose and sneezing (Nighttime only)  
 ■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive. (Daytime only)  
 ■ controls cough to help you get to sleep (Nighttime only)  
 ■ temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:  
 ■ more than 12 softgels in 24 hours, which is the maximum daily amount  
 ■ with other drugs containing acetaminophen  
 ■ 3 or more alcoholic drinks daily while using this product  
**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:  
 ■ skin reddening ■ blisters ■ rash  
 If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**  
 ■ liver disease ■ heart disease ■ diabetes  
 ■ high blood pressure ■ thyroid disease  
 ■ trouble urinating due to an enlarged prostate gland  
 ■ glaucoma (Nighttime only)

**Drug Facts (continued)**

■ breathing problems such as emphysema or chronic bronchitis (Nighttime only)  
 ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema  
 ■ cough that occurs with too much phlegm (mucus)

**Ask a doctor or pharmacist before use if you are**  
 ■ taking the blood thinning drug warfarin  
 ■ taking sedatives or tranquilizers (Nighttime only)

**When using this product**  
 ■ do not use more than directed  
 ■ excitability may occur, especially in children (Nighttime only)  
 ■ marked drowsiness may occur (Nighttime only)  
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness (Nighttime only)  
 ■ avoid alcoholic drinks (Nighttime only)  
 ■ be careful when driving a motor vehicle or operating machinery (Nighttime only)

**Stop use and ask a doctor if**  
 ■ nervousness, dizziness, or sleeplessness occur  
 ■ pain, nasal congestion, or cough gets worse or lasts more than 7 days  
 ■ fever gets worse or lasts more than 3 days  
 ■ redness or swelling is present  
 ■ new symptoms occur  
 ■ cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**  
**Keep out of reach of children.**  
**Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

■ do not take more than directed (see Overdose warning)  
 ■ do not take more than 12 softgels in any 24-hour period  
 ■ adults and children 12 years of age and older: take 2 softgels every 4 hours  
 ■ children under 12 years of age: do not use

**Other information** ■ store at room temperature 15°-30°C (59°-86°F) and avoid excessive heat.

**Inactive ingredients** (Daytime only) FD&C yellow #6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan solution, and white ink  
 (Nighttime only) D&C yellow #10, FD&C blue #1, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan solution, and white ink

**Questions or comments?** 1-888-287-1915

**DAY SEVERE COLD AND NIGHT COLD AND FLU MAXIMUM STRENGTH**

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate, guaifenesin, phenylephrine hydrochloride kit

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49035-586
---------------------	----------------	---------------------------	---------------

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:49035-586-04	1 in 1 CARTON; Type 0: Not a Combination Product	01/31/2018
---	------------------	--	------------

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	2 BLISTER PACK	16
Part 2	1 BLISTER PACK	8

### Part 1 of 2

#### DAY SEVERE COLD AND FLU

acetaminophen, dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride capsule, liquid filled

### Product Information

Route of Administration	ORAL
-------------------------	------

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

### Inactive Ingredients

Ingredient Name	Strength
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	
WATER (UNII: 059QF0KO0R)	

### Product Characteristics

Color	orange (clear)	Score	no score
Shape	CAPSULE (Oblong)	Size	25mm
Flavor		Imprint Code	PC26

**Contains****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2 in 1 CARTON		
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/31/2018	

**Part 2 of 2****NIGHT SEVERE COLD AND FLU**

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate, phenylephrine hydrochloride capsule, liquid filled

**Product Information**

**Route of Administration** ORAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>DOXYLAMINE SUCCINATE</b> (UNII: V9B19B5Y12) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOL</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

<b>SORBITAN</b> (UNII: 6O92ICV9RU)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Product Characteristics

<b>Color</b>	green (clear)	<b>Score</b>	no score
<b>Shape</b>	CAPSULE (Oblong)	<b>Size</b>	21mm
<b>Flavor</b>		<b>Imprint Code</b>	PC22
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1 in 1 CARTON		
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/31/2018	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/31/2018	

**Labeler** - Wal-Mart Stores, Inc. (051957769)

### Establishment

Name	Address	ID/FEI	Business Operations
Humanwell PuraCap Pharmaceuticals (Wuhan) Co., Ltd		421293287	manufacture(49035-586)

Revised: 11/2024

Wal-Mart Stores, Inc.