

**LAX-TIME- sennosides tablet, sugar coated**  
**TIME CAP LABORATORIES, INC**

-----  
**195R Sennosides tablets USP 25 mg sugar coated off-white**

**Active Ingredients (in each tablet)**

Sennosides USP, 25 mg

**Purpose**

Stimulant Laxative

**Uses**

- Relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

**Warnings**

**Do not use** laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor

**Ask a doctor before use if you have**

- noticed a sudden change in bowel habits that persists over a period of 2 weeks

**Ask a doctor or pharmacist before use if you**

are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

**When using this product**

- do not use for a period longer than 1 week

**Stop use and ask a doctor if**

- rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of the reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- swallow tablet (s) with a glass of water.
- swallow tablet (s) whole, do not crush, break or chew.

---

adults and children 12 years of age and older	2 tablets once or twice daily
children 6 to under 12 years of age	1 tablet once or twice daily
children under 6 years of age	ask a doctor

---

**Other information**

- each tablet contains: calcium 40 mg, sodium 2 mg (VERY LOW SODIUM)
- store between 20°-25°C (68°-77°F)

**Inactive ingredients** acacia, calcium sulfate anhydrous, carnauba wax, colloidal silicon dioxide, corn starch, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, iron oxide, iron oxide black, iron oxide yellow, kaolin, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, povidone, shellac, stearic acid, sugar, talc, titanium dioxide.

**Questions or comments?** Call **1-877-290-4008**

**195R Lax-Time (Sennosides) 25 mg**

**Adhesive Area**

**Drug Facts (continued)**  
**Stop use and ask a doctor if** ■ rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.  
**If pregnant or breast-feeding,** ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ Swallow tablet(s) with a glass of water.  
 ■ Swallow tablet(s) whole, do not crush, break, or chew.

adults and children 12 years of age and older	take 2 tablets once or twice daily
children 6 to under 12 years of age	take 1 tablet once or twice daily
children under 6 years of age	ask a doctor

**Other information**  
 ■ each tablet contains: calcium 40 mg, sodium 2 mg (VERY LOW SODIUM)  
 ■ store between 20°-25°C (68°-77°F)

**Inactive ingredients** acacia, calcium sulfate anhydrous, carnauba wax, colloidal silicon dioxide, corn starch, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, iron oxide, iron oxide black, iron oxide yellow, kaolin, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, povidone, shellac, stearic acid, sugar, talc, titanium dioxide

**Questions or comments?**  
 call 1-877-290-4008

NDC 49483-083-09

**timely**  
\*Compare to the Active Ingredient in Ex-Lax® Maximum Strength

**MAXIMUM STRENGTH Laxative**  
 Sennosides USP, 25 mg  
**Stimulant Laxative**

- Stimulant laxative
- Gentle, dependable
- Overnight relief

**90 TABLETS** Actual Size

TCL 083

**Drug Facts**

**Active ingredient (in each tablet)** Purpose  
 Sennosides USP, 25 mg ..... Stimulant Laxative

**Uses**  
 ■ relieves occasional constipation (irregularity)  
 ■ generally produces bowel movement in 6 to 12 hours

**Warnings**  
**Do not use** laxative products when abdominal pain, nausea, or vomiting are present. Unless directed by a doctor

**Ask a doctor before use if you have**  
 ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks

**Ask a doctor or pharmacist before use if you**  
 ■ are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

**When using this product**  
 ■ do not use for a period longer than 1 week

**Drug Facts (continued under label)**  
 This product is not manufactured or distributed by GSK Consumer Healthcare, owner of the registered trademark Ex-Lax® Maximum Strength.

195R 0621  
 Manufactured by:  
 Time-Cap Labs, Inc.  
 7 Michael Avenue  
 Farmingdale, NY 11735

3 49483 08309 5

Lot No.:  
 Exp. Date:

Varnish Omit Area

PEEL HERE

sennosides tablet, sugar coated

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49483-083
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>sennosides a and b</b> (UNII: 1B5FPI42EN) (SENNOSIDES A AND B - UNII:1B5FPI42EN)	sennosides a and b	25 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>IRON OXIDES</b> (UNII: 1K09F3G675)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>SHELLAC</b> (UNII: 46N107B71O)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>CALCIUM SULFATE ANHYDROUS</b> (UNII: E934B3V59H)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>FD&amp;C BLUE NO. 1 ALUMINUM LAKE</b> (UNII: J9EQA3S2JM)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>RAW SUGAR</b> (UNII: 8M707QY5GH)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>ACACIA</b> (UNII: 5C5403N26O)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	

## Product Characteristics

<b>Color</b>	blue	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	TCL083
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49483-083-00	50000 in 1 CARTON; Type 0: Not a Combination Product	08/30/2018	
2	NDC:49483-083-09	95 in 1 BOTTLE; Type 0: Not a Combination Product	12/31/2021	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	08/30/2018	

**Labeler** - TIME CAP LABORATORIES, INC (037052099)

## Establishment

Name	Address	ID/FEI	Business Operations
TIME CAP LABORATORIES, INC.		037052099	manufacture(49483-083)

Revised: 2/2025

TIME CAP LABORATORIES, INC