

SALICYLIC ACID- corn and callus remover kit liquid
Hudson Health LLC

Comfortzone Liquid Corn & Callus Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings

For external use only.

Flammable

- keep away from fire or flame
- cap bottle tightly and store at room temperature away heat

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

When using this product

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eyes, flush with water for 15 minutes

Stop and ask a doctor if

discomfort persists, see your doctor or podiatrist

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly

- apply one drop at a time with applicator, to sufficiently cover each corn/callus; let dry
- use cushions with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

Other information

store between 20°C to 30°C (68°F to 86°F)

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1- 877-237-0194

Principal Display Panel

comfortzone

liquid corn & callus remover

salicylic acid

- safely removes corn & calluses
- soft foam cushions & protects

3 Cushions

0.33 FL OZ (9.8 mL)

NDC 00504-010-01

Compare to Dr. Scholl's Liquid Corn/Callus Remover



liquid corn & callus remover

salicylic acid

- safely removes corns & calluses
- soft foam cushions & protects

FPO
Blister and Product
Covers
This Area

3 Cushions 0.33 FL OZ (9.8 mL)



Drug Facts

Active Ingredient	Purpose
Salicylic acid 17% w/w	Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings

For external use only.

Flammable

- keep away from fire or flame
- cap bottle **tightly** and store at room temperature away from heat

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

When using this product

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eye, flush with water for 15 minutes

Stop use and ask a doctor if discomfort persists, see your doctor or podiatrist.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash the affected area and dry thoroughly
- apply one drop at a time with applicator to sufficiently cover each corn/callus; let dry
- use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

Other information

- store between 20°–25°C (68°–77°F)
- close tightly to prevent solidification
- store in a cool place

Inactive Ingredients camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions? Call 1-877-237-0194

IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

Care

- Wipe top of bottle clean after each use

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Dr. Scholl's®.

Distributed By:
Hudson Health LLC
Hudson, NY 12534
©2018
Questions? Call 1-877-237-0194
MADE IN USA WITH U.S. AND IMPORTED PARTS
41-03DAM



SALICYLIC ACID

corn and callus remover kit liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72446-010
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 mg in 9.8 mL

Inactive Ingredients

Ingredient Name	Strength
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPBOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y219G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72446-010-98	9.8 mL in 1 PACKAGE; Type 0: Not a Combination Product	09/01/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	09/01/2018	

Labeler - Hudson Health LLC (081276171)

Revised: 10/2025

Hudson Health LLC