

OXYGEN- oxygen gas
Industrial Source

Oxygen Label

REFRIGERATED LIQUID

OXYGEN, REFRIGERATED LIQUID USP

UN1073

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, RX only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children.

Federal law requires that this container be refilled with oxygen USP only be establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL

INDUSTRIAL SOURCE

6330 SE 101ST AVE

PORTLAND, OR 97266

503-235-0168



WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, RX only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children.

Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS. MAY CAUSE CRYOPROSTIBURNING OR FROSTBITE. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or make any connections. Avoid spills. Do not walk on or oil equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw treated parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL

INDUSTRIAL SOURCE
6330 SE 101st AVE
PORTLAND, OR 97266 41533
503-235-0168 (0317)

OXYGEN, COMPRESSED USP

UN1072

PRODUCED BY AIR LIQUEFACTION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, RX only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. **DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.** Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

INDUSTRIAL SOURCE

1574 WEST SIXTH AVE

EUGENE, OR 97402

541-344-1438

CAS 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

OXYGEN,
COMPRESSED USP
UN1072
PRODUCED BY AIR LIQUEFACTION



WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.** Uninterrupted use of high concentrations of oxygen over a long duration may be harmful. Do not attempt to monitor its effect on oxygen content of arterial blood used in conjunction with resuscitative use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. **DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.** Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire, stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use.

INDUSTRIAL SOURCE
1574 WEST SIXTH AVE
EUGENE, OR 97402 • 541-344-1438

CAS 7782-44-7
DO NOT REMOVE THIS PRODUCT LABEL.



OXYGEN

oxygen gas

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:64169-011
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64169-011-01	165 L in 1 CYLINDER		
2	NDC:64169-011-02	248 L in 1 CYLINDER		
3	NDC:64169-011-03	420 L in 1 CYLINDER		
4	NDC:64169-011-04	581 L in 1 CYLINDER		
5	NDC:64169-011-05	690 L in 1 CYLINDER		
6	NDC:64169-011-06	1272 L in 1 CYLINDER		
7	NDC:64169-011-07	1770 L in 1 CYLINDER		
8	NDC:64169-011-08	2544 L in 1 CYLINDER		
9	NDC:64169-011-09	3373 L in 1 CYLINDER		
10	NDC:64169-011-10	3470 L in 1 CYLINDER		
11	NDC:64169-011-11	4286 L in 1 CYLINDER		

12	NDC:64169-011-12	7760 L in 1 CYLINDER		
13	NDC:64169-011-13	9340 L in 1 CYLINDER		
14	NDC:64169-011-14	27651 L in 1 DEWAR		
15	NDC:64169-011-15	124427 L in 1 DEWAR		
16	NDC:64169-011-16	142594 L in 1 DEWAR		
17	NDC:64169-011-17	152078 L in 1 DEWAR		
18	NDC:64169-011-18	168945 L in 1 DEWAR		
19	NDC:64169-011-19	199084 L in 1 DEWAR		
20	NDC:64169-011-20	129606 L in 1 DEWAR		
21	NDC:64169-011-21	144302 L in 1 DEWAR		
22	NDC:64169-011-22	153902 L in 1 DEWAR		
23	NDC:64169-011-23	146030 L in 1 DEWAR		
24	NDC:64169-011-24	176810 L in 1 DEWAR		
25	NDC:64169-011-25	167918 L in 1 DEWAR		
26	NDC:64169-011-27	300 L in 1 DEWAR		
27	NDC:64169-011-28	400 L in 1 DEWAR		
28	NDC:64169-011-26	192866 L in 1 DEWAR		
29	NDC:64169-011-27	300 L in 1 DEWAR		
30	NDC:64169-011-28	400 L in 1 DEWAR		
31	NDC:64169-011-29	1302.57 L in 1 CYLINDER		
32	NDC:64169-011-30	209.5 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA141365	10/01/1997	

Labeler - Industrial Source (027633486)

Establishment

Name	Address	ID/FEI	Business Operations
EUGENE WELDERS SUPPLY CO		027633486	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
EUGENE WELDERS SUPPLY CO		059451505	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Industrial Source		801576526	manufacture