

**NAUSEA VOMITING- ipecac pellet**  
**Natural Health Supply**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Indications**

**Indications:** To be used for acute self-limiting conditions according to standard homeopathic indications

**Active Ingredient**

IPECACUANHA

**Directions**

Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner.

Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth. Children and infants: 1-5 pellets.

**Keep Out of Reach of Children**

Keep these and all medications out of the reach of children.

**Warning**

If pregnant or nursing, consult a practitioner before using.

**Inactive Ingredients**

Inactive Ingredients - Lactose, Sucrose

**Purpose**

Purpose: Nausea Vomiting

**Package Label**

Est. No. 1724217

Natural Health Supply

505-474-9175

Homeopathic Medicated Pellets

Do not use if clear bottle seal is broken

IPECACUANHA 30C

Nausea Vomiting

Lot # \_\_\_\_\_

Est. No. 1724217  
**Natural Health Supply**  
 505-474-9175

**Homeopathic Medicated Pellets**

**Indications:** to be used for acute, self-limiting conditions according to standard homeopathic indications.

**Directions:** Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner. Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth; Children and Infants: 1-5 pellets.

**Warning:** Keep these and all medicines out of the reach of children; if pregnant or nursing, consult a practitioner before using.

**7.5ML (1/4OZ) LOT #**

Do not use if clear bottle seal is broken.

**IPECACUANHA**  
**30C**  
**Nausea, Vomiting**

Est. No. 1724217  
**Natural Health Supply**  
 505-474-9175  
**Homeopathic Medicated Pellets**

**Indications:** to be used for acute, self-limiting conditions according to standard homeopathic indications.

**Directions:** Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner. Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth; Children and Infants: 1-5 pellets.

**Warning:** Keep these and all medicines out of the reach of children; if pregnant or nursing, consult a practitioner before using.

**1.875 ml (1/16 oz.)**

**LOT #**

Do not use if perforated cap seal is broken.

**IPECACUANHA**  
**30C**  
**Nausea, Vomiting**

NAUSEA VOMITING			
ipecac pellet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:64117-553
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
IPECAC (UNII: 62I3C8233L) (IPECAC - UNII:62I3C8233L)	IPECAC	30 [hp_C] in 1 mL	
Inactive Ingredients			
Ingredient Name	Strength		
LACTOSE (UNII: J2B2A4N98G)			
SUCROSE (UNII: C151H8M554)			
Packaging			
#	Item Code	Package Description	Marketing Start Date
			Marketing End Date

1	NDC:64117-553-01	1.875 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/04/1998	
2	NDC:64117-553-02	7.5 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/04/1998	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/04/1998	

**Labeler** - Natural Health Supply (018504618)

**Registrant** - Natural Health Supply (018504618)

### Establishment

Name	Address	ID/FEI	Business Operations
Natural Health Supply		018504618	manufacture(64117-553)

Revised: 11/2018

Natural Health Supply