

**VIREX- lactobacillus acidophilus tablet**  
**Trivia Pharmaceuticals, LLC**

-----  
**Virex**

**Supplement Facts**

**Virex Tablets**

**Dispensed by Prescription**

<b>SUPPLEMENT FACTS</b>		
Serving Size: 4 tablets		
Servings Per Container: 12		
<b>Amt. Per Serving:</b>	<b>%DV ‡</b>	
<i>Total Carbohydrates</i>	1g	<1%
<i>Sugars</i>	<1g	**
<i>Lactobacillus Acidophilus</i>	0.2mg †	**
<i>Lactobacillus Bulgaricus</i>	0.2mg †	**
‡ 0.2 mg equals 2 million CFU's. Each serving contains at least four million Colony Forming Units (CFU) of the combined active ingredients at the time of manufacture.		

**Other ingredients:** Sucrose, Cellulose, Stearic Acid, Croscarmellose Sodium, Whey, Lactose, Magnesium Stearate, Nonfat Dried Milk, Silica.

**Description:**

Virex Probiotic Tablets are white, round tablets dispensed in plastic bottles of 50 ct.  
84781-0112-50

Reserved for Professional Recommendation

Virex Probiotic Tablets should be administered under the supervision of a licensed medical practitioner.

Virex is an orally administered prescription probiotic formulation for the clinical dietary management of suboptimal nutritional status in patients where advanced supplementation is required and nutritional supplementation in physiologically stressful conditions for maintenance of good health is needed.

This listed product is not a National Drug Code, but instead has merely been formatted to comply with standard industry practice for pharmacy and insurance computer systems.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

All prescriptions using this product shall be pursuant to state statutes as applicable. This is not an Orange Book product. This product may be administered only under a physician's supervision. There are no implied or explicit claims on therapeutic equivalence.

Manufactured for:

Trivia Pharmaceuticals

Gilbert, AZ

### **Warnings:**

This product is contraindicated in patients with a known hypersensitivity to any of the ingredients, including milk products.

Virex should only be used under the direction and supervision of a licensed medical practitioner. Use with caution in patients that may have a medical condition, are pregnant, lactating, trying to conceive, under the age of 18, or taking medications.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

### **Dosage:**

Usual dosage is 4 tablets 3 to 4 times daily, or as recommended by your healthcare professional.

### **Packaging:**

#### CONTRAINDICATIONS

This product is contraindicated in patients with known hypersensitivity to any of the ingredients.

#### PRECAUTIONS

This product is contraindicated in patients with a known hypersensitivity to any of the ingredients.

#### ADVERSE REACTIONS

Allergic sensitizations have been reported following oral administration of folic acid. Consult your physician immediately if adverse side effects occur.

KEEP OUT OF THE REACH OF CHILDREN.

### **Storage:**

Store at 20° - 25° C (68° - 77° F); excursions permitted to 15°-30°C (59°-86°F) [See USP Controlled Room Temperature]

## Packaging:

**Dosage:** Usual dosage is 4 tablets 3 to 4 times daily, or as recommended by your healthcare professional.

Virex Tablets should be administered under the supervision of a licensed medical practitioner.

**Warning:** As with any supplement, As with any supplement, if you are pregnant, nursing or taking medication, consult your doctor before use. Discontinue use and consult your doctor if any adverse reactions occur.

KEEP OUT OF REACH OF CHILDREN.

\*This product is not manufactured or distributed by the owner of the registered trademark Floranex™

This listed product number is not a National Drug Code, but instead has merely been formatted to comply with standard industry practice for pharmacy and insurance computer systems.



Lot:  
EXP:



### SUPPLEMENT FACTS

Serving Size: 4 tablets  
Servings Per Container: 12

Amt. Per Serving:	%DV †
Total Carbohydrates	1g <1%
Sugars	<1g **
Lactobacillus Acidophilus	0.2mg † **
Lactobacillus Bulgaricus	0.2mg † **

† 0.2 mg equals 2 million CFU's. Each serving contains at least four million Colony Forming Units (CFU) of the combined active ingredients at the time of manufacture.

**Other ingredients:** Sucrose, Cellulose, Stearic Acid, Croscarmellose Sodium, Whey, Lactose, Magnesium Stearate, Nonfat Dried Milk, Silica.

**Storage:** Store at 20° - 25° C (68° - 77° F); excursions permitted to 15°-30°C (59°-86°F) [See USP Controlled Room Temperature]



84781-9112-98

Manufactured in the USA for:  
Trivia Pharmaceuticals  
1760 E Pecos Rd Gilbert, AZ 85295  
Questions? Call: 602 - 834 - 3759  
www.triviapharma.com

## VIREX

lactobacillus acidophilus tablet

### Product Information

<b>Product Type</b>	DIETARY SUPPLEMENT	<b>Item Code (Source)</b>	NHRIC:84781-112
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LACTOBACILLUS ACIDOPHILUS</b> (UNII: 1PRR1V42V5) (LACTOBACILLUS ACIDOPHILUS - UNII:1PRR1V42V5)	LACTOBACILLUS ACIDOPHILUS	0.2 mg
<b>LACTOBACILLUS DELBRUECKII BULGARICUS</b> (UNII: HU1W4L947H) (LACTOBACILLUS DELBRUECKII BULGARICUS - UNII:HU1W4L947H)	LACTOBACILLUS DELBRUECKII BULGARICUS	0.2 mg

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:84781-112-50	50 in 1 BOTTLE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
DIETARY SUPPLEMENT		04/16/2026	

## Supplement Facts

Serving Size :

Serving per Container :

Amount Per Serving

% Daily Value

color	
scoring	1
shape	
size (solid drugs)	5 mm

**Labeler** - Trivia Pharmaceuticals, LLC (119353862)

Revised: 4/2026

Trivia Pharmaceuticals, LLC