

CUPRIC SULFATE PENTAHYDRATE - cupric sulfate powder, for solution
Fondel Chemicals Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Cupric Sulfate Pentahydrate Label

Active Ingredient: Cupric Sulfate [Powder for use in solution]

Purpose: Cupric Sulphate Pentahydrate powder is used as an aid in hoof rot management under veterinary guidance.

Warnings:

- Copper can be toxic to sheep. Do not allow animals to eat or drink the cupric sulphate powder or hoof bath solution.
- Know the volume of the hoof bath and calculate the amount of cupric sulphate carefully.
- Do not overdose by using more cupric sulphate than what is recommended by your veterinarian.

When Using this Product: By placing a clean water bath ahead of the treatment bath, animals will clean their hooves to some extent and keep the treatment bath clean longer. Hoof baths should only be part of an overall program that includes proper nutrition, regular hoof trimming, and hoof injury prevention.

Keep out of reach of children.

Questions?: 1-800-567-7455 (24/7-Emergency Spill Line) or 1-905-878-8432

Cupric Sulfate Labels

Cupric Sulphate Pentahydrate Powder
HOOF BATH FOR CATTLE AND SHEEP

Drug Facts

Active Ingredient: Cupric Sulfate [Powder for use in solution]

Purpose: Cupric Sulphate Pentahydrate powder is used as an aid in hoof rot management under veterinary guidance.

Use: Cupric Sulphate Pentahydrate powder is used in hoof baths for cattle and sheep.

Warnings:

- Copper can be toxic to sheep. Do not allow animals to eat or drink the cupric sulphate powder or hoof bath solution.
- Know the volume of the hoof bath and calculate the amount of cupric sulphate carefully.
- DO NOT OVER DOSE by using more cupric sulphate than what is recommended by your veterinarian.

For External Use Only

When Using this Product: By placing a clean water bath ahead of the treatment bath, animals will clean their hooves to some extent and keep the treatment bath clean longer. Hoof baths should only be part of an overall program that includes proper nutrition, regular hoof trimming, and hoof injury prevention.

Directions: It is recommended for use in a 2% to 5% solution strength (by weight) with immersion lasting between 5 and 20 minutes, once or twice daily, for a period of time as prescribed by your veterinarian.

Keep out of reach of children.


Questions?: 1-800-567-7455 (24/7-Emergency Spill Line) or 1-905-878-8432

NDC # 51044-101-25

Rev. April 2010

DISTORSION 98.56%

27 38 127
21 347



FONDEL


CUPRIC SULPHATE PENTAHYDRATE
TECHNICAL GRADE - NOT SUITABLE FOR USE IN ANIMAL FEED

MFPA Rating:
Health: 2
Env: 0
Reactivity: 0

DANGER!
CORROSIVE, HARMFUL, OR FATAL IF SWALLOWED;
CAUSES EYE, SKIN, AND RESPIRATORY IRRITATION;
MAY CAUSE BURNING ON THE SKIN, INHALE OR ON SWALLOWING;
Do not breathe dust. Wear goggles or face shield, protective gloves, and protective clothing when handling.

KEEP OUT OF REACH OF CHILDREN

3077




MARINE POLLUTANT
NO ENVIRONMENTALLY HAZARDOUS SUBSTANCE
SOLID N.O.S. (CUPRIC SULPHATE), R, UN3077, III
CAS NUMBER 7759-99-8

VALVE

**COPPER SULPHATE
SULPHATE DE CUIVRE**



**COPPER SULPHATE
SULPHATE DE CUIVRE**



FRIGIDT SHIPPING BAG
NE PAS DÉCHIFFER
SAC POUR TRANSPORT PAR FROID
NE PAS DÉCHIFFER

56598

COPPER SULPHATE - SULPHATE DE CUIVRE

PREMIERES PRECAUTIONS:
 Eviter le contact avec la peau, les vêtements, les surfaces métalliques.
 Eviter l'inhalation de la poussière.
 Eviter le contact avec les yeux.
 Eviter le contact avec les surfaces métalliques.
PREMIERES PRECAUTIONS:
 Eviter le contact avec la peau, les vêtements, les surfaces métalliques.
 Eviter l'inhalation de la poussière.
 Eviter le contact avec les yeux.
 Eviter le contact avec les surfaces métalliques.

PREMIERES PRECAUTIONS:
 Eviter le contact avec la peau, les vêtements, les surfaces métalliques.
 Eviter l'inhalation de la poussière.
 Eviter le contact avec les yeux.
 Eviter le contact avec les surfaces métalliques.

PREMIERES PRECAUTIONS:
 Eviter le contact avec la peau, les vêtements, les surfaces métalliques.
 Eviter l'inhalation de la poussière.
 Eviter le contact avec les yeux.
 Eviter le contact avec les surfaces métalliques.

FONDEL
9599 Regional Rd. 25, Milton, Ontario, CANADA L9T 2K7
Tel: 905/878-8432 Fax: 905/878-7282 E-mail: caneta@fondel.com
EMERGENCY SPILL LINE: NORTH AMERICA 247-NEWALTA • (888) 557-7455
PRODUCT OF CANADA

50 LBS. **A-810** 25 KG.

DESCRIPTION: FONDEL CHEMICALS
CODE ROUVILLE: FOND01-PVSE01

CODE COULEUR: ORANGE - NOIR

CUPRIC SULPHATE PENTAHYDRATE
TECHNICAL GRADE – NOT SUITABLE FOR ANIMAL FEED

DANGER!

CORROSIVE. HARMFUL OR FATAL IF SWALLOWED. CAUSES EYE, SKIN AND RESPIRATORY IRRITATION. MAY CAUSE BURNS. Do not get in eyes, on skin, or on clothing. Do not breathe dust. Wear goggles or face shield, protective gloves, and protective clothing when handling.

KEEP OUT OF REACH OF CHILDREN

RISK PHRASES

HARMFUL IF SWALLOWED

IRRITATING TO RESPIRATORY SYSTEM

IRRITATING TO EYES

IRRITATING TO SKIN

PRECAUTIONARY MEASURES

WHEN USING DO NOT EAT OR DRINK

DO NOT BREATHE DUST

AVOID CONTACT WITH EYES

AVOID CONTACT WITH SKIN

WEAR SUITABLE PROTECTIVE CLOTHING

WASH THOROUGHLY AFTER HANDLING

FIRST AID MEASURES

SKIN-REMOVE CONTAMINATED CLOTHING. WASH AFFECTED AREA WITH SOAP AND WATER AND RINSE THOROUGHLY WITH FLOWING WATER FOR AT LEAST 15 MINUTES. SEEK PROMPT MEDICAL ATTENTION. LAUNDRER CLOTHING BEFORE REUSE.

EYES-FLUSH CONTINUOUSLY WITH WATER FOR 15 MINUTES. FORCIBLY HOLDING EYELIDS APART TO ENSURE IRRIGATION OF ALL EYE TISSUE. SEEK PROMPT MEDICAL ATTENTION.

INHALATION-REMOVE TO FRESH AIR. APPLY ARTIFICIAL RESPIRATION OR ADMINISTER OXYGEN IF NECESSARY. SEEK PROMPT MEDICAL ATTENTION.

INGESTION-NEVER GIVE ANYTHING BY MOUTH IF VICTIM IS RAPIDLY LOSING CONSCIOUSNESS OR IS UNCONCIOUS OR CONVULSING. GIVE LARGE QUANTITIES OF WATER. SEE MEDICAL ATTENTION IMMEDIATELY.

FONDEL

9688 Regional Rd. 25, Milton, Ontario, CANADA L9T 2X7

Tel: 905/878-8432 Fax: 905/878-7262 E-mail: Canada@fondel.com

Emergency Spill Line: North America 24/7 – NEWALTA- (800) 567-7455

PRODUCT OF CANADA

50 LBS. 25 KG.

CUPRIC SULFATE PENTAHYDRATE

cupric sulfate powder, for solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:51044-101
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Cupric Sulfate (UNII: LRX7AJ16DT) (Cupric Cation - UNII:8CBV67279L)	Cupric Cation	0.4 kg in 1.6 kg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51044-101-25	25 kg in 1 BAG		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/01/2008	

Labeler - Fondel Chemicals Ltd. (201786790)

Registrant - Fondel Chemicals Ltd. (201786790)

Establishment

Name	Address	ID/FEI	Business Operations
Fondel Chemicals Ltd.		201786790	manufacture, label

Revised: 6/2010

Fondel Chemicals Ltd.