BISACODYL LAXATIVE - bisacodyl suppository Medicine Shoppe International Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

ACTIVE INGREDIENT (in each suppository)

Bisacodyl, 10 mg

PURPOSE

Stimulant Laxative

USES

- For relief of occasional constipation
- This product generally produces bowel movement in 15 minutes to 1 hour

WARNINGS

For rectal use only. May cause abdominal discomfort, faintness, rectal burning, and mild cramps.

Do not use

- more than one per day
- for a period of longer than one week unless directed by a doctor
- laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor
- if seal under product lid is torn, damaged, or open

Ask a doctor before use

- if you have noticed a sudden change in bowel habits that persist over a period of two weeks
- if you are pregnant or nursing a baby

Stop use and ask a doctor

if you have rectal bleeding or fail to have a bowel movement after using a laxative. This may indicate a serious condition.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

Adults and children 12 years of age and older	One suppository once daily	
Children 6 to 12 years	1/2 suppository once daily	
Children under 6	Ask a doctor	

- Detach one suppository from the strip and remove from foil
- Carefully insert one suppository well into the rectum
- Do not use more than once per day

OTHER INFORMATION

- Store at room temperature: 15°- 30° C (59° 86° F). Do not exceed 30° C (86° F).
- Individually sealed for your protection. Do not use if foil is torn or open.

INACTIVE INGREDIENT

hydrogenated vegetable oil

PACKAGE INFORMATION

The Medicine Shoppe®

COMPARE TO ACTIVE INGREDIENT OF DULCOLAX®*

NDC 49614-133-35

Gentle Laxative

BISACODYL SUPPOSITORIES

CONSTIPATION RELIEF

8 SUPPOSITORIES 10 MG EACH

FOR YOUR SAFETY, SUPPOSITORIES ARE PACKAGED IN PAMPER-EVIDENT SEALED PLASTIC WRAPPER. DO NOT USE IF PLASTIC WRAPPER IS TORN OR OPEN.

*This product is not manufactured or distributed by Boehringer Ingelhem Pharmaceuticals, Inc., owner of the registered trademark Dulcolax®.

Another Quality Product
Distributed by Medicine Shoppe Int'l., Inc.
St. Louis, MO 63132
www.medicineshoppe.com
A Cardinal Health Company

For prompt relief of constipation often in 15 minutes to 1 hour



OF DULCOLAXO

NDC 49614-133-35

Gentle Laxative

BISACODYL SUPPOSITORIES

CONSTIPATION RELIEF

8 SUPPOSITORIES . 10 MG EACH

Fox.A

FOR YOUR SAFETY, SUPPOSITIONES AND MADIAGES IN STAMPER EMBENT SEALED PLASTIC WRAPPER DO NOT USE IF PLASTIC WISAPPER IS TORN OR OPEN.



TUPC FPO

0-91899-13135-7 PRINTS PROC. BLACK

inactive ingredent hyaquanta evident

- ■ grane quan unque na - a c (a) - a L · po no necessita c (a) L nothermothin red O
 - As puled equal trait is our earn out on .
 - uniper est qui jos Apacedón e un pera Arqui el pera est que es est que el pera el parte el parte el pera el pe

1 do do miss A	6 Natural 6
A representation of the second residence of the second	Cip dan 61012 years
A ab earth orders grave day by	No three pelo many Simplification are think

O rections

NON O LEE

Neets out of the acts of or fill direct. If we allow std, go it medica friup or an iteration file son Contrar Can far

Shou so and ask a doctor if you have need to each graf of this so tone a more mentation units a boat be. This may find but as self-cus out dath.

yda de gn la um o françenç ens ucy 1 #

2 now own to promod it Ask a declariff to the use figur have mitted a such an charge or the own that is that person ask

- The about I man and the sapposity with form damaged, or open
- On the contract of the contrac

Warmings For sec below only. May as use absorbed decord of, to the see, rack burning, and mid compa.

The sproduct gave rally produce showing movem extends tabloring if T m

Active ingredient (in each suppository)

Recory to my esodind Drug Facts





BISACODYL LAXATIVE

bisacodyl suppository

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:49614-133

Route of Administration RECTAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

bisacodyl (UNII: 10 X0 70 9 Y6 I) (bisacodyl - UNII: 10 X0 70 9 Y6 I) bisacodyl 10 mg

Inactive Ingredients

Ingredient Name Strength

fat, hard (UNII: 8334LX7S21)

Packaging

	# Item Code	Package Description	Marketing Start Date	Marketing End Date
l	1 NDC:49614-133-35	8 in 1 BOX		

Marketing Information

						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC monograph final	part334	03/08/2008				

Labeler - Medicine Shoppe International Inc (071997654)

Revised: 3/2010 Medicine Shoppe International Inc