

**WKND UNDERWATER SUN SCREEN 50ML- octinoxate, octisalate, titanium dioxide cream
SURFCODE**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACTIVE INGREDIENT

Active Ingredient: ETHYLHEXYL METHOXYCINNAMATE 7.50%, ETHYLHEXYL SALICYLATE 5.00%, TITANIUM DIOXIDE 3.5%

INACTIVE INGREDIENT

Inactive Ingredients:

Water, Cyclopentasiloxane, C12-15 Alkyl Benzoate, Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine, Butylene Glycol, PEG-9 Polydimethylsiloxyethyl Dimethicone, Sorbitan Oliviate, Isoamyl p-Methoxycinnamate, Niacinamide, Cetyl PEG/PPG-10/1 Dimethicone, Silica, Glycerin, Sodium Chloride, Distearidmonium Hectorite, Polyglutamic Acid, Dimethicone Crosspolymer, Aluminum Stearate, Polyhydroxystearic Acid, Alumina, Dimethicone, Dimethiconol, Zanthoxylum Piperitum Fruit Extract, Pulsatilla Koreana Extract, Usnea Barbata (Lichen) Extract, 1,2-Hexanediol, Caprylyl Glycol, Dipotassium Glycyrrhizate, Salicornia Herbacea Extract, Phragmites Communis Extract, Adenosine, CI 77492, CI 77491

PURPOSE

Purpose: Sunscreen

WARNINGS

Warnings:

FOR EXTERNAL USE ONLY

- Do not use on damaged or broken skin
- When using this product, Keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

DESCRIPTION

Direction: - Apply liberally and uniformly to all exposed areas 15-20 minutes before sun exposure. Reapply often (every 2 hours) and after swimming, excessive perspiration and washing to ensure maximum sun protection.

Uses: - Helps prevent sunburn - Higher SPF gives more sunburn protection - Retains SPF after 80 minutes of activity in the water or sweating

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

wknd

Drug Facts

Active ingredients :

Ethylhexyl Methoxycinnamate 7.5%
Ethylhexyl Salicylate 5.0%
Titanium Dioxide 3.5%

Purpose :

Sunscreen

Uses :

- Helps prevent sunburn
- Higher SPF gives more sunburn protection
- Retains SPF after 80 minutes of activity in the water or sweating

Warnings : [FOR EXTERNAL USE ONLY]

Do not use on damaged or broken skin

When using this product, Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions :

Apply liberally and uniformly to all exposed areas 15-20 minutes before sun exposure. Reapply often (every 2 hours) and after swimming, excessive perspiration and washing to ensure maximum sun protection.

Inactive ingredients :

Water, Cyclopentasiloxane, C12-15 Alkyl Benzoate, Bis-Ethylhexyloxyphenol, Methoxyphenyl Triazine, Butylene Glycol, PEG-9 Polydimethylsiloxyethyl Dimethicone, Sorbitan Oliviate, Isoamyl p-Methoxycinnamate, Niacinamide, Cetyl PEG/PPG-10/1 Dimethicone, Silica, Glycerin, Sodium Chloride, Distearidimonium Hectorite, Polyglutamic Acid, Dimethicone Crosspolymer, Aluminum Stearate, Polyhydroxystearic Acid, Alumina, Dimethicone, Dimethiconol, Zanthoxylum Piperitum Fruit Extract, Pulsatilla Koreana Extract, Usnea Barbata (Lichen) Extract, 1,2-Hexanediol, Caprylyl Glycol, Dipotassium Glycyrrhizate, Salicornia Herbacea Extract, Phragmites Communis Extract, Adenosine, CI 77492, CI 77491

Manufacturer for SURFCODE

52 Jayugongwonnam-ro, Jung-gu, Incheon, 22315, Korea

Manufacturer for NATUZEN

289 Namdongdong-ro, Namdong-gu, Incheon, 21639, Korea

UNDERWATER SUNSCREEN
SPF50+ PA+++ / 50ml 1.69oz



Thanks Sun

WKND UNDERWATER SUN SCREEN 50ML

octinoxate, octisalate, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71192-050
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.75 g in 50 mL
OCTISALATE (UNII: 4X49 Y0596 W) (OCTISALATE - UNII:4X49 Y0596 W)	OCTISALATE	2.5 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	1.75 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
Butylene Glycol (UNII: 3XUS85K0RA)	
Sorbitan Olivat (UNII: MDL271E3GR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71192-050-02	1 in 1 CARTON	07/01/2018	
1	NDC:71192-050-01	50 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	07/01/2018	

Labeler - SURFCODE (693717579)

Registrant - SURFCODE (693717579)

Establishment

Name	Address	ID/FEI	Business Operations
Natuzen Co.,Ltd.		688201272	manufacture(71192-050)