

MAXIMUM STRENGTH STOMACH RELIEF- bismuth subsalicylate liquid CVS

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Maximum Strength Stomach Relief

Active ingredient (in each 30 mL)

Bismuth subsalicylate 1050 mg

Purpose

Upset stomach reliever and anti-diarrheal

Uses

relieves:

- diarrhea
- heartburn
- indigestion
- nausea
- upset stomach associated with these symptoms

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use if you have

- bloody or black stool
- an ulcer
- a bleeding problem

Ask a doctor before use if you have

- fever
- mucus in the stool

Ask a doctor or pharmacist before use if you are taking any drug for

- anticoagulation (thinning of the blood)
- diabetes
- gout
- arthritis

When using this product

a temporary, but harmless darkening of the stool and/or tongue may occur

Stop use and ask a doctor if

- symptoms get worse
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast feeding, ask a health professional before use. Keep out of reach of children.

In case of overdose, get medical help or contact a Poison control center immediately.

Directions

- **shake well before use**
- adults and children 12 years and over: 1 dose (2 tbsp or 30 mL) every hour as needed
- do not exceed 4 doses (8 tbsp or 120 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years: ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information

- **each 30 mL or 2 Tbsp contains:** sodium 8 mg, salicylate 471 mg, potassium 25 mg
- protect from freezing
- avoid excessive heat (over 104°F or 40°C)
- dosage cup provided

Inactive ingredients

benzoic acid, D&C red 22, D&Cred 28, flavor, hydroxy ethyl cellulose, potassium hydroxide, purified water, saccharin sodium, salicylic acid, simethicone, xanthan gum.

Principal Display Panel

*Compare to the active ingredient in PEPTO-BISMOL[®] Maximum Strength

Maximum Strength Stomach Relief

Bismuth Subsalicylate 1050mg

Upset Stomach Reliever & Anti-diarrheal

Soothing Relief for 5 symptoms:

Upset Stomach

Indigestion

Nausea

Heartburn

Diarrhea

12 FL OZ (355 mL)

Drug Facts DO NOT USE IF IMPRINTED SHRINKBAND IS MISSING OR BROKEN.

Active ingredient (in each 30 mL) *Purpose*
Bismuth subsalicylate 1050 mgUpset stomach reliever and anti-diarrheal

Uses relieves: ■ diarrhea ■ heartburn ■ indigestion ■ nausea ■ upset stomach associated with these symptoms

Warnings
Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are
■ allergic to salicylates (including aspirin)
■ taking other salicylate products

Do not use if you have ■ bloody or black stool ■ an ulcer ■ a bleeding problem

Ask a doctor before use if you have ■ fever ■ mucus in the stool

Ask a doctor or pharmacist before use if you are taking any drug for
■ anticoagulation (thinning of the blood)
■ diabetes ■ gout ■ arthritis

When using this product a temporary, but harmless darkening of the stool and/or tongue may occur.

Stop use and ask a doctor if ■ symptoms get worse ■ ringing in the ears or loss of hearing occurs ■ diarrhea lasts more than 2 days

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center immediately.

◀ **Drug Facts continued**



Compare to the active ingredient in Pepto-Bismol® Maximum Strength*

MAXIMUM STRENGTH

Stomach Relief

BISMUTH SUBSALICYLATE 1050 mg
Upset stomach reliever/Antidiarrheal

Soothing relief for 5 symptoms:

- Heartburn
- Indigestion
- Upset stomach
- Nausea
- Diarrhea



12 FL OZ (355 mL)

Drug Facts (continued)

Directions ■ shake well before use ■ mL = milliliter
■ Tbsp = tablespoon ■ adults and children 12 years and over: 1 dose (2 Tbsp or 30 mL) every hour as needed
■ do not exceed 4 doses (8 Tbsp or 120 mL) in 24 hours
■ use until diarrhea stops but not more than 2 days
■ children under 12 years: ask a doctor ■ drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information ■ each 30 mL or 2 Tbsp contains:
• potassium 25 mg • salicylate 471 mg • sodium 8 mg
■ protect from freezing. ■ avoid excessive heat (over 104°F or 40°C). ■ dosage cup provided

Inactive ingredients benzoic acid, D&C red 22, D&C red 28, flavor, hydroxyethyl cellulose, potassium hydroxide, purified water, saccharin sodium, salicylic acid, simethicone, xanthan gum.

*This product is not manufactured or distributed by Procter & Gamble, Inc., the distributor of Pepto-Bismol® Maximum Strength.

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2015 CVS/pharmacy
CVS.com® 1-800-SHOP CVS

V-11496



#120402 MFR# 53041 REV 0415

FPO 80%

UPC# 050428415191

0 12345 67890 5

MAXIMUM STRENGTH STOMACH RELIEF

bismuth subsalicylate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-528
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD118 YE)	BISMUTH SUBSALICYLATE	525 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
BENZOIC ACID (UNII: 8SKN0B0MIM)	
D&C RED NO. 22 (UNII: 1678RKX8RT)	
D&C RED NO. 28 (UNII: 767IP0Y5NH)	
HYDROXYETHYL CELLULOSE (2000 CPS AT 1%) (UNII: S38J6RZN16)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
WATER (UNII: 059QF0K00R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SALICYLIC ACID (UNII: O414PZ4LPZ)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	pink	Score	
Shape		Size	
Flavor	WINTERGREEN	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-528-05	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/08/2008	
2	NDC:69842-528-04	236 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/08/2008	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part335	09/08/2008	

Labeler - CVS (062312574)

Revised: 8/2017

CVS