

**PAIN RELIEF LIDOCAINE- lidocaine patch
FAMILY DOLLAR**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Family Wellness Pain Relief Lidocaine Patch 1ct 46959

Active ingredientPurpose

Lidocaine 4%..... Topical anesthetic

Use

- temporarily relieves minor pain

For external use only

Do not use

- more than 1 patch on your body at a time or on cut, irritated or swollen skin
- at the same time as other topical analgesics
- on puncture wounds
- for more than one week without consulting a doctor

When using this product

- use only as directed. Read and follow all directions and warnings on this label.
- do not allow contact with the eyes
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- discontinue use at least 1 hour before a bath or shower
- do not use immediately after a bath or shower
- dispose of used patch in manner that always keeps product away from children or pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and ask a doctor if

- condition worsens
- redness is present
- symptoms persist for more than 7 days or clear up and occur again within a few days
- irritation develops
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children over 12 years:
- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle

- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- use 1 patch for up to 12 hours
- children 12 years or younger: ask a doctor

Other information

- store at room temperature 20-25°C (68-77°F)


Inactive ingredients alcohol, aluminum glycinate, glycerin, kaolin, methylparaben, polysorbate 80, propylparaben, purified water, sodium polyacrylate, tartaric acid, titanium dioxide

DISTRIBUTED BY:

MIDWOOD BRANDS, LLC

500 VOLVO PARKWAY, CHESAPEAKE, VA 23320 USA

MADE IN CHINA



Drug Facts	
Active ingredient Lidocaine 4%	Purpose Topical anesthetic
Use ■ temporarily relieves minor pain	
Warnings For external use only Do not use ■ more than 1 patch on your body at a time or on cut, irritated or swollen skin ■ at the same time as other topical anesthetics ■ on puncture wounds ■ for more than one week without consulting a doctor When using this product ■ use only as directed. Read and follow all directions and warnings on this label. ■ do not allow contact with the eyes ■ do not massage lightly or apply local heat (such as heating pads) to the area of use ■ discontinue use at least 1 hour before a bath or shower ■ do not use immediately after a bath or shower ■ dispose of used patch in manner that always keeps product away from children or pets. Used patches still contain the drug product that can produce serious adverse effects. If a child or pet chews or ingests this patch. Stop use and ask a doctor if ■ condition worsens ■ redness is present ■ symptoms persist for more than 7 days or clear up and occur again within a few days ■ irritation develops ■ you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied	
Drug Facts (continued) If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
Directions ■ adults and children over 12 years: ■ clean and dry affected area ■ remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle ■ carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area ■ once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area ■ use 1 patch for up to 12 hours ■ children 12 years or younger: ask a doctor	
Other information ■ store at room temperature 20-25°C (68-77°F)	
Inactive ingredients alcohol, aluminum glycinate, glycerin, kaolin, methylparaben, polysorbate 80, propylparaben, purified water, sodium polyacrylate, tartaric acid, titanium dioxide	
Questions or comments? Call 1-888-845-8284 Mon-Fri 9AM-5PM (PST)	

DISTRIBUTED BY:
MIDWOOD BRANDS, LLC
500 VOLVO PARKWAY, CHESAPEAKE, VA 23320 USA
MADE IN CHINA


NOT 100% SATISFIED?
Return package and unused product within 30 days to any Family Dollar store for a refund (with receipt) or exchange.

*This product is not manufactured or distributed by Chatterm, Inc., distributor of Aspercreme® Maximum Strength Lidocaine Patch.

46959-ZDP-FM-R2
PR-MD-ZDP103-R1

LOT:
EXP:

SKU# 0902716




COMPARE TO THE ACTIVE INGREDIENT IN ASPERCREME® MAXIMUM STRENGTH LIDOCAINE PATCH*

FAMILY wellness™

MAXIMUM STRENGTH
Pain Relief
Lidocaine Patch
Lidocaine 4% (Topical Anesthetic)

PAIN RELIEVING OINTMENT ON A BREATHABLE ADHESIVE PAD

- Numbs pain away
- No irritation or burning
- Fast acting
- Fragrance free

1 PATCH
3-15/16" X 5-1/2" (10 CM X 14 CM)
Child-resistant packaging

OTC network

100% SATISFACTION OR YOUR MONEY BACK GUARANTEED

PAIN RELIEF LIDOCAINE

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55319-959	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)		LIDOCAINE	40 mg in 1 g	
Inactive Ingredients				
Ingredient Name				Strength
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)				
GLYCERIN (UNII: PDC6A3C0OX)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
POLYSORBATE 80 (UNII: 6OZP39ZG8H)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
WATER (UNII: 059QF0KO0R)				
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)				
TARTARIC ACID (UNII: W4888I119H)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
ALCOHOL (UNII: 3K9958V90M)				
KAOLIN (UNII: 24H4NWX5CO)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-959-01	1 in 1 POUCH	09/07/2018	
1		0.04 g in 1 PATCH; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part348	09/07/2018		

Labeler - FAMILY DOLLAR (024472631)