

CVS MUCUS RELIEF DM AND OVERNIGHT COLD AND FLU- dextromethorphan hbr, guaifenesin, acetaminophen and triprolidine hcl

CVS

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Maximum Strength Mucus Relief DM and Overnight Cold & Flu Value Pack

Drug Facts

Active ingredients (in each Purposes 20 mL)

Maximum Strength Mucus Relief DM Max

Dextromethorphan HBr 20 mg	Cough suppressant
Guaifenesin 400 mg	Expectorant

Active ingredients (in each Purposes 20 mL)

Nighttime Cold & Flu

Acetaminophen 650 mg	Pain reliever/fever reducer
-----------------------------	------------------------------------

Dextromethorphan HBr 20 mg	Cough suppressant
Tripolidine HCl 2.5 mg	Antihistamine

Uses

MAXIMUM STRENGTH MUCUS RELIEF DM

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your

prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough that occurs with too much phlegm (mucus)

When using this product do not use more than directed

Stop use and ask a doctor if

- cough lasts more than 7 days comes back or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

If pregnancy or breast-feeding, ask a health professional before use

Keep Out of Reach of Children

In case of overdose, get medical help or contact a Poison control Centre right away at 1-800-222-1222

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor
- mL = milliliter
- **adults and children 12 years and older:** 20 mL every 4 hours
- **children under 12 years of age:** Do not use

Other information

- **each 20 mL contains:** sodium 8 mg
- low sodium
- store at room temperature
- do not refrigerate
- dosing cup provided

Inactive ingredients (Maximum strength mucus relief DM)

anhydrous citric acid, edetate disodium, FD&C Blue No.1, FD&C Red No. 40, flavors, potassium citrate, propylene glycol, propyl gallate, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum

Uses (Nighttime Cold and Flu)

- temporarily relieves these common cold and flu symptoms:
- cough
- minor aches and pains
- sore throat
- headache
- runny nose
- sneezing
- itching of the nose or throat
- itchy, watery eyes due to hay fever
- temporarily reduces fever
- controls cough to help you get to sleep

Warnings

Liver warnings: This product contains acetaminophen. Severe liver damage may occur if you take\

- more than 4000 mg in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product

If pregnant or breast feeding

Ask a health professional before use

Keep Out of Reach of Children

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Centre right away at 1-800-222-1222.

Quick medical attention is critical for adults as well as for children, even if you do not notice any signs

Directions

- **do not take more than directed (see overdose warnings)**
- do not take more than 4 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor
- **adults and children 12 years of age and older:** 20 ml in dosing cup provided every 4 hours
- **children under 12 years of age:** do not use

Other Information

- **each 20 mL contains:** sodium 10 mg
- low sodium
- store at room temperature

- do not refrigerate

Inactive ingredients (Overnight Cold & Flu)

anhydrous citric acid, ascorbic acid, edetate disodium, FD&C Blue No. 1, FD&C Red No. 40, flavors, glycerin, propyl gallate, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose, xanthan gum

Questions or comments?

(1-866-467-2748)

PRINCIPAL DISPLAY PANEL - Kit Carton

VALUE PACK

NDC 69842-696-12

Compare to the active ingredients Maximum Strength Mucinex® Fast Max® DM Max*

Mucus Relief DM

Dextromethorphan HBr • Cough Suppressant

Guaifenesin • Expectorant

MAXIMUM STRENGTH

MULTI-SYMPTOM

- **Controls Cough**
- **Relieves chest congestion**
- **Thins & loosens mucus**
- **4 hour dosing**

For Ages 12+

*This product is not manufactured or distributed by Reckitt Benckiser, the distributor of Maximum Strength Mucinex® Fast-Max® DM Max.

Compare to Mucinex® Nightshift Cold & Flu Active Ingredients**

Overnight Cold & Flu

ACETAMINOPHEN • PAIN RELIEVER/FEVER REDUCER

DEXTROMETHORPHAN HBR • COUGH SUPPRESSANT

TRIPROLIDINE HCL • ANTIHISTAMINE

Night Time

Relief for Better Morning

Maximum Strength per 4-hour dose

- Cough

- Fever
- Sore Throat
- Runny Nose
- Sneezing

For Ages 12+

2 - 6 FL OZ (180 mL) BOTTLES / TOTAL 12 FL OZ (360 mL)

††These product is not manufactured or distributed by Reckitt Benckister Health, distributor of Maximum Strength Mucinex® Fast Max© DM Max & Mucinex© Nightshift Cold & Flu.

DO NOT TAKE ADULT DM MAXIMUM & NIGHTTIME COLD & FLU LIQUIDS AT THE SAME TIME.

TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING.;

See bottle for full labeling

Distributed By:

CVS Pharmacy, Inc.

One CVS Drive

Woonsocket, RI 02895

© 2020 CVS/pharmacy

CVS.com®

1-800-SHOP CVS

V-12431

CVS® Quality

Money Back Guarantee

CVS Health. Compare to the active ingredients in Maximum Strength Mucinex® Fast-Max® DM Max®

CVS Health. Compare to the active ingredients in Mucinex® Nightshift Cold & Flu®

ADULT DM Maximum
 DEXTROMETHORPHAN HBr - Cough suppressant
 GUAIFENESIN - Expectorant
MAXIMUM STRENGTH
 Multi-Symptom
 • Relieves chest congestion
 • Soothes cough
 • Thins & loosens mucus
 • Dosing lasts 4 hours
 FOR AGES 12+
 TOTAL 12 FL OZ (360 mL) - 2 X 6 FL OZ (180 mL)

Nighttime Cold & Flu
ACETAMINOPHEN Pain reliever/Fever reducer
 DEXTROMETHORPHAN HBr - Cough suppressant
 TRIPROLDINE HCl - Antihistamine
MULTI-SYMPTOM
 Controls cough
 Relieves fever & sore throat
 Relieves runny nose & sneezing
 FOR AGES 12+

ADULT DM MAXIMUM
Drug Facts
Active Ingredients
 Dextromethorphan HBr 20 mg
 Guaifenesin 400 mg
Purposes
 Cough Suppressant
 Expectorant

ADULT NIGHTTIME COLD & FLU
Drug Facts
Active Ingredients
 Acetaminophen 325 mg
 Dextromethorphan HBr 20 mg
 Triprolidine HCl 2 mg
Purposes
 Pain Reliever/Fever Reducer
 Cough Suppressant
 Antihistamine

Uses
 • Relieves fever, sore throat, and pain
 • Relieves cough
 • Relieves runny nose and sneezing
 • Relieves chest congestion
 • Thins and loosens mucus

Warnings
 • Do not take more than 4 grams per day
 • Do not take with other acetaminophen products
 • Do not take with other cough suppressants
 • Do not take with other antihistamines
 • Do not take with other cold and flu medicines
 • Do not take with other pain relievers
 • Do not take with other sedatives
 • Do not take with other alcohol

Directions
 • Take 1 tablet every 4 to 6 hours as needed for pain or fever. Do not take more than 4 tablets in 24 hours.
 • Take 1 tablet every 4 to 6 hours as needed for cough.
 • Take 1 tablet every 4 to 6 hours as needed for runny nose and sneezing.
 • Take 1 tablet every 4 to 6 hours as needed for chest congestion and mucus.

Other information
 • Contains 20 mg acetaminophen per 5 mL.
 • Contains 40 mg guaifenesin per 5 mL.
 • Contains 2 mg triprolidine HCl per 5 mL.

Questions or comments 1-800-467-2748

TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING.

CVS Quality
 Money Back Guarantee

69612-TP-CVSFC
 LOT:
 EXP:

CVS MUCUS RELIEF DM AND OVERNIGHT COLD AND FLU

dextromethorphan hbr, guaifenesin, acetaminophen and triprolidine hcl kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-696
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-696-12	1 in 1 CARTON; Type 0: Not a Combination Product	03/30/2020	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	180 mL
Part 2	1 BOTTLE	180 mL

Part 1 of 2

MAXIMUM STRENGTH MUCUS RELIEF DM

dextromethorphan hbr and guaifenesin solution

Product Information

Route of Administration	ORAL
--------------------------------	------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Dextromethorphan Hydrobromide (UNII: 9D2RTI9KYH) (Dextromethorphan - UNII:7355X3ROTS)	Dextromethorphan Hydrobromide	20 mg in 20 mL
Guaifenesin (UNII: 495W7451VQ) (Guaifenesin - UNII:495W7451VQ)	Guaifenesin	400 mg in 20 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
FD&C Blue No. 1 (UNII: H3R47K3TBD)	
FD&C Red No. 40 (UNII: WZB9127XOA)	
POTASSIUM CITRATE (UNII: EE90ONI6FF)	
propylene glycol (UNII: 6DC9Q167V3)	
propyl gallate (UNII: 8D4SNN7V92)	

water (UNII: 059QF0KO0R)	
sodium benzoate (UNII: OJ245FE5EU)	
sorbitol (UNII: 506T60A25R)	
sucralose (UNII: 96K6UQ3ZD4)	
xanthan gum (UNII: TTV12P4NEE)	

Product Characteristics

Color	BLUE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		180 mL in 1 BOTTLE; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	03/30/2020	

Part 2 of 2

OVERNIGHT COLD AND FLU

acetaminophen, dextromethorphan hbr and triprolidine hcl solution

Product Information

Route of Administration	ORAL
--------------------------------	------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Acetaminophen (UNII: 362O9ITL9D) (Acetaminophen - UNII:362O9ITL9D)	Acetaminophen	650 mg in 20 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL
TRIPROLIDINE HYDROCHLORIDE (UNII: YAN7R5L890) (TRIPROLIDINE - UNII:2L8T9S52QM)	TRIPROLIDINE HYDROCHLORIDE	2.5 mg in 20 mL

Inactive Ingredients

Ingredient Name	Strength
anhydrous citric acid (UNII: XF417D3PSL)	
edetate disodium (UNII: 7FLD91C86K)	
FD&C Blue No. 1 (UNII: H3R47K3TBD)	
FD&C Red No. 40 (UNII: WZB9127XOA)	
glycerin (UNII: PDC6A3C0OX)	
propyl gallate (UNII: 8D4SNN7V92)	
propylene glycol (UNII: 6DC9Q167V3)	
water (UNII: 059QF0KO0R)	
sodium benzoate (UNII: OJ245FE5EU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
sorbitol (UNII: 506T60A25R)	
sucralose (UNII: 96K6UQ3ZD4)	
xanthan gum (UNII: TTV12P4NEE)	

Product Characteristics

Color	BLUE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		180 mL in 1 BOTTLE; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	03/30/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	03/30/2020	

Labeler - CVS (062312574)