

**EXTRA STRENGTH PAIN RELIEF- acetaminophen tablet**  
**Geri-Care Pharmaceutical Corp**

-----  
**gc201**

**Active Ingredients**

Acetaminophen 500 mg

**Purpose**

Pain Reliever/Fever Reducer

**Uses**

- temporarily relieves minor aches and pains
- temporarily reduces fever

**Warnings**

**Liver warning:**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 tablets (4,000 mg of acetaminophen) in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening • blisters • rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have**

liver disease.

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptom occur

- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- **do not take more than directed**
- adults and children 12 years and over: Take 2 tablets every 6 hours, as needed; not more than 6 tablets in 24 hours. Do not take for more than 10 days unless directed by a doctor.
- children under 12 years: ask a doctor

### **Other Information**

- **TAMPER EVIDENT: Do not use if imprinted seal under cap is missing or broken.**
- store at 20°C-25°C (68°F-77°F)

### **Inactive Ingredients**

povidone, sodium starch glycolate, starch, stearic acid.

### **Questions or comments?**

**1-800-540-3765**

## Drug Facts

**Active ingredient (in each tablet)** **Purposes**  
 Acetaminophen 500 mg .....Pain Reliever /  
 .....Fever Reducer

**Uses** • temporarily relieves minor aches and pains  
 • temporarily reduces fever

### Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 8 tablets (4,000 mg of acetaminophen) in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash If a skin reaction occurs, stop use and seek medical help right away.

**Do not use** • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
 • if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have liver disease.**

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.**

**Stop use and ask a doctor if** • pain gets worse or lasts more than 10 days • fever gets worse or lasts more than 3 days • new symptoms occur  
 • redness or swelling is present  
 These could be signs of a serious condition. ▶

NDC 57896-201-10



# EXTRA STRENGTH ACETAMINOPHEN 500 mg

PAIN RELIEVER/ FEVER REDUCER



Compare to the active ingredient in  
 Extra Strength **TYLENOL**® Tablets\*

1000 Tablets

## Drug Facts (continued)

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### Directions • do not take more than directed

Adults and children 12 years of age and over	Take 2 tablets every 6 hours, as needed; not more than 6 tablets in 24 hours. Do not take for more than 10 days unless directed by a doctor.
--	--

Children under 12 years ask a doctor

**Other information** • **TAMPER EVIDENT:** Do not use if imprinted seal under cap is missing or broken.  
 • store at 20°C-25°C (68°F-77°F)

**Inactive ingredients:** povidone, sodium starch glycolate, starch, stearic acid.

**Questions or comments?** 1-800-540-3765

\*This product is not manufactured or distributed by the owner of the registered trademark **TYLENOL**®.

DIST. BY: GERI-CARE PHARMACEUTICALS CORP.

1295 Towbin Ave  
 Lakewood, NJ 08701  
 REV 1123A



## EXTRA STRENGTH PAIN RELIEF

acetaminophen tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57896-201
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>STARCH, PREGELATINIZED CORN</b> (UNII: O8232NY3SJ)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

### Product Characteristics

<b>Color</b>	white (WHITE)	<b>Score</b>	no score
<b>Shape</b>	ROUND (Round)	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	M2A457344
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-201-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2012	06/01/2020
2	NDC:57896-201-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2012	11/30/2026
3	NDC:57896-201-05	50 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2012	06/01/2020

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/01/1989	11/30/2026

**Labeler** - Geri-Care Pharmaceutical Corp (611196254)

**Registrant** - Geri-Care Pharmaceutical Corp (611196254)

Revised: 12/2025

Geri-Care Pharmaceutical Corp